

ROBINHOOD POOLS

Network Activity Update

Robinhood Pools + Robinhood Trenches: endpoint maps, live stream schemas, correlation, and an algorithmic LP trading opportunity map

Prepared from fresh captures on 06 September 2026: a 12-second LP SSE sample at 14:50 UTC and a 30-second trader-tape WebSocket sample at 15:02 UTC.

100 block frames 60 activity frames 0 owner frames

~8.3 blocks/sec

78 LP event rows

owner channel quiet

Decision headline

The stream is useful for real-time LP event awareness, but the index is materially behind the observed chain head and trace-dependent accounting is incomplete. Use it as a fast signal layer, not as the final source of truth for capital allocation or automated execution.

time	side	token	size	price	tokens	trader	followers	fomo profile	dexscreener	cs
10:55:50	BUY	BU FIRST BUY	\$1,483.82	\$0.000203	7.33M	Fibs	31.0K	fomo.family/profile/fibs	dexscreener.com/robinhood/0x72702c7-1e18	0x72702c7-1e18
10:55:26	SELL	CHILLHOUSE	\$2,050.02	\$0.000232	8.83M	brescales	128.2K	fomo.family/profile/brescales	dexscreener.com/robinhood/0x42ced81-f09e	0x42ced81-f09e
10:55:02	BUY	ECEN	\$997.44	\$0.004237	239.9K	Robbeizle	37.2K	fomo.family/profile/Robbeizle	dexscreener.com/robinhood/0x5de499d-1e12	0x5de499d-1e12
10:55:13	BUY	RSRV	\$3,336.51	\$0.004243	786.4K	andy	43.7K	fomo.family/profile/andy	dexscreener.com/robinhood/0x942e390b-93ec	0x942e390b-93ec
10:55:09	SELL	69	\$526.27	\$6.29e-5	8.36M	Fibs	31.0K	fomo.family/profile/fibs	dexscreener.com/robinhood/0x862e62d-c83d	0x862e62d-c83d
10:55:14	BUY	CHILLHOUSE FIRST BUY	\$1,989.89	\$0.000213	17.47M	brescales	128.2K	fomo.family/profile/brescales	dexscreener.com/robinhood/0x42ced81-f09e	0x42ced81-f09e
10:54:55	SELL	ZOROI	\$762.20	\$0.000470	1.98M	MINHdYNASTY	40.1K	fomo.family/profile/MINHdYNASTY	dexscreener.com/robinhood/0x4f55bc74-8976	0x4f55bc74-8976
10:54:01	SELL	YOLD	\$196.77	\$0.000820	239.9K	Bull_Path	20.3K	fomo.family/profile/Bull_Path	dexscreener.com/robinhood/0x62c71cd3-32ea	0x62c71cd3-32ea
10:57:30	BUY	RSRV FIRST BUY	\$5,083.48	\$0.001064	1.40M	andy	43.7K	fomo.family/profile/andy	dexscreener.com/robinhood/0x942e390b-93ec	0x942e390b-93ec
10:57:10	SELL	Pontan	\$30,840.95	\$0.001926	16.10M	Quantity	242.7K	fomo.family/profile/Quantity	dexscreener.com/robinhood/0x72165931-31e4	0x72165931-31e4
10:57:14	SELL	AI	\$5,015.65	\$0.193223	26.0K	andy	43.7K	fomo.family/profile/andy	dexscreener.com/robinhood/0x2e8c3116-1e18	0x2e8c3116-1e18
10:53:23	SELL	PONSHOUSE	\$5,470.27	\$0.000396	9.78M	remusofnars	143.0K	fomo.family/profile/remusofnars	dexscreener.com/robinhood/0xb04179a-a690	0xb04179a-a690
10:52:35	BUY	PONS	\$2,456.05	\$0.843991	2.9K	cosby	25.2K	fomo.family/profile/cosby	dexscreener.com/robinhood/0x39bd8da-4571	0x39bd8da-4571
10:52:17	SELL	OPTIMIS	\$892.48	\$0.002773	321.9K	cosby	25.2K	fomo.family/profile/cosby	dexscreener.com/robinhood/0xbff9072a-e2b2	0xbff9072a-e2b2
10:52:02	SELL	Deenhiber	\$734.79	\$1.45e-5	43.20M	brescales	128.2K	fomo.family/profile/brescales	dexscreener.com/robinhood/0xb3f5cca-af4f	0xb3f5cca-af4f
10:52:00	SELL	NURES	\$2,495.38	\$0.023640	372.0K	andy	43.7K	fomo.family/profile/andy	dexscreener.com/robinhood/0xb980751-74d1	0xb980751-74d1
10:51:54	BUY	HURRIS	\$98.88	\$0.000233	426.9K	game_for_one	23.5K	fomo.family/profile/game_for_one	dexscreener.com/robinhood/0xb273392a-3489	0xb273392a-3489
10:51:47	SELL	ZOROI	\$1,021.19	\$0.001029	992.2K	MINHdYNASTY	40.1K	fomo.family/profile/MINHdYNASTY	dexscreener.com/robinhood/0x4f55bc74-8976	0x4f55bc74-8976
10:59:19	BUY	ZB FIRST BUY	\$300.00	\$0.26e-6	44.35M	ogle	56.4K	fomo.family/profile/ogle	dexscreener.com/robinhood/0xc874297b-a609	0xc874297b-a609
10:59:54	BUY	BTC FIRST BUY	\$148.10	\$0.000924	118.1K	ogle	56.4K	fomo.family/profile/ogle	dexscreener.com/robinhood/0xc83b3eef-6a7d	0xc83b3eef-6a7d
10:59:52	SELL	PONTINUS	\$399.83	\$8.25e-5	4.85M	fnupunny	65.6K	fomo.family/profile/fnupunny	dexscreener.com/robinhood/0x32198698-7fab	0x32198698-7fab
10:59:19	BUY	ZB FIRST BUY	\$300.00	\$0.26e-6	44.35M	AvagDesCrypto	285.2K	fomo.family/profile/AvagDesCrypto	dexscreener.com/robinhood/0xc874297b-a609	0xc874297b-a609
10:59:13	BUY	ZB FIRST BUY	\$300.00	\$0.26e-6	44.35M	fnupunny	65.6K	fomo.family/profile/fnupunny	dexscreener.com/robinhood/0xc874297b-a609	0xc874297b-a609
10:57:18	BUY	ZOROI	\$425.72	\$0.001215	350.5K	Binkiee	151.2K	fomo.family/profile/Binkiee	dexscreener.com/robinhood/0x4f55bc74-8976	0x4f55bc74-8976
10:56:28	BUY	BONER	\$2,532.32	\$0.023872	181.7K	himgajia	31.7K	fomo.family/profile/himgajia	dexscreener.com/robinhood/0x9090417-1e18	0x9090417-1e18
10:56:18	SELL	FATCOIN	\$398.71	\$0.002942	135.5K	himgajia	31.7K	fomo.family/profile/himgajia	dexscreener.com/robinhood/0x1605a79-5a81	0x1605a79-5a81
10:55:37	SELL	ROUNDTRIP	\$108.92	\$6.33e-5	1.72M	MINHdYNASTY	40.1K	fomo.family/profile/MINHdYNASTY	dexscreener.com/robinhood/0x1590d705-0991	0x1590d705-0991
10:54:05	BUY	ZB FIRST BUY	\$300.00	\$0.26e-6	44.35M	fnupunny	65.6K	fomo.family/profile/fnupunny	dexscreener.com/robinhood/0xc874297b-a609	0xc874297b-a609
10:53:29	BUY	BTC FIRST BUY	\$444.32	\$0.001248	241.5K	Bull_Path	20.3K	fomo.family/profile/Bull_Path	dexscreener.com/robinhood/0x62c71cd3-32ea	0x62c71cd3-32ea
10:52:19	BUY	BTC FIRST BUY	\$108.78	\$0.000923	118.1K	DumbCrayonEater	483.3K	fomo.family/profile/DumbCrayonEater	dexscreener.com/robinhood/0xc83b3eef-6a7d	0xc83b3eef-6a7d
10:52:10	BUY	BTC FIRST BUY	\$108.67	\$0.000923	118.1K	frankdegods	244.3K	fomo.family/profile/frankdegods	dexscreener.com/robinhood/0xc83b3eef-6a7d	0xc83b3eef-6a7d
10:52:27	BUY	Fomocat	-\$11,244.80	\$0.000140	88.09M	FartmanSacks	56.4K	fomo.family/profile/FartmanSacks	dexscreener.com/robinhood/0xc6d7e84a-a19d	0xc6d7e84a-a19d
10:52:27	BUY	Fomocat	-\$11,244.80	\$0.000140	88.09M	Dorantheth	56.4K	fomo.family/profile/Dorantheth	dexscreener.com/robinhood/0xc6d7e84a-a19d	0xc6d7e84a-a19d
10:52:27	BUY	Fomocat	-\$11,244.80	\$0.000140	88.09M	Lizzard	23.2K	fomo.family/profile/Lizzard	dexscreener.com/robinhood/0xc6d7e84a-a19d	0xc6d7e84a-a19d
10:52:27	BUY	Fomocat	-\$11,244.80	\$0.000140	88.09M	CardinalSaint2	20.4K	fomo.family/profile/CardinalSaint2	dexscreener.com/robinhood/0xc6d7e84a-a19d	0xc6d7e84a-a19d
10:52:27	BUY	Fomocat	-\$11,244.80	\$0.000140	88.09M	Pasternia1	117.2K	fomo.family/profile/Pasternia1	dexscreener.com/robinhood/0xc6d7e84a-a19d	0xc6d7e84a-a19d
10:52:27	BUY	Fomocat	-\$11,244.80	\$0.000140	88.09M	himgajia	31.7K	fomo.family/profile/himgajia	dexscreener.com/robinhood/0xc6d7e84a-a19d	0xc6d7e84a-a19d
10:52:27	BUY	Fomocat	-\$11,244.80	\$0.000140	88.09M	ecocmar	56.8K	fomo.family/profile/ecocmar	dexscreener.com/robinhood/0xc6d7e84a-a19d	0xc6d7e84a-a19d
10:51:37	BUY	ZB FIRST BUY	\$300.00	\$0.26e-6	44.35M	fnupunny	65.6K	fomo.family/profile/fnupunny	dexscreener.com/robinhood/0xc874297b-a609	0xc874297b-a609
10:50:58	BUY	BTC FIRST BUY	\$108.77	\$0.000923	117.0K	Natan_Benish	85.0K	fomo.family/profile/Natan_Benish	dexscreener.com/robinhood/0xc83b3eef-6a7d	0xc83b3eef-6a7d
10:50:48	BUY	BTC FIRST BUY	\$103.42	\$0.000923	97.9K	Quantity	242.7K	fomo.family/profile/Quantity	dexscreener.com/robinhood/0xc83b3eef-6a7d	0xc83b3eef-6a7d
10:50:40	BUY	BTC FIRST BUY	\$109.33	\$0.000923	118.4K	unics	516.4K	fomo.family/profile/unics	dexscreener.com/robinhood/0xc83b3eef-6a7d	0xc83b3eef-6a7d
10:50:22	SELL	PEZ	\$1,967.43	\$0.001660	1.19M	FartmanSacks	40.4K	fomo.family/profile/FartmanSacks	dexscreener.com/robinhood/0xa3602804-99c5	0xa3602804-99c5
10:50:10	BUY	ZB FIRST BUY	\$300.00	\$0.26e-6	44.35M	unics	516.4K	fomo.family/profile/unics	dexscreener.com/robinhood/0xc874297b-a609	0xc874297b-a609
10:49:44	BUY	WNN	\$225.99	\$0.013336	1.3K	Cryptokaleo	78.5K	fomo.family/profile/Cryptokaleo	dexscreener.com/robinhood/0xc7e95d8-a57f	0xc7e95d8-a57f
10:49:08	BUY	SIRIUS	\$448.89	\$0.002526	177.7K	boosterytling	57.1K	fomo.family/profile/boosterytling	dexscreener.com/robinhood/0x3b40048-1e18	0x3b40048-1e18
10:48:46	BUY	HOMED	-\$25.33	\$9.18e-6	2.76M	frankdegods	244.3K	fomo.family/profile/frankdegods	dexscreener.com/robinhood/0x3f715bc1-27f2	0x3f715bc1-27f2
10:48:46	BUY	HOMED	-\$10.37	\$9.18e-6	1.33K	change	338.4K	fomo.family/profile/change	dexscreener.com/robinhood/0x3f715bc1-27f2	0x3f715bc1-27f2
10:48:46	BUY	HOMED	-\$15.09	\$9.18e-6	1.64M	Quantity	242.7K	fomo.family/profile/Quantity	dexscreener.com/robinhood/0x3f715bc1-27f2	0x3f715bc1-27f2
10:48:46	BUY	HOMED	-\$15.61	\$1.97e-5	8.67M	fnupunny	65.6K	fomo.family/profile/fnupunny	dexscreener.com/robinhood/0x1590d705-0991	0x1590d705-0991
10:48:46	BUY	ROUNDTRIP FIRST BUY	\$249.52	\$1.33e-5	8.87M	fnupunny	65.6K	fomo.family/profile/fnupunny	dexscreener.com/robinhood/0x1590d705-0991	0x1590d705-0991

1. Executive Summary

The page is a terminal-style LP analytics client for chain 4663. Its browser-side runtime combines ordinary JSON GET requests for snapshot data with a persistent Server-Sent Events connection for live blocks and LP activity. The browser does not need a bearer token in the stream URL, and the observed responses are explicitly dynamic and non-cacheable.

A fresh stream sample received 100 block frames, 60 activity frames, and 78 LP event rows in 12 seconds. The sample contained adds, removes, collects, and checkpoints across V3 and V4 pools. The owner event lane emitted no frames during the window, so wallet-level live updates need a longer sample or a separate validation pass.

\$2.17B	\$8.14M	8,886,885	27,946	10,068	Active owners
---------	---------	-----------	--------	--------	---------------

The most important constraint is data confidence. The service reports a degraded state, a lag of about 9,461 seconds (2 hours 38 minutes), roughly 93,875 blocks of index lag, deferred trace enrichment, and a reorg that removed 73,990 events. The 24h payload says the requested interval is complete while also warning that it is partial until backfill completes. That contradiction should be surfaced directly to any strategy consuming the feed.

The second source is materially different: Robinhood Trenches exposes trader fills, wallet handles, token radar, flow, trader rankings, and closed-position outcomes through REST snapshots plus a WebSocket tape. Its live hello frame reported about 0.1 seconds of chain lag and a roughly 1-second indexer age, making it a useful demand and attention layer to pair with the slower LP index.

Recommended operating posture

- Use the SSE lane for discovery, event velocity, and short-horizon monitoring.
- Use block-pinned logs and receipts to verify every trade-critical event before execution.
- Down-weight or quarantine features with pending_trace, null pricing, stale coverage, or provisional qualification.
- Treat gross fee estimates as pool-level opportunity indicators, not realized LP returns.

2. What Was Observed

The current page source was fetched and its loaded terminal script was inspected for request construction. The same public read paths were then sampled directly. The SSE capture was allowed to run for 12 seconds, enough to observe the high-frequency block lane and several activity bursts without changing the user's tab or submitting any action.

Item	Observed value
Page/runtime	Robinhood Pools / Chain 4663; client script lp_terminal.js
Capture window	06 Sep 2026, 14:50:33 UTC response start; 12-second stream sample
Transport	HTTP/2 over HTTPS; JSON GET plus text/event-stream SSE
Stream sample	100 block events, 60 activity events, 0 owner events, 78 rows, 274 KB
Auth/session	No bearer token or session token appeared in the stream URL; direct public GETs returned 200
Caching	JSON: no-store; SSE: no-cache, no-transform; Cloudflare cache status dynamic
Rate limiting	No x-ratelimit or Retry-After headers observed in the sample; absence is not a guarantee

The stream event IDs carry a feed epoch and sequence, for example 0:18d2bd8bc99a9040:157599. The client also supports a resume shape using feed_epoch and block_after. This gives a practical basis for deduplication and reconnect handling, but it is not cryptographic authenticity.

3. Endpoint Map

The following map covers the browser-visible paths discovered in the client runtime. The page uses a 24h default window, LP event kind, a 150-row tape snapshot, a 100-row pool snapshot, and a 200-owner stream limit.

Type	Path	Purpose	Cadence / notes
HTML	GET /	Terminal shell and initial page	Initial navigation
JS	GET /static/lp_terminal.js?v=...	Client runtime; builds all API calls	Initial navigation; versioned asset
JSON	GET /api/lp/status	Indexer health, head, lag, providers, reorgs	Initial load and refresh
JSON	GET /api/lp/overview?window=24h	Volume, fees, swaps, adds, removes, coverage	Aggregate refresh
JSON	GET /api/lp/pools?window=24h&limit=100&offset=0	Pool ranking and per-pool metrics	Aggregate refresh; sortable
JSON	GET /api/lp/tape?window=24h&limit=150&offset=0&kind=lp	Historical LP activity snapshot	Initial load and history refresh
SSE	GET /api/lp/stream?current_only=1&channel=both&view=terminal&window=24h&kind=lp&owner_sort=activity&owner_limit=200	Live block, activity, and optional owner events	Persistent; reconnect backoff up to 15s
JSON	GET /api/lp/search?q=...&limit=30	Search pool, token, protocol, owner, custody, tx, position	Debounce after user input
JSON	GET /api/lp/owner?owner=...&window=24h	Owner history and accounting view	On wallet/LP detail open
HTML	GET /lp?... and /pool?...	Detail pages and pool inspector targets	Navigation links; not trade execution

No direct trading or wallet-signing route was found in this client runtime. That matters operationally: the data surface is an observation and analytics layer, not an execution API.

4. Payload Shapes and Data Semantics

The data is rich enough to build a feature store, but the meaning of fields changes by event type and accounting basis. A strategy should preserve both the numeric value and the confidence metadata that explains how the value was derived.

Payload	Important fields	Trading use
block	number, hash, parent_hash, timestamp, as_of, source, sequence, feed_epoch	Head tracking, finality buffer, latency, reorg detection
activity envelope	type, lane, qualification, block, rows, as_of, source, late, sequence, feed_epoch	Event freshness, provisional/final state, source quality, dedupe
LP row	pool_id, protocol, kind, custody, position_key, token_id, tick_lower, tick_upper, liquidity_delta, tx_hash, log_index	Position lifecycle, range behavior, wallet/custody flows, event attribution
Pricing fields	price0_usd, price1_usd, volume_usd, fees_usd, deposit_usd, withdrawal_usd, pricing_basis	Fee efficiency, inventory risk, return estimation, confidence weighting
Accounting metadata	accounting_basis, flow_scope, flow_complete, flow_qualification, fees_qualification, identity_basis, data_trace_complete	Decide whether a row is tradable signal, provisional, or audit-only
Pool row	fee_ppm, tvl_usd, active_tvl_usd, observed_active_tvl_usd, volume_usd, fees_usd, swaps, adds, removes, lp_count, price_change_pct, risks	Pool ranking, fee opportunity, liquidity quality, concentration and singleton risk
Overview/status	24h aggregates plus coverage, provider health, lag, pending queues, reorg and source coverage	Global regime filter and kill switch for automated strategies

Fresh sample quality profile

Observed fact	Count / value	Meaning
Activity qualification	60 of 60 provisional_canonical	The feed is live, but not equivalent to finalized, audit-complete accounting
Late activity frames	60 of 60 marked late	Rows can arrive after the block lane; ordering by arrival time is unsafe
Pending trace accounting	58 of 78 rows	Cashflow and fee attribution may be missing or null

Observed fact	Count / value	Meaning
Fees unavailable without position attribution	62 of 78 rows	Do not convert pool fee rate into wallet-level realized return
Owner event frames	0 during capture	Wallet stream behavior needs a separate sample and schema test
Pricing basis	USDG anchor; max age 300s in many rows	Useful quote unit, not a fiat oracle or guaranteed mark

5. What These Streams Can Add to Algorithmic LP Decisions

The highest-value use is not a single buy or sell signal. It is a layered decision system that separates opportunity, position risk, data confidence, and execution readiness. The streams can enrich each layer as follows.

Decision layer	Candidate features	How it helps
Pool selection	Fee rate, 24h volume, gross fee estimate, active TVL, LP count, price change, protocol, pair	Rank pools by fee opportunity while filtering thin, stale, or singleton pools
Fee efficiency	fees_usd / volume_usd; fees per active LP; fee rate versus realized swap intensity	Separate high nominal fee tiers from pools that actually generate enough flow
Flow pressure	Adds, removes, collects, checkpoint rate, net deposits, event velocity	Detect capital entering, leaving, or recycling before aggregate metrics move
LP churn	(adds + removes) / LP count; repeat custody actions; time between add and remove	Identify unstable liquidity, farming behavior, and potential adverse selection
Range management	tick_lower, tick_upper, current tick when available, sqrt_price_x96, liquidity_delta	Estimate range occupancy and reposition pressure for concentrated liquidity
Inventory / IL risk	Token pair, price0/price1, price change, deposits, withdrawals, range width	Model directional inventory and impermanent-loss exposure alongside fees
Wallet intelligence	Owner, custody, position_key, token_id, repeat actions, pool overlap	Build behavior clusters and distinguish durable LPs from short-lived liquidity
Regime detection	Block velocity, activity rows per block, add/remove imbalance, active pool count, volume bursts	Switch strategy families when the chain or LP market changes regime
Data confidence	Coverage age, qualification, trace_complete, flow_complete, pricing age, provider health	Turn missingness and indexer health into an explicit position-size constraint
Execution readiness	Finality depth, reorg history, RPC latency, receipt availability, pool state freshness	Prevent acting on a fast but non-final signal

High-value derived features

Feature	Starter definition	Guardrails
Fee efficiency	gross fees / volume	Mark as pool-level estimate; not LP net return
LP churn	(adds + removes) / max(lp_count, 1)	Normalize by window and exclude incomplete coverage
Net flow pressure	deposits - withdrawals, normalized by observed active TVL	Use only when flow_complete and pricing are available
Event velocity	LP rows or unique txs per minute	Correct for late frames and duplicate log delivery
Range occupancy	(current_tick - lower) / (upper - lower)	Only when current tick is present and range is valid
Confidence score	coverage x trace x pricing x provider health	Confidence must be able to force a no-trade state
Reorg exposure	1 / finality depth, increased after reorg warnings	Do not use provisional blocks for irreversible execution

Strategy ideas worth testing

- Flow-following LP: increase attention on pools with accelerating volume and net deposits, but require stable active liquidity and fresh pricing.
- Fee-to-risk ranking: score gross fee opportunity against price change, LP churn, observed TVL quality, and inventory exposure.
- Range-reposition trigger: flag positions when price approaches a range edge and flow velocity is rising, then compare reposition gas and expected fee recovery.

- Liquidity-quality filter: penalize singleton pools, manager-balance TVL, null TVL, pending trace accounting, and stale index coverage.
- Wallet behavior model: cluster custodians by holding time, range width, collect frequency, and response to volatility; use as a prior, not as a copy-trade instruction.
- Indexer-aware sizing: shrink or halt exposure when status shows degraded state, large lag, provider cooldowns, reorgs, or a growing pending queue.

6. Practical Data and Strategy Architecture

A robust LP system should keep the fast path and the truth path separate. The fast path can react to SSE events in seconds; the truth path verifies state before a position change, model label, or PnL attribution is committed.

1. Ingest	2. Normalize	3. Verify	4. Features	5. Decide	6. Observe
SSE blocks, activity, owners; JSON snapshots	Canonical event key; feed epoch; event-time ordering	Block-pinned logs, receipts, token metadata, reorg replay	Fee, flow, range, churn, confidence, regime	Rank, enter, reposition, reduce, or no-trade	Latency, lag, gaps, duplicates, confidence, PnL drift

Minimum implementation contract

Component	Must preserve
Event identity	feed_epoch, SSE id, block_hash, tx_hash, tx_index, log_index, row id
State confidence	qualification, late, source, accounting_basis, flow_complete, trace_complete, pricing_basis
Chain safety	parent_hash continuity, finality depth, reorg markers, removed event handling
Feature lineage	source rows, timestamp/as_of, coverage window, formula version, model version
Execution gate	fresh status, acceptable lag, verified receipt/log, expected gas, slippage and inventory limit

7. Risks, Ambiguities, and Recommended Next Checks

Risk / ambiguity	Why it matters	Control
Indexer lag and degraded state	Live stream can look healthy while historical aggregates are stale	Use status as a global kill switch; show lag on every strategy screen
Trace unavailable	Position-level cashflow and fee attribution may remain null or pending	Quarantine pending_trace rows from realized-return calculations
Reorg and provisional frames	Rows can be removed, replayed, or arrive late	Finality buffer, dedupe keys, replay window, block hash continuity
USDG pricing basis	USDG is a quote anchor, not a fiat oracle	Add independent oracle and mark-age checks
Singleton / synthetic TVL risk	Manager balance may not equal economic TVL	Require verified inventory and pool-state reads
Missing owner frames	Wallet strategy features may appear complete but not be live	Run a longer owner-enabled capture and compare with owner API
No signatures on SSE frames	Transport integrity depends on TLS and the indexer	Verify against chain logs and receipts; never treat frame JSON as signed evidence
No rate-limit signal	A later deployment or burst may be throttled without warning headers	Implement client backoff, request budgets, and 429/5xx handling

Next checks before using this for automated LP trading

Priority	Check	Pass condition
P0	Schema validation and versioning	Unknown fields do not break ingestion; missing confidence fields fail closed

Priority	Check	Pass condition
P0	On-chain cross-check	Every trade-critical row matches logs/receipt and block hash after finality
P0	Reorg replay test	Removed and replayed rows produce the same canonical state
P1	Owner stream validation	Owner events, owner API, and wallet table agree over a 5-30 minute sample
P1	Confidence-weighted backtest	Performance is reported by data-quality bucket, not only aggregate PnL
P1	Feature ablation	Flow, fee, range, and confidence features each show incremental value
P2	Provider and latency monitor	RPC cooldowns, lag, and event gaps trigger alerts before strategy degradation
P2	Execution simulation	Gas, slippage, inventory, and finality gates are modeled before live capital

8. Robinhood Trenches: Trader Tape Findings

Robinhood Trenches is a trader-flow and social-attention surface on the same chain, chain 4663. Its front end explicitly documents REST for tables and one WebSocket for the live tape. The browser opens `wss://robinhoodtrenches.com/ws`, receives a hello message, then receives fills messages. If the socket does not open within eight seconds or fails repeatedly, the client falls back to polling the tape every five seconds.

This is a different grain of truth from Robinhood Pools: it follows wallet-level fills and trader outcomes rather than LP position lifecycle and pool accounting. That difference is precisely what makes the two sources useful together.

2,559	\$10.77M	104	417	39.58%	Win rate
--------------	-----------------	------------	------------	---------------	----------

The REST snapshot reported 2,559 fills, 1,610 buys, 949 sells, 104 active traders, 417 tokens, about \$10.77M of 24h volume, realized PnL of about -\$499K, unrealized PnL of about \$3.79M, net PnL of about \$3.29M, 2,113 open bags, and 434 unpriced bags. These numbers are platform-indexed analytics, not a verified mark-to-market ledger.

Type	Path	Purpose	Cadence / notes
HTML	GET /	Terminal shell and client boot	Initial navigation
JS/CSS	GET /app.js?v=... and /style.css?v=...	Runtime and terminal presentation	Versioned assets
JSON	GET /api/status	Chain, indexer age, lag, last block, viewers, latency	Initial load; max-age 3s
JSON	GET /api/overview?window=24h&stocks=false	Fills, buys, sells, volume, PnL, bags, win rate	Initial load; refresh every 30s
JSON	GET /api/traders?window=24h&stocks=false	Trader leaderboard and PnL fields	Initial load; cached 20s
JSON	GET /api/tape?limit=400&stocks=true	Historical fill replay	Initial load; cached 4s
JSON	GET /api/closed?window=24h&stocks=false&limit=80	Closed-position history	Refresh path; cached 20s
JSON	GET /api/tokens?window=24h&stocks=false&limit=60	Token ranking and market activity	Tokens tab; cached 20s
JSON	GET /api/flow?window=24h&stocks=false&limit=40	Leader / follower flow view	Flow tab; cached 20s
JSON	GET /api/radar?minutes=120&limit=40	Recent token discovery radar	Radar tab; cached 20s
JSON	GET /api/trader/{handle}?window=24h&stocks=false	Trader detail, holdings, history	Trader modal; on demand
WebSocket	GET /ws via wss://	hello and fills messages; server ping observed	Persistent; 8s open timeout, 2-6s jittered reconnect

30-second WebSocket sample

Observation	Value	Interpretation
Upgrade	101 Switching Protocols	The socket route is reachable and accepted the upgrade
Frames	4 frames: 1 hello, 2 fills, 1 server ping	Low-volume sample; the connection stayed open
Hello	chain 4663; 147 wallets; 44,730 trades; lag 0.1s; indexer age 1.4s	Fresh operational status at connection time
Fill rows	2 buys: HOOKED and RSRV	Each row includes wallet, handle, token, price, USD size, and flags
Pricing	1 cash_leg; 1 no_cash_leg	Not every fill has a two-sided cash valuation
Flags	One row flagged not a real buy (airdropped)	Must be excluded from demand signals
Keepalive	Server ping observed during capture	Client normally sends p every 20s when open

Trenches payload semantics

Payload	Important fields	Trading use
hello	ok, chain, chain_id, wallets, uptime, source, lag_seconds, last_block, indexer_age, trades, latency, viewers	Data freshness gate and source health
fills	id, ts, tx, side, usd, amount, price, handle, followers, wallet, token, symbol, is_stock, priced, flags, new_position	Wallet demand, token flow, attention, fill validation
trader row	address, handle, followers, volume, fills, buys, sells, realized_pnl, unrealized_pnl, net_pnl, win_rate, state, active	Behavior priors and trader-quality weights
token row	traders, buyers, usd_in, usd_out, mark, liquidity, change24, volume24, buys24, sells24, net_usd, honeypot, holders	Demand, liquidity, market-quality and token-risk filters
flow/radar	lead, followers, since_lead_pct; first_ts, buyers, usd_in, liquidity, fresh, first_buyer	Attention propagation and early discovery signals
closed row	opened_ts, closed_ts, cost_sold, proceeds_usd, pnl_usd, buys, sells, hold_seconds, pnl_pct	Holding-time, win-rate and realized outcome labels

Key caution: the site itself exposes a no-cash-leg pricing state and explicit airdrop flags. A raw fill count is therefore not the same as organic buy pressure. The correct unit for a demand signal is a verified, cash-leg, unflagged fill or a confidence-weighted aggregate of such fills.

9. Correlation Between the Two Sources

The two feeds are complementary, but they are not interchangeable. Pools is strongest for pool state, LP lifecycle, fee opportunity, and position accounting. Trenches is strongest for trader demand, wallet behavior, token attention, and realized or unrealized outcomes. A combined strategy should join them at the chain-event level and carry source confidence into every decision.

Correlation headline: Trenches is the faster demand signal; Pools is the richer LP opportunity and risk signal. When they agree, confidence improves. When they diverge, the divergence is itself a trade-risk or data-quality signal that should reduce size rather than be ignored.

Dimension	Robinhood Pools	Robinhood Trenches	Correlation / use
Chain identity	Chain 4663; LP index	Chain 4663; trader index	Same chain makes tx, token, wallet, and timestamp joins possible
Primary grain	Pool event / position lifecycle	Wallet fill / trader outcome	LP supply side versus trader demand side
Live transport	SSE: block, activity, owners	WebSocket: hello, fills	Two independent live lanes; monitor freshness separately
Freshness observed	Index lag about 2h38m; provisional rows	Hello lag 0.1s; indexer age about 1s	Trenches can lead short-horizon demand; Pools may confirm later
Economic fields	Volume, gross fees, LP count, flow, ticks, liquidity	USD fill size, token flow, PnL, bags, win rate	Estimate fee capture against actual demand and inventory risk
Confidence hazards	pending_trace, late, provisional, unpriced flows, reorgs	no_cash_leg, airdrop flags, cached snapshots, unpriced bags	Confidence should be multiplicative, not an afterthought
Best use	Pool ranking, range management, LP entry/exit	Demand detection, wallet clusters, token radar	Cross-stream confirmation and early-warning divergence

Join keys and matching strategy

- Primary join: chain_id + transaction hash. Pools rows expose tx_hash; Trenches REST tape exposes tx and block, while live fills expose tx.

- Secondary join: token contract + wallet + event-time window. Pools exposes token0/token1, custody, owner, and position keys; Trenches exposes token and wallet.

- Tertiary join: protocol and pool context. Resolve a token to its active pool set, then attribute trader demand to the fee tier and liquidity state that could actually monetize it.

- Always preserve unmatched records. A missing cross-source match can mean delayed indexing, a different event type, a token transfer without LP impact, or a schema gap.

Cross-source features to test

Feature	Construction	Decision value
Demand-to-LP lag	Time from unflagged cash-leg buy burst to matching pool activity or volume	Find whether trader attention precedes monetizable LP flow
Attention-adjusted fee opportunity	Trader net_usd x pool fee rate, discounted by liquidity and confidence	Prioritize pools where current demand can become fees
Organic demand score	Cash-leg, unflagged fills weighted by unique wallets and token liquidity	Avoid airdrop and synthetic activity contamination
Toxic-flow score	Sells, realized losses, rapid holding times, and LP outflow around the same token	Reduce exposure where fees are compensation for adverse selection
Wallet-quality demand	Unique buyer flow weighted by stable history, not follower count alone	Separate durable participation from social reach
Source divergence	Trenches demand change minus Pools flow/volume change after time alignment	Flag stale indexing, unobserved pools, or a real market transition
Confidence-weighted size	Base signal x pool confidence x trader-fill confidence x finality	Turn data quality into a direct risk budget

Suggested combined decision loop

- 1. Detect demand in Trenches using cash-leg, unflagged fills, unique wallets, token liquidity, and short-horizon acceleration.
- 2. Map demand to Pools using token addresses, tx hashes, pool pairs, fee tiers, active liquidity, LP count, and recent add/remove flow.
- 3. Reject or down-weight if either source is stale, provisional, reorg-affected, trace-pending, no-cash-leg, or otherwise unpriced.
- 4. Simulate fee capture, inventory drift, range occupancy, gas, slippage, and adverse selection before any rebalance.
- 5. After execution, verify receipts and update the feature store with realized fee, PnL, holding time, and source-confidence outcomes.

Appendix A. Observed Status Snapshot

Field	Observed value
state	degraded
chain_id	4663
lag_s	9,461 seconds (~2.63 hours)
lag_blocks	93,875
recent_catchup_lag_blocks	93,873
pending_enrichment	529,078
pending_balances	411,586
pending_reprojection	857,986
enrichment_deferred_reason	trace RPC unavailable; configure LP_RPC_TRACE_URLS
activity_feed_source	wss-logs:robinhood-rpc.publicnode.com
head_feed_source	wss:robinhood-rpc.publicnode.com
pricing_basis	USDG quote (1 USDG = 1 quote dollar); not a fiat oracle
fees_basis	Pool trading fees estimated before unknown protocol/hook cuts; not realized LP returns
last_reorg	{"ancestor":54996602,"at":1788600059,"removed_events":73990}
activity_feed_error	pool resolution: state RPC deferred during provider cooldown

Appendix B. 24h Aggregate Snapshot

Metric	Value
volume_usd	\$2.17B
fees_usd	\$8.14M
net_deposits_usd	\$5.41M
swaps	8,886,885
adds	406,113
removes	236,569
collects	113,916
active_pools	27,946
active_owners	10,068
coverage.from	1788586963
coverage.to	1788696755
coverage.observed_s	86400
coverage.priced_swaps	8619888
coverage.unpriced_swaps	266997
coverage.priced_flows	71568
coverage.unpriced_flows	709667
coverage.complete	True
coverage.basis	canonical indexed interval; partial until backfill completes
coverage.pricing_basis	USDG quote (1 USDG = 1 quote dollar); not a fiat oracle

Appendix C. Interpretation Rules

- A stream event is an observation, not a signed statement. Preserve the chain coordinates and verify before acting.
- A pool-level gross fee estimate is not an LP-level realized fee number, especially when position attribution is unavailable.
- A null value is a data-quality state, not a zero. Keep nulls explicit through the feature pipeline.
- Late and provisional rows need event-time ordering, deduplication, and a finality-aware state machine.
- The most useful production signal may be confidence itself: stale, degraded, or trace-pending data should reduce risk automatically.

Source note

This update is based on direct read-only sampling of the public Robinhood Pools page runtime, its JSON endpoints, and its text/event-stream endpoint on 06 September 2026. It is an engineering and data-quality assessment, not investment advice and not a claim that any metric is suitable for unattended execution without independent verification.