Lab ASSIGNMENT 9

Consider the following tables namely "DEPARTMENTS" and "EMPLOYEES" Their schemas

are as follows,

Departments (dept no , dept name , dept_location); Employees (emp_id , emp_name , emp_salary,dept_no);

a) Develop a query to grant all privileges of employees table into departments table.

```sql
create database Lab_assignment_9;
use Lab_assignment_9;

CREATE TABLE Departments (
    dept_no INT PRIMARY KEY,
    dept_name VARCHAR(50),
    dept_location VARCHAR(50)
);

CREATE TABLE Employees (
    emp_id INT PRIMARY KEY,
    emp_name VARCHAR(50),
    emp_salary INT,
    dept_no INT,
    FOREIGN KEY (dept_no) REFERENCES Departments(dept_no)
);

INSERT INTO Departments VALUES
(1, 'HR', 'Delhi'),
(2, 'IT', 'Mumbai'),
(3, 'Sales', 'Chennai');

INSERT INTO Employees VALUES
(101, 'Rahul', 50000, 1),
(102, 'Amit', 60000, 2),
(103, 'Neha', 55000, 3);

DROP USER 'user1';
```

b) Develop a query to grant some privileges of employees table into departments table.

```sql
CREATE USER 'user1' IDENTIFIED BY 'pass123';

GRANT ALL PRIVILEGES
ON Employees
TO 'user1';
```

C) Develop a query to revoke all privileges of employees table from departments table.

```
REVOKE ALL PRIVILEGES
ON Employees
FROM 'user1';
```

```
GRANT SELECT, INSERT
ON Employees
TO 'user1';
```

D) Develop a query to revoke some privileges of employees table from departments table.

```
REVOKE SELECT, INSERT
ON Employees
FROM 'user1';
```

E) Write a query to implement the save point.

```
START TRANSACTION;

INSERT INTO Employees
VALUES (104, 'Sita', 45000, 1);

SAVEPOINT sp1;

UPDATE Employees
SET emp_salary = 70000
WHERE emp_id = 104;

ROLLBACK TO sp1;

COMMIT;
```