THE UNIVERSITY OF MANITOBA

11 December 2006 (afternoon) | FINAL EXAMINATION
PAPER NO.: 200 | PAGE NO.: 1 of 10
DEPARTMENT & COURSE NO: Mathematics - MATH 1210 | Time: 2 hours
EXAMINATION: MATH 1210 - Techniques of Classical & Linear Algebra | EXAMINER: T. G. Berry

VALUES

Instructions:

1. One hand-written single-sided reference page (8.5" by 11") is permitted. This information page must contain your name and student I.D. number.
2. No other aids are permitted.
3. **Attempt all problems. Show all your work.**
4. Write your solutions in the space provided. If insufficient space is provided for your solution to a problem, continue your work **on the back of the previous page**, indicating in the bottom right hand corner that work is continued on the back of the previous page.
5. Fill in the information requested below.
6. Put your student number on each page in the space provided.

Student Name (Print): ____________________

Student Number: ____________________

Student Signature: ____________________
(I understand that cheating is a serious offense.)

Seat Number: ____________________

problem	*mark*
1	*/11*
2	*/9*
3	*/10*
4	*/9*
5	*/10*
6	*/9*
7	*/7*
8	*/13*
9	*/12*
TOTAL	*/90*

VALUES

Student number: ____________________

[11] 1. Use the Principle of Mathematical Induction to show that , for n any positive integer

$$\sum_{\ell=0}^{2n-1}(3\ell+1)=n(6n-1)\ .$$

VALUES

Student number: ____________________

[9] 2. Consider the complex numbers

$$z_1 = \sqrt{2}(1+i)\ ,\quad z_2 = 3i \quad \text{and} \quad z_3 = \frac{1}{4}\left(-1+i\sqrt{3}\right)\ .$$

(a) Express each of these numbers in exponential form.

(b) Evaluate $\dfrac{z_1^{\,3}\, z_3}{z_2}$, expressing your answer in exponential form and simplifying the result as far as possible.

VALUES

Student number: ____________________

[10] 3. Consider the complex polynomial equation $z^4 = 16\,e^{i\left(3\pi/4\right)}$.

(a) Find the modulus and the principal value of the argument of each of the roots of this equation.

(b) Plot the roots determined in part (a) on the following diagram.



VALUES

Student number: ____________________

[9] 4. Consider the polynomial $P(x) = 2x^3 + x^2 + 5x - 3$.

(a) List all possible rational roots of $P(x) = 0$, as indicated by the Rational Roots Theorem.

(b) What is the maximum number of negative real zeros that $P(x)$ can possess, according to Descartes' Rule of Signs?

(c) Clearly Descartes' Rule of Signs indicates that $P(x)$ can have at most one positive real zero. Find it.

(d) Use the above information to find the remaining zeros of $P(x)$.

VALUES

Student number: ____________________

[10] 5. Given $A = \begin{pmatrix} 2 & 1 \\ -1 & 1 \end{pmatrix}$, $B = \begin{pmatrix} 1 & 3 \\ -1 & 0 \\ 2 & 1 \end{pmatrix}$ and $C = \begin{pmatrix} 1 & 1 & -1 \\ 1 & 2 & 0 \end{pmatrix}$, find

(a) $A\left(B - C^T\right)^T$

(b) $\left(C\,B\right)^{-1}$

VALUES

Student number: ____________________

[9] 6. Consider the matrix $\begin{pmatrix} 1 & 0 & 0 & 0 & 4 & -2 \\ 0 & 3 & 3 & -6 & 0 & 3 \\ 0 & 0 & -1 & -4 & 0 & 0 \\ 0 & 0 & 0 & 0 & 1 & 2 \\ 0 & 0 & 0 & 0 & 2 & 6 \end{pmatrix}$.

(a) Reduce this matrix to row-echelon form (REF), indicating clearly all elementary row operations (ERO) used to do so. (You may combine some opeartions if you wish, as long as you indicate which operations you use.)

(b) Assuming that this matrix is the **augmented matrix** of **a non-homogeneous linear system** of equations of the form $Ax = b$, fill in the following table:

# of variables in this system	
rank of the augmented matrix	
rank of the coefficient matrix	
# of "free" variables in this system	
# of solutions possessed by this system	

(c) Assuming that this matrix is the **coefficient matrix** of **a homogeneous linear system** of equations of the form $Bx = 0$, fill in the following table:

# of variables in this system	
rank of the augmented matrix	
rank of the coefficient matrix	
# of "free" variables in this system	
# of solutions possessed by this system	

VALUES

Student number: ____________________

[7] 7. Is the set of vectors consisting of $\vec{v}_1 = \begin{pmatrix} 1 \\ 0 \\ -1 \\ 0 \end{pmatrix}$, $\vec{v}_2 = \begin{pmatrix} -2 \\ 1 \\ 0 \\ 1 \end{pmatrix}$, $\vec{v}_3 = \begin{pmatrix} 1 \\ -1 \\ 1 \\ -1 \end{pmatrix}$ and $\vec{v}_4 = \begin{pmatrix} 1 \\ 0 \\ 2 \\ 0 \end{pmatrix}$

linearly dependent or linearly independent. Justify your answer.

VALUES

Student number: ____________________

[13] 8. Consider the matrix $F = \begin{pmatrix} -1 & 0 & 1 \\ 2 & 4 & -1 \\ 0 & 2 & 1 \end{pmatrix}$.

(a) Evaluate $\det F$ using a **cofactor expansion along the second column**, showing all the details of the calculation.

(b) Find F^{-1}. (You may use any method you wish, but must show all your work.)

VALUES

Student number: ____________________

[12] 9. Consider the linear transformation $y = Ax$ in which $A = \begin{pmatrix} 1 & 0 & 0 \\ 0 & 2 & 2 \\ 0 & 1 & 3 \end{pmatrix}$, $x = \begin{pmatrix} x_1 \\ x_2 \\ x_3 \end{pmatrix}$ and $y = \begin{pmatrix} y_1 \\ y_2 \\ y_3 \end{pmatrix}$.

(a) Find all the eigenvalues of A.

(b) Find all eigenvectors corresponding to each of the eigenvalues of A.

THE END! HAVE A GOOD VACATION.