February	9.	2010
100. 44.	-,	-010

MATH 1710 - Test 1

60 minutes

u	ιuu	CIIL	INAL	ΠĊ	-	

Student # -

Circle your Instructor's Name:

T. Berry

D. Trim

Values

9 1. Find the area bounded by the curves

$$y = -\frac{x}{\sqrt{x-1}}, \quad y = 0, \quad x = 2, \quad x = 3.$$

 Set up, but do NOT evaluate, a definite integral to find the volume of the solid of revolution when the area bounded by the curves

$$y = \sin x, \qquad y = x^2 - \pi x, \quad 0 \le x \le \pi,$$

is rotated around the line $x = 2\pi$.

3. Set up, but do NOT evaluate, a definite integral to find the length of the curve $y^2 - x^2 = 4$ between the points $(-1, \sqrt{5})$ and $(2, 2\sqrt{2})$.

4. An elevator with mass 5000 kg is sitting on the first floor of a building. The elevator is lifted by a cable with mass 5 kilograms per metre of length. The length of cable from elevator to pulley at the top of the elevator shaft is 90 metres. Set up, but do NOT evaluate, a definite integral to find the work done to lift the elevator and cable a total distance of 30 metres from its present position.

7 5. A plate is in the shape of an isosceles triangle with equal sides of length 5 metres and the third side of length 3 metres. It is suspended vertically in water with its shortest side in the surface of the water. Set up, but do NOT evaluate, a definite integral to find the force due to the water on one side of the plate.

6 6. A plate with constant mass per unit area ρ is bounded by the curves

$$x = y^2 - 4,$$
 $x + 2y = 4.$

Set up, but do NOT evaluate, a definite integral to find the first moment of the plate about the y-axis.

.