


[SRC_AUTHORITY_EXPORT_PFCG_E] Explanatory Material

1. Overview

From the Transaction Code: PFCG screen, display the authorization value set for the role.

2. Function Image Overview



3. How to Use

The Argument information below in must be entered in the Argument File.
(Please enter all arguments in String format)

Property	Description	Required
InputFilePath	The file path of the input data (set the relative or full path)	Yes
SelectorFilePath	The file path of the selector data (set the relative or full path)	Yes
ResourceFilePath	The file path of the resource data (set the relative or full path)	Yes
ScreenshotsFolderPath	The folder path of the error screenshot (set the relative or full path)	Yes
LogFolderPath	Log folder path (set relative or full path)	Yes
LogFileName	Log file name (Timestamp is added to the beginning of the file name. Example: 190722_114045_SRC_Result.log)	Yes
AuthDataExportFolderPath	Authorization data result export file path (set relative or absolute path)	Yes
AuthDataExportFilePath	Authorization data output result file name Example) AuthDataResult_{0}.xlsx → "{0}" will be replaced by execution date	Yes

4. Important

- Do not start Excel when executing
- Code display are required for items in the drop-down list. Select "Show keys within dropdown list" in GUI Interactive Design settings.
- Workflow Template saved in "SRC_Common" folder provided by "Common Reusable Components" of UiPath Connect Marketplace, must be saved together when using UiPath Reusable Component for SAP ERP.
- Must be logged in SAP and the screen displayed.