

1 Overview

The following is an example workflow that uses SRC_CM_BIDATA_CRT_E (batch input) activities in "UiPathTeam.SRC.SAP_S4HANA."

This activity has the following two processing modes:

1. Reads BDC data (txt) that was exported from a batch input program preregistered on the SAP system, and converting the data into Excel format
2. Reads the edited Excel file, and converts it into BDC data (.txt) which is readable on SAP.

2 Prerequisites

- The batch input record must exist on the SAP system.
Do not use records from Transaction-Code:SHDB (the transaction recorder) for the BDC data.
Instead, register a session on Transaction-Code:SM35 and export the BDC data from the functionality.
(Be sure to save the exported sheet as a text file (.txt).)
- When entering values in the batch input sheet, save all data as "String."

- Confirm and set variables in advance.

Property Name	Data Type	Default Value	Description
BIFile	String		The file path for a file to be imported No preconfiguration is needed, because the value is entered in the pop-up.
Category	String		Processing mode No preconfiguration is needed, because the value is entered in the pop-up.
ErrSSPath	String	Directory.GetCurrentDirectory()+"%ErrLog"	The folder for outputting error screen shots can be specified.
Exception	Exception		For exception handling Preconfiguration is not needed.
MaxRecordperXLSX	Int32	500	Enter the maximum number of records to be output in one file.
Result	String		For results Preconfiguration is not needed.
TransportFileTXT	String		The file path for a file to be imported No preconfiguration is needed, because the value is entered in the pop-up.
TransportFileXLSX	String		The file path for a file to be imported No preconfiguration is needed, because the value is entered in the pop-up.
UserID	String	"UIPATH_DEMO"	The User ID that executes the batch input program

3 Folder structure


Sample_SRC_CM_BIDATA_CRT
/ Sample_Bidata_Create.xml
/ ErrLog

* The Common folder is not necessary for executing this function.

4 How to use


- ◆ When reading BDC data (txt) that was exported from a batch input program preregistered on the SAP system, and converting the data into Excel format


(1) Execute Main.xml




Select 1: Convert BDC data file to Excel file

(2) Convert Excel file to BDC data file





(3) If the processing is completed successfully, an Excel file is output to the same folder as that of the selected BDC data (.txt).




◆ When reading the edited Excel file and converting it into BDC data (.txt) which is readable on the SAP system.

Preparations: Add any necessary data to the Excel file generated in Step (3) and save the file.


↓ Reference: Example of editing the Excel file


	A	B	C	D	E	F	G	H	I
1	BNKA-BANKS	BNKA-BANKL	BNKA-BANKA	BNKA-PROVZ	BNKA-STRAS	BNKA-ORT01	BNKA-BRANCH	BNKA-BGRUP	BNKA-XPGRO
2	JP	0001999	Test1		MainBranch1				
3	JP	0001998	Test2		MainBranch2				

(4) Execute Main.xaml





(5) Select the BDC data (.txt) exported as part of the preparations in Step (2).






* Ensure to select the same .txt file that was used for converting to the Excel file, because it is used for converting into a file that can be imported to the SAP system again.

(6) Preparations: Select the Excel file generated in Step (3).



(7) If the processing is completed successfully, an importable BDC data file (.txt) is output.



* You can execute bulk registration(batch input session) in order to import the BDC data (.txt) created in SAP Transaction-Code:SM35 (This function does not include the execution of the batch input session; you must execute it separately.)

5 Note

- Executing this function while the files are opened will result in an error. Be sure to confirm that all files are closed before executing this function.