


[Sample_SRC_BAPI_BANK_CREATE_v2.2_E] Explanatory Material

1. Overview

This sample workflow is to register Bank Master from CSV files which are Financial institution / Branch information etc, provided by the Japanese Bankers Association using "SRC_BAPI_BANK_CREATE_v2.2_E" and "SRC_BAPIv2.2_REGISTER"

2. Prerequisites



3. How to use

Overview

It is necessary that the following Argument information is inputted in Argument File.
(Please input all Argument File as String)

<Input>

Sheet : Settings

Property Name	Description	Required
BAPIName	Function module name to execute (BAPI name)	Yes
InputFilePath	Save destination of input file and filename (Set relative path and complete path)	Yes
CallWorkflowPath	Save destination of Workflow for each BAPIs and filename (Set relative path and complete path)	Yes
DataCountSheet	Of each sheet of Input File for registration, the name of the sheet in which the header key item is inputted	Yes
Client	Client information for SAP connections	
Language	Language for SAP connections (EN : English, JA : Japanese)	
SncLibraryPath	The full path and name of the SNC shared library using in SAP connections	
SncMode	Determines whether connections are secured with SNC (0 : does not use SNC, 1 : uses SNC)	
SncPartnerName	The Identity that you want to use for the destination server, if required by your SNC solution.	
SncQOP	The Quality of Service that you want to use for SNC communication for the destination server. (1 : Authentication Only, 2 : Integrity Protection, 3 : Privacy Protection, 8 : Default, 9 : Maximum Security)	
SncSSO	The credentials when using SNC (0 : Login with User/Password, 1 : Login with SNC Identity)	
AdvancedParameters	A list of name value pairs, separated by semicolons, for any additional RFC Configuration parameters.	

AppServer	The hostname of the SAP Application Server.	
LogonGroup	The logon group from which the message server selects an application server.	
MessageServer	The hostname of the SAP system's central instance message server.	
SAPRouter	The SAP Router through which you want to establish a connection.	
StatefulConnection	Indicates whether you want to establish a stateful connection. By default, this field is set to True. (True, False)	
SystemID	The SAP system's three-letter system ID.	
SystemNumber	The SAP system's number.	
Commit	Commit execute flag (X : Execute commit, Other than X : Do not execute commit)	
LogFolderPath	Output destination of log data (Set relative path and complete path)	Yes
LogFileName	Log data file name	
LogType	Output Type of log data (TEXT : Text type, EXCEL : Excel type)	Yes
LogOutputLine	Number of output to Excel file	Yes

In CheckRequiredfield.xaml, check logic for required items is included, but please add logic if necessary.


(In order to support single sign-on, the mandatory check of user ID and password, which was mandatory check in the previous version, has been deleted)

Sheet : Option

Sheet for managing information for use with individual BAPIs.

Property Name	Description	Required
BAPIUser	User name for Bapi when executing the authority check. (Blank : Do not execute the authority check, Other than Blank : Execute the authority check)	
PasswordSuffix	Suffix added to the password when executing password change. (Only for executing "BAPI_USER_CHANGE") #DATE# : Timestamp with format "yyyyMMdd". #RANDOM# : Random number. Other then String : Value of "Value"	Not used in this sample


Execute **Sample_SRC_BAPI_BANK_CREATE_v2.2_E.xaml**.




The pop-up will appear asking from which file the Argument information is to be read.

Select the required file from the files stored in the Data folder.

(When executing to registration multiple CSV files, input the Argument Filename in "MultipleFileExecution.xlsx".)



A pop-up for entering User and Password will be displayed.



When registration is completed, the SRC_Log sheet will be added to the Input File and enable to check the processing results.

4. Folder structure

/Sample_SRC_BAPI_BANK_CREATE_v2.2_E

Sample_SRC_BAPI_BANK_CREATE_v2.2_E.xaml

/ConvertBankData

/CSVFile

testdata01.csv

testdata02.csv

testdata03.csv

/TemplateFile

ConvertDataTable.xlsx

Template-SRC_BAPI_BANK_CREATE_v2.2_E.xlsx

Xaml file required for each data conversion

/ SRC_BAPI_BANK_CREATE_v2.2_E

SRC_BAPI_BANK_CREATE_v2.2_E.xaml

(Convert_(CSV file name)_(yyMMddHHmmss).xlsx)

-> Output as the processing result during execute this function.

(If an error occurs during execution, an error will occur if there is a file with the same name

If you want to re-execute after an error occurs, check if there is a timestamp file.)

/ SRC_BAPIv2.2_REGISTER

SRC_BAPIv2.2_REGISTER.xml

Each xml files

-> Save necessary xml files

which invoke from SRC_BAPIv2.2_REGISTER.xml. (for main processing xml)

/SRC_Common

/Error

/Log

Complete set of xml files stored in the SRC Common folder provided by SAP Common Components

/Data

Arg-Sample_BAPI_BANK_CREATE_v2.2_E_testdata01.xlsx

Arg-Sample_BAPI_BANK_CREATE_v2.2_E_testdata02.xlsx

Arg-Sample_BAPI_BANK_CREATE_v2.2_E_testdata03.xlsx

MultipleFileExecution.xlsx

-> Input necessary information before execution.