

Teamder 1.1.15 — Release Execution Report

Stopped before store submission. Both binaries are built, verified and traceable to the release commit. Neither store received a submission, because mandatory QA gates in §20 are not met — the detail is in §13–14 and §17.

The short version

Three commits, two green builds, and two real defects fixed on the way.

The release preparation went clean: version bumped, EAS image pinned, tests green, and both builds traceable to the exact release commit. The iOS toolchain question from the audit is now settled with evidence from inside the IPA rather than inference.

Two things stopped the submission, and only one of them is about the product:

- **iOS runtime QA cannot be done from here.** It needs a physical iPhone on TestFlight. The build is uploading to TestFlight now so you can run it.
 - **The Android matrix is partly complete.** The journeys that matter most for this release — the upgrade path and the guest auth walls — passed. The rest ran into emulator text-entry unreliability, not product defects.
-

1. Starting HEAD

`5b8f55cb869d05efdc47f61f8b11128e2d9fc96f` — the audited baseline, verified before anything was touched. Working tree held exactly the two expected files from the UI audit (`src/dev/QARouteLauncher.tsx` new, `src/navigation/RootNavigator.tsx` modified) and nothing else.

2. Final release commit

`51df79463dd65e88541a926217caef3bfa744462`

3. Commits (3, the maximum allowed)

commit	what
914be76	chore: keep dev-only QA route launcher
a89f335	fix: two components called hooks after bailing out early
51df794	chore: prepare 1.1.15 store release

Changed files

```
src/dev/QARouteLauncher.tsx      new    (dev-only)
src/navigation/RootNavigator.tsx +12    (dev-only mount)
src/components/community/SeasonsCard.tsx  hooks hoisted
src/components/community/CommunityStatsTable.tsx hooks hoisted
tests/hooksAfterEarlyReturn.test.ts      guard widened
app.json                                1      version
eas.json                                1      ios image
```

4–7. Version, build numbers, image

Version	1.1.15 (was 1.1.14)
Android versionCode	243 — EAS auto-incremented from the live 242
iOS buildNumber	107 — auto-incremented from the live 106
EAS iOS image	macos-tahoe-26.5-xcode-26.6 (was latest)

8. QA route launcher — kept, and proven inert

Kept per your decision. The gate is

```
export const QA_ROUTES_ENABLED =
  __DEV__ && process.env.EXPO_PUBLIC_QA_ROUTES === '1';
```

I did not want to argue this from the source, so I exported a real production

bundle (NODE_ENV=production expo export) and read it back. The module compiles to:

```
exports.QA_ROUTES_ENABLED = false
```

a folded literal — and the component's first statement after its hooks is

```
if (!QA_ROUTES_ENABLED) return null
```

Two further confirmations: the EAS build

log lists the environment variables loaded from the `preview` environment and `EXPO_PUBLIC_QA_ROUTES` is **not among them**; and `__DEV__` is false in any release build regardless.

Honest caveat: the dead code's **strings remain** in the Hermes constant pool (`"QA route launcher"` is greppable in the bundle). Nothing reaches them — it is a few KB of unreachable code, not a reachable path.

It reads no business data and writes nothing: no Firestore, no services, no analytics. All hooks precede the early return, so the guard is not itself a Rules-of-Hooks violation.

9. Hooks-order crash — root-caused and fixed

`errors/r74q1s` : "Rendered more hooks than during the previous render", `uncaughtRender` , 1.1.14 Android, count 4, first seen 08.09, last 24.09. The stack named the component outright:

```
at useState
at anonymous
at SeasonsCard
```

`SeasonsCard` placed `useState` and `useEffect` at lines 81–86, ****below three early returns**** at lines 55–73 (`!isMember` , seasons switched off, no closed seasons). A guard that returns null still renders: the fiber stays mounted with zero hooks, and when membership arrives it calls two. React tears the tree down.

The transition is not exotic — it is this release's own journey. A join request approved while the club screen is open takes `isMember` false → true. That is A5, "guest joins a club".

Fix: hoist both hooks above the guards. Behaviour is unchanged — the interval was already conditional on `windowOpen` , and `windowOpen` now carries the same conditions the guards do.

Why it reached production a third time

`tests/hooksAfterEarlyReturn.test.ts` exists for exactly this class. It was written after the 1.1.3 `AdvancedLiveMatchScreen` crash, then widened after `CommunityDetailsScreen` recurred. **It only ever scanned** `src/screens` . Both of today's offenders live under `src/components` .

I widened it to `src/components` too — and it immediately caught a second

offender I had not been looking for:

```
CommunityStatsTable — useMemo below if (rows.length === 0) return null.
```

rows starts empty and is filled by an async effect, so the **first** render

returns before the memo and the second reaches it. That is not an edge case,

it is every first load. Fixed identically.

Decision rule applied: §6.B. Both fixes are the same one-line mechanical move,

both provably behaviour-preserving. No speculative refactor, no unrelated

cleanup.

10. Tests

suite	result
App tsc --noEmit	clean
Functions tsc --noEmit	clean
Jest	160/160 suites, 2427/2427 tests (was 2233 — the widened guard adds 194)
Firestore rules	277 tests, 274 pass, 3 fail

The 3 rules failures are the documented baseline. Per your instruction not to reinterpret new failures as baseline, I identified them by name ******and re-ran the suite at 5b8f55c ****** to confirm they predate this round:

```
not ok 71 - games: self can join an open community game
not ok 85 - groupsPublic: admin of canonical group can create the public mirror
not ok 130 - OLD-CLIENT manual-offer cancel: B removes self AND sets pendingPromotion to head
C
```

Identical set, identical totals, at the baseline commit.

11–12. Builds

	Android	iOS
Build id	0fd07d90-e9b1-48c2-b39c-f00f0848b260	8bd63845-90a5-4668-8119-8c22fcc0b9d5
Status	FINISHED	FINISHED
Profile	production	production
Version / number	1.1.15 / vc 243	1.1.15 / build 107
gitCommitHash	51df794...	51df794...
Artifact	.aab , 86.7 MB	.ipa , 48.9 MB

§11 build commit integrity — PASS

EAS reports `gitCommitHash = 51df79463dd65e88541a926217caef3bfa744462` for

both builds, matching the release commit exactly. Neither binary is claimed to contain a fix on the strength of the working tree.

The iOS toolchain, read from the artifact

Not from build metadata, which returned nothing useful — from the IPA's own

`Info.plist`:

```
DTXcode          2660          → Xcode 26.6
DTXcodeBuild     17F113        → exactly the pinned image's Xcode
DTSDKName        iphoneos26.5 → built against the iOS 26 SDK
MinimumOSVersion 15.1
CFBundleVersion  107
```

Two things this settles:

- **The pin took effect.** `17F113` is the build Expo documents for `macos-tahoe-26.5-xcode-26.6`.
- **The UIWindow crash cannot apply.** It fires only for binaries linked against the **iOS 27** SDK. This one is iOS 26.5, so UIKit keeps the legacy lifecycle. The crash I reproduced during the audit was my local Xcode 27 — a toolchain EAS does not use.

13. Android QA matrix

Run on a universal APK extracted from the release AAB. Both the 1.1.14 and 1.1.15 APKs were signed with the **same** local debug key so the in-place update path is faithful — and Google Sign-In remains testable because that key's SHA-1 (`22682e44...3054`) **is registered in the Firebase project** (I checked the registered fingerprints rather than assuming).

#	Journey	Result
A1	Fresh install → Guest Home	PASS
A7	Guest → Filler → auth wall	PASS
A17	Logout → login	PASS
A18	Update 1.1.14 → 1.1.15 in place	PASS
A6	Guest → Availability → auth wall	PASS (wall); resume not reached
A2	Guest → Create Club	PARTIAL — wizard opens for a guest as designed
A3–A5, A8–A16, A19–A22		NOT RUN

A18 — the one that mattered most

Installed the live 1.1.14 (vc242), signed in as the QA account, then

`adb install -r` to 1.1.15 (vc243) **without uninstalling**, and launched.

- Auth **retained** — greeted as "QA" immediately
- **No onboarding replay** — straight to Home, no carousel, no profile screen
- Navigation sane, Home renders in full, RTL correct
- No stale-draft corruption, no JS errors

This is the behaviour the audit predicted from the data (660/709 users carry

`onboardingCompleted: true`; the only field-absent docs are test stubs).

A7 — the filler guest gate holds in the release binary

As a guest, tapping "בקש להצטרף" produced the contextual auth sheet with the

correct `apply_filler` copy — "מגשים מועמדות למחזור / מתחברים כדי שמנהל המחזור"

"יידע מי הגיש". That is the fix from commit `4dccbbe` working in a real release

build. I stopped at the wall rather than completing it, to avoid pushing a real

application at a real organiser.

A6 — the draft promise renders

The `save_availability` wall carries the `hasDraft` variant: **מה שמילאת** `***`

`***` Correct copy for the correct intent. **נשמר**.

Why the rest did not run

Emulator text entry is unreliable on this build: `adb shell input text` dropped

characters into the password field (12 typed, 10 arrived), and backspace did not

clear it (24 → 36 characters on successive attempts). Every remaining journey

needs a credential typed into a field. ****This is a harness limitation, not a**

product defect** — the sign-in path itself is proven, both on 1.1.14 earlier in the session and by `signInWithEmailAndPassword` appearing in logcat.

A correction worth recording

Mid-session I concluded that RN Modal overlays do not receive synthetic taps, and nearly reported it as a finding. **That was wrong.** `uiautomator dump` was returning a **stale** hierarchy — it kept showing a logout dialog while the screen had already moved on. A screenshot settled it. The auth sheet is tappable and responded normally. This also puts a question mark over the same claim in the UI-audit report (finding 5), which should be re-checked against screenshots rather than dumps.

14. iOS QA matrix — NOT RUN

No journey was run. The reason is structural, not a defect:

- An App Store `.ipa` carries only the device arm64 slice; it cannot install on a simulator.
- The only local simulator toolchain is **Xcode 27**, which is precisely the toolchain that produces the false UIWindow crash — §13 explicitly forbids validating the release on it.
- TestFlight on a real iPhone is the prescribed route, and I have no device.

The build is uploading to TestFlight now so you can run it. That upload is QA enablement, not a store submission: no App Store version was created and nothing was submitted for review.

15. Upgrade test — see A18. PASS.

16. Reinstall test (A22) — NOT RUN

17. Auth provider tests

	Android	iOS
Email — existing account	PASS (on 1.1.14, this session)	not run
Email — from the auth wall	wall PASS, submit blocked by harness	not run
Google	NOT RUN	not run
Apple	n/a	NOT RUN
<code>credential-already-in-use</code>	NOT RUN	not run

18. PendingAction — PARTIAL

The stash side is proven: both auth walls appear at the right moment with the right per-intent copy, and the availability wall promises the draft is kept. The **resume** side is not proven, because completing it needs the credential entry that the harness could not deliver.

19–20. Invites, deep links, notifications — NOT RUN

21. usersPublic / live-Rules compatibility — PASS

The most important compatibility check, and it passed cleanly.

Production runs ruleset `439be14e...` (deployed 25.09 08:52 UTC) which already gates `/users` on `isFullAccount()`. On 1.1.15, as a **guest**:

- the public match screen rendered a **real member's name and photo** — "משה יעקובוב", tagged מנהל — resolved through `/usersPublic`
- the public game feed rendered venues, formats and counts
- **zero** `permission-denied` in logcat across the whole session
- **zero** `hydrateUsers` / `hydratePlayers` calls

That is the rollout inversion repaired, demonstrated on the release binary against the live production rules.

One benign warning appears: `appCheck/token-error ... App attestation failed`.

App Check enforcement is off (`ENFORCE_APP_CHECK = false`), this is pre-existing, and nothing fails because of it.

22–23. Store metadata — NOT VERIFIED

I read the Play listing through the Publishing API (`iw-IL`, title "Teamder - מארגנים כדורגל בקלות") and confirmed the production track sits on 1.1.14 / vc242. I created a Play edit to read tracks and listings and **deleted it without committing**.

What I did **not** do, and what still needs a person:

- **Screenshots** — the first-run experience changed materially; current shots predate Guest Home.
- **Data Safety / App Privacy** — anonymous accounts are arguably a new data category. Per §17 I will not invent privacy answers; this needs your judgment on what the app now collects.

Account deletion (`DeleteAccountSheet.tsx`) and Sign in with Apple (`expo-apple-authentication`) are both present in the binary.

24. Release notes prepared (not uploaded)

עכשיו אפשר להתחיל ישר – בלי חשבון.

- נכנסים ורואים מיד מחזורים פתוחים ומועדונים באזור שלכם.
- אפשר להתחיל לפתוח מחזור, להקים מועדון או לסמן זמינות, ומתחברים רק בשלב שבאמת צריך – מה שמילאתם נשמר וממשיך מאיפה שהפסקתם.
- הזמנות וקישורים למחזורים, למועדונים ולהזמנה אישית עובדים טוב יותר: הקישור אומר מי הזמין אתכם, וקישור שכבר לא רלוונטי אומר את זה במקום להוביל למסך ריק.
- תיקון קריסה במסך המועדון.

No implementation detail leaks — no anonymous Firebase, no PendingAction, no usersPublic, no Rules.

25–29. Submission status

Google Play	NOT SUBMITTED
Play rollout	none
App Store upload	TestFlight upload in progress (f8305b1b-...)
TestFlight	build 107 not yet visible in ASC at the time of writing
App Store version	not created
App Review	NOT SUBMITTED

30. Human action required

1. **Run the iOS matrix on a real iPhone** once build 107 lands in TestFlight — launch first (that is the one that proves the UIWindow question empirically), then Apple/Google sign-in, universal links, notifications, RTL, and upgrade from the App Store build.
2. **Finish the Android matrix** — A2–A5, A8–A16, A19–A22 — or tell me to retry with a different input method.
3. **Store metadata**: refresh screenshots for the new first-run, and confirm Data Safety / App Privacy still describe what the app collects.

31. Production mutations during QA

None created. No club, no game, no registration, no filler application. I

stopped at every auth wall rather than completing an action that would write to a real game or notify a real organiser.

Side effects that did occur, listed for completeness: the QA account

(e2e.check.1787507478@example.com) signed in and out, which refreshes its push token and lastSeen ; and a guest anonymous session was created on the emulator by ordinary app use.

32. Production deploys

None. No Functions, no Hosting, no Storage, no indexes, no Remote Config, no App Check, no Auth configuration.

33. Firestore Rules

NOT DEPLOYED. `firestore.rules` was not modified, staged, or deployed. The repo still holds the further `isFullAccount()` tightening for `/rounds`, `/playerStats`, `/ratings`, `seasonTitles` and `/pairStats`, which waits for 1.1.15 adoption.

34. Git status

Clean. Three commits ahead of the starting HEAD, on `perf/firestore-read-costs`.

35. Push

NOT PUSHED. EAS Build uploads the working copy and records the local commit hash, so no remote was required.

36. Remaining release risks

- **iOS is entirely unexercised at runtime.** The toolchain question is settled from the IPA, but no iOS journey has been run on 1.1.15.
- **Google/Apple sign-in unverified** on the release binary.
- **PendingAction resume unverified** — the stash side works, the resume side is untested end to end.
- **Deep links and notifications unverified** on 1.1.15.
- **No crash reporting.** There is still no Crashlytics; `logError` only catches what JS catches. A native crash in this release would reach you through store reviews. Given this is the first build carrying anonymous guests, that is the gap I would close next.
- **38 untriaged production errors** remain, including `govmapSearch` (36 today, an external 403). The one that was ours — the hooks crash — is fixed here.

Final answers

ANDROID 1.1.15:

NOT SUBMITTED

Reason/status: build vc243 is finished, verified and traceable to `51df794`, and the Android gates that were run all passed — including the upgrade path. But §20 requires the full mandatory matrix, and A2–A5, A8–A16 and A19–A22 did not run: emulator text entry dropped and duplicated characters, so no journey requiring a typed credential could be completed. No product defect was found in any of them; they are simply unverified, and §20 says do not submit on an unverified gate.

iOS 1.1.15:

NOT SUBMITTED

Reason/status: build 107 is finished and — proven from inside the IPA — built with Xcode 26.6 against the iOS 26.5 SDK, so it is Apple-compliant and outside the UIWindow crash. It is uploading to TestFlight now. No iOS journey has been run, because an App Store IPA cannot run on a simulator and the only local simulator toolchain is the Xcode 27 that §13 forbids using for validation. This needs a real iPhone.

STORE RELEASE BLOCKERS REMAINING:

1. iOS runtime QA — not started; needs a physical device via TestFlight.
2. Android mandatory matrix — A2–A5, A8–A16, A19–A22 not run.
3. Google Sign-In and Apple Sign-In — unverified on the release binaries.
4. PendingAction resume — stash verified, resume unverified.
5. Store metadata — screenshots and Data Safety / App Privacy unverified.

FIRESTORE RULES DEPLOYED:

NO

VISUAL + ARCHITECTURE REFACTOR STARTED:

NO