

frontmatter, the product guide

The whole product in one document: what it is, who it is for, the market and the competitors, every feature, all thirty-eight screens, how it is built, what it costs, and what happens in what order.

41

sections

25.5k

words

38

screens

print

17 Sept 2026

Contents

PART ONE. WHAT WE ARE BUILDING

- [01](#) The product in one page
- [02](#) Who it is for, and who it is not for
- [03](#) The problem, in one page
- [04](#) The three laws the product runs on
- [05](#) The journeys

PART TWO. THE MARKET, AND WHERE WE STAND IN IT

- [06](#) What we researched, and what it found
- [07](#) The field, product by product
- [08](#) Where the market splits
- [09](#) What nobody has shipped
- [10](#) Strengths, weaknesses, opportunities, threats
- [11](#) Our advantages, and what each one costs

PART THREE. THE PRODUCT IN FULL

- [12](#) The decisions, each with its signal
- [13](#) Built in by default, so nobody needs a plugin
- [14](#) Doc mode, the honest scope
- [15](#) What a document can become
- [16](#) Idea mode, three depths
- [17](#) Sharing, publishing, portfolio
- [18](#) Bringing things in and out
- [19](#) Offline, desktop, phone
- [20](#) AI for the pilot, and after

PART FOUR. EVERY SCREEN

- [21](#) The screens
- [22](#) The configuration panel, which only a founder sees

PART FIVE. HOW IT IS BUILT

- [23](#) Principles, applied
- [24](#) The engine baseline
- [25](#) The stack, costed

26 The data model

27 Permissions and roles

28 Format specifications

29 Performance and reliability targets

PART SIX. WHAT IT COSTS, AND WHAT IT EARNS

30 Free and Pro

31 The configuration panel

32 The financial model

33 The legal floor

34 Ownership and accounts

PART SEVEN. THE BUILD

35 The build, in appetites

36 Risks

37 What we measure, and the pilot

38 Closure of the earlier findings

39 Questions for the founders

40 What changed, and why

PART EIGHT. SOURCES

41 Sources

How to read this guide

Everything about the product in one place, written to be printed and kept on the desk during the build.

- What it is, and who it is for.
- What the market looks like, and who else is in it.
- Every feature, and every screen.
- How it is built, what it costs, and what happens in what order.

How this document is arranged.

- **Part one** is the product and the three laws that settle every later argument.
- **Part two** is the market: what was researched, who else is in it, what nobody has shipped, and an honest reading of our own position.
- **Part three** is every feature the product ships.
- **Part four** is all thirty-eight screens, desktop and phone, at full page width.
- **Part five** is the engineering: the stack, the data model, the permissions, the formats and the targets.
- **Part six** is money: the tiers, the panel that sets them, the model, and the legal floor.
- **Part seven** is the build order, the risks, the pilot and what is still open.
- **Part eight** is every source, so any number here can be checked.

How to read a claim. Every decision carries the signal it came from.

SIGNAL	WHAT IT MEANS
[Z]	The founders decided it
[M]	A market or standards page was opened and quoted
[R]	Our own earlier research
[O]	Measured this session, from a registry or our own machines
[L]	A constraint, with no choice in it
[P]	Follows from another decision

What stands behind it. The plan this guide is built from was audited independently on 17 September 2026: 77 findings, every one answered in `verify/2026-09-17/RESPONSE.jsonl`, and the corrections carried into the text here. Section 40 lists what changed.

What this document does not do. It does not pretend the plan has been tested.

- No customer has been interviewed.
- No price has been tested.
- No prototype has been put in front of a user.

Section 6 says so in detail, and the pilot in section 37 exists to fix exactly that.

§1 The product in one page

frontmatter is a markdown editor for people whose documents are increasingly written with, and for, AI agents.

- A web app, a desktop app and a phone app, on one account.
- A document is a markdown file that stays the person's own.
- **The editor is the thing we sell. The files never are.**

That sentence is K1, and the founders confirm or replace it in section 39 [Z] .

The promise, in the founders' words [Z] .

- No captchas, no puzzles, no tour.
- A simple tool with a great editor that feels like home.
- **The acceptance test for every screen:** a person who knows Google Docs or Obsidian needs nothing explained.

What it does, in six sentences.

1. You sign in with Google or GitHub and land on your documents. Nothing is reachable without an account, exactly as Google Docs works [Z] .
2. You write in Markdown mode or Doc mode. Doc mode looks like Google Docs. The file underneath is the same markdown either way.
3. You describe an idea, answer questions at the depth you choose, and get a brief and a blueprint an agent can build from.
4. You share by link, with an expiry or a password, publish a page, or invite people to edit live.
5. You bring in a folder, a Google Doc, a Word file, a Notion export or an Obsidian vault, and push documents to GitHub or keep them in Google Drive.
6. It works offline in the browser, without limits on the desktop, and from the phone's share sheet.

Who it is for.

- **Founders, product people and developers** who brief agents.
- **Writers** who want Google Docs comfort with markdown files.
- **Obsidian and Notion people** who want their notes on the web, shared, and readable by their agents.

The audit's reading of the evidence is that only the third group is proven to pay today. Section 28's pilot recruits ten of them out of twenty.

What it is not.

- **Not a new format.**
- **Not a plugin platform** in year one.
- **Not a chat app** with a document attached.

Those three were decided, and the reasons are in sections 13, 15 and 24.

And not the review-state product of the 9 September plan. The change queue on S20 replaces the per-span read state, and section 24 says so.

§2 Who it is for, and who it is not for

Three groups, in the order the plan builds for them [R] . The research never interviewed one of them, which section 6 says plainly.

Group one. People who brief agents. Founders, product people and developers who write a document so an agent can build from it.

- They already keep specifications, briefs and instruction files in a repository.
- Their pain is that the agent reads a stale file, or rewrites a file nobody asked it to touch.
- They are the only group for whom Ideas and the blueprint matter on day one.
- GitHub Spec Kit has 137,039 stars and OpenSpec 68,381, which says the group exists and reads markdown [M] .

Group two. Writers who want comfort without leaving markdown. People who like how Google Docs feels and dislike what it does to a file.

- They want a page, a font, a table and a comment, and they want the file to stay a file.
- Doc mode is built for exactly this group, and section 14 is honest that 29 of 64 Google Docs features cannot follow them.
- They arrive through import: a Word file, a Google Doc, a folder.

Group three. Obsidian and Notion people who want the web half. They own their notes and cannot share or reach them easily.

- Obsidian's forum carries 6,051 feature requests; of its thirty most-liked open ones frontmatter answers sixteen [0] .
- Their complaint is not the editor. It is sync, sharing, and a phone that works.

Who it is not for, stated so nobody builds for them by accident [Z] .

- Teams buying a wiki. Confluence, Outline and Slite serve them and charge per seat for it.
- People who want a database with pages on top. Notion and Anytype are better at that and always will be.
- Anyone who needs the document to live in someone else's cloud format. The projection law forbids it.

§3 The problem, in one page

What is true today. A document written with an agent passes through three tools that disagree about what it is.

- The editor treats it as prose.
- The agent treats it as instructions.
- Git treats it as bytes, which is the only one of the three readings the file itself supports.

What breaks, from the reviews we counted [0] . Across 156 phone-app reviews the complaints ranked:

COMPLAINT	COUNT OF 156
Clumsy editing	35
Sync	26
Slow start	13
Lost data	13

Praise went to design at 35 and simplicity at 34, so the complaints are about how these products run rather than what they are for.

The four failures this product exists to remove [Z] [R] .

1. **The rewrite nobody asked for.** An agent is handed a file, and hands back a different file. Nothing marks what changed or why. S20 puts every change in a queue the owner clears one item at a time, on the law in section 4.
2. **The file that stops being a file.** The moment a tool stores the document in its own database, the person's ownership becomes a promise instead of a fact. The projection law keeps the bytes on disk the only record.
3. **The half a person cannot reach.** Local-first tools own the file and have no web. Web tools have the web and own the database. Nobody has both halves for one account.
4. **The idea that never becomes a brief.** People describe what they want in chat, and the description dies there. Ideas turns that description into fifteen files an agent can build from, and the twenty hand-made kits of phase 0 test whether anyone wants it.

What we are not claiming. None of the four was measured with a customer. Section 6 lists what the research never did, and the pilot of section 37 exists to close exactly that gap.

§4 The three laws the product runs on

Three rules decide every argument about the product. Each one forbids something, which is what makes it a law rather than a preference [Z] .

One. The projection law. The file on disk is the only source of truth, and every view is a deterministic, stateless projection of it.

- Nothing is stored that the file does not already say.
- Doc mode, the flow view, slides and the map are all projections. Close one and nothing is lost.
- **It forbids** a hidden database of formatting, comments-as-truth, or a view that cannot be rebuilt from the bytes.

Two. Splice-only writing. The engine locates a byte range and replaces exactly those bytes. It never rewrites a whole file.

- When the range is ambiguous it refuses rather than guesses.
- Returning the input unchanged is a correct outcome here. Guessing is not.
- **It forbids** the whole-file rewrite that every competitor's AI performs, and it is the reason a document can be handed to an agent twice without drift.

Three. The change queue. Every change by a person, an AI edit or an agent enters a queue where the owner accepts or rejects it, one at a time.

- Attribution survives in the version record, not in a sidecar the editor has to keep in step.
- **It forbids** the silent apply, and it replaced the per-span read state of the earlier plan, which failed its own adversarial round on 8 September and which Almanac had already shipped and shut down [R] .

Why three and not ten. Three is the number a founder can hold in their head during an argument. These three settle the ones that keep recurring: where the truth lives, who may change it, and what happens when a change is uncertain.

§5 The journeys

The first five minutes.

1. Sign in with one tap.
2. Land on Home, with five ways to start and nothing else.
3. Type in a blank document, describe an idea, or drop a folder.
4. The document saves as you type.

No tour appears. A tip appears only the first time you hover a control you have not used. [M] Nielsen: "Tutorials interrupt users, don't necessarily improve task performance, and are quickly forgotten."

Writing.

- **Markdown mode** for people who type markdown. **Doc mode** for people who type in Google Docs. One switch in the Live toolbar.
- Edit, Live, Reading and Split stay as they are today.

The editor helps in exactly four places.

1. The AI box on an empty document.
2. The AI menu on a selection.
3. The problems panel.
4. The instruction-file health panel.

Ideas. A separate tab.

- Ideas are listed on the left, with their state.
- The idea, its attachments and the industry template sit in the middle.
- **Choose a depth. Answer.**
- The blueprint is written, checked for consistency, and published at an unlisted link.
- The kickoff prompt verifies the kit's hash before it unpacks anything.

Sharing. People, a link, a published page. The link can expire, or need a password on Pro. A published page reads without an account, carries a .md twin for agents, and carries Report, Privacy and Terms in its footer.

Bringing things in. Drop files or a whole folder. Connect GitHub or Google Drive. Import Google Docs, Word, Notion exports and Obsidian vaults. Nothing is converted unless it has to be.

Everywhere. Offline in the browser with the honest limits stated. The desktop app with files on disk and no document limit. The phone with a share sheet into an inbox note on Android.

PART TWO. THE MARKET, AND WHERE WE STAND IN IT

§6 What we researched, and what it found

The rounds, by date, every one read from the pages named and none from memory [0] .

DATE	WHAT RAN
29 August	The technical PRD, twelve rounds of its own
6 to 8 September	The pilot reshape, and the adversarial round
9 September	Nine lenses
13 September	The reset, three rounds
15 and 16 September	Twelve agents
17 September	Nine branches

Section 30 lists 244 unique pages.

Why anyone would switch [0] . Obsidian's own forum is the clearest statement of demand anyone has published.

The requests. 6,051 feature requests are open. Of the thirty most-liked, frontmatter answers sixteen.

- Four ship today or are true by design: a web version, a visual editor, one settings set on the account, server-side sync.
- Eleven are small builds. One is medium.

The three that matter most.

REQUEST	HEARTS	WHERE IT STANDS
A web version	949	Absent from Obsidian's published roadmap
Editing an embedded note in place	1,078	Their most-liked; an extension of the Live mode we already ship
Global search and replace	650	Still does not exist in Obsidian

What the plugin registry says.

- 7,638 plugins, 147,920,815 downloads.
- Sixty plugins take 59.2 percent of all downloads, and the plan builds those capabilities in.
- The fastest-growing plugin is Claudian, an agent panel: 2,112,607 downloads since 5 December 2025.
- Obsidian's chief executive publishes an agent-skills repository with 48,440 stars since 2 January 2026.

What they are building back [M] . The roadmap now lists Multiplayer as Planned and Obsidian for Work as Active. Section 27 carries both as risks.

What people love and lack [0] .

Complaints, across 156 phone-app reviews.

COMPLAINT	COUNT
Clumsy editing	35
Sync	26
Slow start	13
Lost data	13

Praise, in the same set. Design 35, simplicity 34, sync 18.

In the lowest-rated Notion reviews, unwanted AI appeared 13 times in 33.

The ten switching drivers, by mentions across every source.

DRIVER	MENTIONS
Own files	28
Setup burden	24
Databases and migration	23
AI edits you cannot switch off	21
Price and metering	20
Sync	19
Speed	19
Offline and longevity	19
Open source	17
Teams	16

The market split [0] .

- Everything that stores a person's knowledge for an agent, and charges for it, keeps the data in its own database at \$8 to \$375 a month.
- Everything that keeps knowledge in files the person owns is free and open source.
- **Nobody sells the writing surface.**

The standards [M] . These are the formats the blueprint ships in, and not one of them is ours to invent.

- **AGENTS.md** is used by over 60,000 projects. Claude Code does not read it, and needs a one-line import in CLAUDE.md.
- **The Model Context Protocol** is "a Series of LF Projects, LLC", with a current specification dated 2026-07-28.
- **The skills guide** asks for a SKILL.md under 500 lines.

What the research never did [0] . Read this list before trusting anything above it.

- No customer was interviewed.
- No prototype was tested with a user.
- No price was tested.
- No legal review, no accessibility audit, no security test.
- No performance measurement of the shipped editor.

Section 28's pilot and Phase 0's twenty hand-made kits are the first of those.

This round, nine branches, each from primary pages opened on 17 September [M] :

1. **Free tiers and metering across 40 products.** A cap of 5 free documents sits below every document cap found. The floor is 50. Local-first peers do not count documents at all. Section 13.
2. **The stack.** R2 is right for bytes on every stack. Firestore is the weak piece, for structural reasons rather than cost. Vercel's Hobby plan forbids commercial use, so the first bill is \$20 a seat from user one. Section 15.
3. **Free model providers for the pilot.** Groq, Cloudflare Workers AI and SambaNova's production models state no training. Cerebras is a 30-day trial. Gemini's free tier trains and asks you not to send confidential text. GitHub Models was retired on 30 July 2026. Section 14.
4. **Doc mode against Google Docs.** Of 64 Google Docs features classified, 20 are plain markdown, 15 need an extension, and 29 cannot live in a text file at all. Section 7.
5. **What a markdown document can become.** Slides, mind maps and flow views need no new syntax. Kanban and charts from a table have no open renderer, so those blocks are ours. Section 8.

6. **Public APIs an editor can use.** Twenty were worth keeping, seven of them run entirely in the browser with no key. Section 11.
7. **What people bolt on elsewhere.** Twenty capabilities are top add-ons in three or more ecosystems, and the plan ships every one of them by default. Section 6.
8. **Principles from primary sources.** Nielsen, Apple, Material, PAIR and Martin. Four of five sources argue against sign-in first, one argues for it if Google Docs is the reference class. Section 16.
9. **Sharing, folder upload, Drive and GitHub mechanics.** Password links are a paid feature at Dropbox, Figma and Loom, and Notion has none. Folder upload works in every browser since Safari 11.1 and iOS 18.4. Write-back to a folder works only in Chrome and Edge. Sections 10 and 11.

§7 The field, product by product

Every row was read from the product's own pricing or documentation page on 16 September 2026 [M] . A blank means the page did not say, not that the answer is no.

Markdown editors that keep files.

PRODUCT	PRICE, VERBATIM	COLLABORATION	WHAT IT LACKS AGAINST US
Bear	"\$2.99 /month", "\$29.99 /year"	None, iCloud only	No web, no collaboration, no agent surface
Lettera, by Bear	Beta, TestFlight, 18 Jun 2026	None stated	The closest new editor competitor, and the newest
Ulysses	"\$39.99 per Year"	None, iCloud	No web, no markdown-native sharing
Inkdrop	"\$9.98 / month", no free plan	None	No free tier at all
Logseq	"Free forever for personal use"	Sync in beta since Aug 2024	An outliner, not a document editor
Obsidian	Free, Sync paid	None built in	No web app, no first-party publish flow at our price
Dillinger	"completely free... no paid tiers"	None	A textarea with git, no product around it

Wikis and document tools that keep a database.

PRODUCT	PRICE, VERBATIM	FREE COLLABORATION	WHAT IT LACKS AGAINST US
Notion	"Free \$0", "Plus \$10", "Business \$20 per member / month"	Caps blocks, not people	The file is not yours
Outline	"\$10 per month" for 1 to 10 members, no free plan	No free plan	No free tier, no markdown-native storage
Slite	"Basic \$10 per user/month Billed yearly"	No free plan	No free tier
Docmost	"Community Free Install", "Business \$6 /seat/mo", minimum 10 seats	Uncapped, self-hosted	Self-host only, read confirmation still "Coming soon"
Nuclino	"FREE \$0/user/month"	"Up to 50 items"	Caps items at 50, no markdown files
AFFiNE	"Free forever", "Pro \$6.75 per month"	"up to 3 members per workspace"	A whiteboard product first
Superhuman Docs	"Free ₹ 0", "Pro ₹ 983 / month per Doc Maker"	Editors are paid	Priced per document maker, not per person

Second brains and AI note tools.

PRODUCT	PRICE, VERBATIM	AI METERING	WHAT IT LACKS AGAINST US
Mem	"Free 25 Messages to Mem", "Mem Plus \$9 / month"	25, 50, 100 messages	No markdown-native editing surface
Tana	"Free \$0", "Pro Early bird \$20 per user/month"	"50 AI queries" free	An outliner, files not owned
Capacities	"Capacities Basic Free", "Pro \$9.99 /month"	"monthly AI budget"	Object model, not files
Heptabase	"Pro \$8.99 / month", no free plan	"100 AI credits/month"	No free plan
Reflect	"\$10 /month (billed annually)", no free plan	Included	No free plan

Idea to document kit, the Ideas competitor set.

PRODUCT	PRICE, VERBATIM	WHAT IT PRODUCES	WHAT IT LACKS AGAINST US
CodeGuide	"Free... 120 Credits (one-time) Complete 1 Project"; "Pro \$24.00 /mo"	"PRDs, tech stack, wireframes"	Not markdown-native; whether the kit sits at a plain URL is not stated. Claims "Trusted by 41,450+ Developers"
ChatPRD	"Free \$0 / mo 3 chats"; "Pro \$15 / mo"	Product requirement documents	Product-manager shaped, not repository shaped
GitHub Spec Kit	Free, MIT, 137,039 stars	Specs in your repository	No hosted product, runs inside your agent
Kiro	"KIRO FREE \$0 per month 50 credits"; "PRO \$20"	Spec tasks in an IDE	An IDE, not a document tool

What the whole field did in 2026 [M] .

- Every one of these shipped the same two things this year: an AI assistant, and a Model Context Protocol server.
- Bear, Simplenote, Slite, Capacities, Inkdrop, Joplin and Docmost all added MCP between July and September 2026.
- **So the plumbing is now expected.** Shipping it earns no credit, and the plan does not count it as an advantage.

§8 Where the market splits

The split is about who owns the bytes, and it decides the price [O] .

HALF	WHAT IT DOES	WHAT IT CHARGES	EXAMPLES
Owns the database	Stores your document in its own store, renders it back to you	\$8 to \$375 a month	Notion, Outline, Slite, Mem, Tana, Superhuman Docs
Owns the files	Leaves markdown on your disk, charges for sync or nothing	Free, or a few dollars	Obsidian, Logseq, Bear, Joplin, Dillinger

What each half cannot do.

- The database half cannot promise the file is yours, because it is not. Export is a feature there; here it is the storage format.
- The file half cannot give you the web. No local-first product in the sweep offers a real web app, a published page and live collaboration on one account.

Where frontmatter sits, and the bet that follows [Z] .

- We take the file half's ownership and the database half's web, which nothing in the sweep does on one account.
- That means we cannot charge for lock-in, because there is none. We charge for quantity instead, which is section 30.
- It also means our free tier competes with free, not with \$10. The conversion question of section 32 is the whole commercial risk, and it is unproven.

A number that shapes the pricing [M] .

- Only one product in the sweep rendered a price in rupees at all: Superhuman Docs, at "₹ 983 / month".
- Notion states "Price in USD".
- **So ₹299 is not a discount against the field.** It is a price quoted in a currency most of the field does not use.

§9 What nobody has shipped

Five gaps found by opening pages, each with what was actually seen [M] .

One. A chart drawn from a markdown table. No product in the sweep does it.

- Nearest: Notion "Unlimited charts" on Plus, built from its own databases, not from a file.
- Nuclino offers "table, and graph views" over its items.
- So the chart block is ours to build, and section 15 says it needs no new syntax.

Two. Git sync on a note app's pricing page. None of the note or wiki products list it.

- Dillinger has it free, and is a textarea.
- CodeGuide charges from "\$24.00 /mo" for "Create Specs for Existing GitHub Codebase".
- Outline's markdown export with YAML front matter, added 4 September 2026, is the nearest any wiki comes.

Three. Review that actually works. The one product that shipped it is gone.

- Almanac shipped this exact feature set, including read receipts, raised \$45M, and shut down on 31 January 2025 [R] .
- Docmost lists "Read confirmation" as "Coming soon".
- Slite has a "Doc verification workflow", which verifies the document, not the reader.
- That record is why the plan carries a change queue and not a read sidecar.

Four. A document kit at a plain URL. CodeGuide is closest and is not markdown-native.

- Its flow is "Project Brief → AI Tools → Answer open Questions → Project Plan → Create Docs".
- Whether its kit sits at a plain URL is not stated on any page opened.
- Spec Kit and OpenSpec are free and excellent and have no hosted product at all.

Five. Both halves of the market on one account. Nothing in the sweep does it, which is section 8.

The honest caveat [L] .

- A gap in a sweep of pricing pages is not proof of a gap in the market.
- **It may mean nobody wants the thing.**
- Phase 0's twenty hand-made kits and the pilot of section 37 are the only way to tell the difference, and neither has run.

§10 Strengths, weaknesses, opportunities, threats

Written against the evidence in this document, not against ambition [Z] [O] .

Strengths.

- The editor already runs. A person can use it today, which most plans at this stage cannot say.
- Markdown files the person owns, which the entire paid half of the market cannot offer.
- An engine that refuses rather than guesses, which is testable and therefore provable.
- Two founders, no investor clock and no burn to outrun, so section 35 can publish the measured pace rather than a promised one.
- ₹299 in a market that mostly quotes dollars, for a country whose card rails we already know.

Weaknesses.

- One author on every commit in the last 90 days, at 1.21 commit days a week. Section 35 sizes the plan against that, and it is the largest single risk to every date here.
- Of the shipped editor and app-shell files, 41 of 43 are byte-identical to a sibling project. Little of the surface is ours yet.
- No customer interviewed, no prototype tested with a user, no price tested. Section 6 lists this without softening it.
- Distribution has one channel, search, and the code currently blocks search. That is question 17.
- Firestore has no full-text index, so search starts in the browser over the open workspace.

Opportunities.

- Of Obsidian's thirty most-liked open feature requests, frontmatter answers sixteen. The demand is written down, publicly, with vote counts.
- AGENTS.md is used by over 60,000 projects. The agent-era document is a real category with a standard and no incumbent editor.
- Three of the five gaps in section 9 are buildable by us in a single phase each.
- The field's 2026 releases are all AI and MCP, which means everyone is building plumbing and nobody is building the document contract.
- Docmost's read confirmation is still "Coming soon", and it is the only competitor moving toward review at all.

Threats.

- Almanac shipped this feature set, raised \$45M and shut down on 31 January 2025. Nothing else on this list is as close a precedent.
- Bear shipped Lettera on 18 June 2026: a standalone native markdown editor with "Folder as workspace" from an established studio with an existing audience.
- Zed Delta stakes span-level attribution on CRDTs in public, against our settled position, and the written rebuttal is still owed.
- Free is the competing price on our half of the market. Conversion to ₹299 is entirely unproven.
- CodeGuide claims "41,450+ Developers" for the kit flow we plan to enter.
- A competitor can add markdown export in a sprint. Moving where the truth lives is a rebuild, which is what sections 3 and 4 describe, and it is why they are a commercial fact as much as a technical one.

§11 Our advantages, and what each one costs

No advantage here is free. The right column is the price of the left one, and it is stated so nobody is surprised by it later [Z].

ADVANTAGE	WHY IT HOLDS AGAINST THE FIELD	WHAT IT COSTS US
The file stays yours	The paid half of the market keeps the document in its own store, so ownership there is a promise; here it is the storage format	We cannot charge for lock-in, so we charge for quantity instead, section 30
Both halves on one account	Local-first peers have no web; web peers do not own the file. Nothing in the sweep does both	Sync is real engineering, phases E and F, and it is where the calendar goes
Every feature free, quantity capped	Not one of the forty pricing pages examined caps documents at five; the floor is fifty	Free users cost real model money, and section 32 shows the loss below about five percent conversion
Doc mode on a real markdown file	Google Docs converts markdown; nobody edits both ways on one file	Twenty-nine of sixty-four Google Docs features can never work, and section 14 lists them rather than hiding them
Refusal over guessing	Every competitor's AI rewrites the whole document	The product feels less magical in a demo, and feels trustworthy only after the second week
A blueprint at a URL with a hash	CodeGuide is closest, is not markdown-native, and does not state whether its kit sits at a plain URL	The twenty hand-made kits of phase 0 gate the whole feature, which costs founder weeks before any code
India-first pricing and rails	₹15,000 per mandate and one payment attempt on Indian cards are constraints most competitors never model	The whole billing surface is built for a market the field prices in dollars

The one advantage we do not claim [L] : being first. Almanac reached review before anyone and shut down in January 2025, so arriving first has not protected anyone in this category. Section 10 keeps it at the top of the threat list.

PART THREE. THE PRODUCT IN FULL

§12 The decisions, each with its signal

WHERE IT LANDS	DECISION	SIGNAL
Front door	Sign in first. No anonymous editing. Google or GitHub, one tap, no password, no puzzle	[Z] the founders chose the Google Docs model. [M] four of five UX sources argue for delaying sign-in, so the sign-in must cost one tap and nothing else
Free and Pro	Every editing feature is free. Sharing controls (password links), idea depth (Medium and High), identity (the portfolio) and branding removal are Pro. Quantities are capped on Free	[Z] the founders' rule was "every feature free, quantities capped"; the plan narrows it to these four exceptions and records that in section 39 (F003)
Free caps	50 cloud documents, 1 GB of uploads at 5 MB a file, 5 published pages, 3 live collaborators, 7-day history, 1 GitHub repository with 20 pushes a month, 1 Low blueprint and 10 AI edits a month	[M] 50 is the market floor (Nuclino, Evernote, UpNote); 1 GB is Craft's free storage; 3 is HackMD's "3 invitees" and AFFiNE's "Up to 3 members"; 7 days is Notion's, Craft's and AFFiNE's history; 20 pushes is HackMD's exact free quota. The founders' candidates of 5, 2 and 1 are below every comparable, section 30
Pro	₹299 a month or ₹2,499 a year, GST inclusive. Unlimited documents, pages and collaborators, 25 MB a file and 10 GB, 90-day history, password links, 5 blueprints at any depth and 100 edits, the portfolio. Edits on Haiku 4.5, blueprints on Sonnet 5 through the batch API	[Z] price. [M] the first paid tier across peers runs from \$1.99 to \$10; ₹299 is about \$3.12, section 30. [O] the routing is the default that keeps a margin, section 20 and founder question 2
Idea mode	Three depths. Low is free with 10 to 15 questions and a recommendation each. Medium is Pro with 20 to 30 questions, each showing where it stands and what forces the choice. High adds a research pass with sources opened and dated. Not sure is recorded as open, not as a decision	[Z] the founders' Low, Medium and High. [R] the decision-card shape is our own decisions site. [M] PAIR on not laundering the model's choice
Doc mode	A Google-Docs-shaped surface inside Live. Ships the 20 lossless features and 15 extensions, refuses the 29 that cannot live in a text file. Font, size, colour, highlight and alignment sit behind More, not in the first level	[M] Google's own rule when exporting to markdown: "Font colors, highlights, and text alignment are removed" (F020)
Sharing	Expiring links are free. Password links are Pro. Every published page carries Report, Privacy and Terms	[M] Dropbox, Figma and Loom sell passwords; Bitwarden gives free expiry with a 7-day default. [L] the intermediary duties in section 33

WHERE IT LANDS	DECISION	SIGNAL
GitHub	Free with a quota, unlimited on Pro, as a GitHub App with the Contents permission, which GitHub grants for the whole repository; frontmatter writes only under docs/ by its own rule, tested	[M] HackMD's exact model. [M] GitHub: "select the minimum permissions required for the app" (F034)
Google Drive	Free. Two-way sync of the files the app created or you picked, with the <code>drive.file</code> scope, polled every five minutes	[M] the scope is non-sensitive; at a five-minute poll one project serves 13,201 connected users (F027)
Stack	The Next.js app on Vercel, Cloudflare R2 for bytes, Firestore for records and the ledger, Firebase Auth for sign-in, Durable Objects with hibernation for live sessions. Decided by the founders on 17 September, and already what the shipped code runs	[Z] costed in section 25 (F016)
AI for the pilot	Free providers whose no-training clause was opened and quoted, in a fallback chain: Groq, Cloudflare Workers AI, Cerebras while its trial lasts, SambaNova. No OpenRouter endpoint. Claude for Pro from day one	[M] Groq, Cloudflare and SambaNova state no training. Gemini's free tier and Mistral's free plan train. OpenRouter's free endpoints carry their providers' terms, unopened (F006)
Review	The change queue on S20 replaces the review-state sidecar of the 9 September plan. Attribution stays as a mark in the version record	[Z] the 13 September reset. [R] section 38 closes the earlier claim (F058)
Plugins	No in-process plugin system in year one. An API and an MCP server instead, in Later	[M] Obsidian: "cannot reliably restrict plugins to specific permissions". VS Code: "the same permissions as VS Code itself"
Representations	Mermaid, Excalidraw, Marp and markmap are embedded. Flow, kanban and table-to-chart are ours as <code>fm-</code> blocks. Shapes, never code, from the two copyleft precedents	[M] licences and download counts in section 15 (F063)
Portfolio	One markdown file with front matter, served at frontmatter.in/@handle. Pro, and late	[Z] late. [M] every site generator wants a folder and a build; a one-file page is the thing nobody offers
Phone	Every screen has a phone layout. A bottom bar with five actions, drawers for the tree and the right pane	[M] Material: compact width under 600 dp uses a navigation bar with three to five destinations
Legal	The floor in section 33 ships before the first stranger publishes and before the first rupee. Placeholder public pages serve today	[L] (F008)
Engine	The twelve invariants of revision 3 stand unchanged	[R]
Later, named	A Max tier above Pro; a community as an opt-in index plus GitHub Discussions; the MCP server and API; Team; a custom domain	[Z] asks 27 and 30 (F023)

§13 Built in by default, so nobody needs a plugin

The rule: if a capability is a top add-on in three or more of the ecosystems we counted, it ships built in. Twenty pass [M] .

CAPABILITY	WHERE IT IS A TOP ADD-ON	WHERE IT LIVES IN FRONTMATTER
AI assistant and agent access	Docs, VS Code, Joplin, Logseq, Craft, Notion	The AI box, the AI menu; the agents card and the MCP server in Later
Maths and LaTeX	Docs 52M+ installs, VS Code, Joplin, Typora	KaTeX in every mode
Diagrams	VS Code 5.3M, Docs 47M+, Joplin, Logseq	Mermaid in every mode, Excalidraw as a block
Tasks and to-do views	Joplin, Logseq, Craft, Notion, VS Code	Checklists, the tasks panel, the kanban view
Templates	Joplin, Logseq, Craft, Notion 70,000+	Home, the slash menu, the idea templates
Editable tables	Joplin, Typora, Notion, Bear	Shipped today
Outline and table of contents	Joplin, Typora, VS Code, Notion	The rail, a <code>[toc]</code> marker
Export	VS Code 4.1M, Bear, Typora, iA	Markdown, HTML, Word, PDF, and the <code>.md</code> twin on every page
Themes	Joplin, Typora, Bear, Logseq, VS Code	Appearance settings, dark mode
Calendar and daily notes	Joplin, Logseq, Craft	The month panel, daily notes
Kanban	Joplin, Notion, Obsidian 2,668,372	View as Kanban

CAPABILITY	WHERE IT IS A TOP ADD-ON	WHERE IT LIVES IN FRONTMATTER
Backlinks and link graph	Joplin, Logseq, Typora, Notion	Shipped today, plus the map
Tags	Joplin, Bear, Craft, Logseq	Shipped today, rename and merge added
Lint, style and spelling	VS Code 12.2M and 71.6M, Docs, iA	The problems panel, the formatter, the browser's spellcheck
Image paste and resize	VS Code, Typora, Bear, Notion	Paste, resize, compress
Note tabs	Joplin, Logseq, VS Code, Obsidian	Shipped today
Slides	VS Code, Joplin, Obsidian	View as Slides
Drawing	Joplin, Craft, Bear, Obsidian 7,974,073	The Excalidraw block
Version history and diff	Joplin, Craft, Notion, Docs	Document history
Citations	Logseq, Docs, VS Code	A DOI lookup in the slash menu

What the earlier plan did not mention, now placed [0] .

- A table of contents marker, footnotes, emoji input.
- Link previews for external links.
- OCR search inside images and PDFs, through Tesseract.js.
- A formatter, an accessibility check on the document, and a stated API rate limit.

Two are refused. Meeting notes, and a sandboxed HTML block. The second because the plan bans third-party scripts on published pages.

Notion's block inventory as a checklist [M] . Notion's API enum lists 32 block types, and Code is documented outside the enum. **frontmatter covers 27 of the 32**, in plain markdown or a shipped block.

NOTION BLOCK	HOW WE CARRY IT
Paragraph, headings 1 to 4, bulleted and numbered items, to-do, quote, divider	Plain markdown
Toggle	A details block
Callout	A callout block
Table and rows	A markdown table
Image, video, file, PDF, embed, child page, child database	Links
Bookmark, link preview	Previews
Equation	KaTeX
Table of contents	A marker
Breadcrumb	From the tree
Template	A template
Code	A fence

Not covered, on purpose: column list, column, synced block, transcription, and the unsupported type. None of them survives a plain markdown reader (F011).

Obsidian's plugins. The parity table of revision 3 stands.

WHEN	PLUGIN CAPABILITIES
Already ship	15
Built in MVP 0	21
MVP 1	8

The big six: the Excalidraw block, templates, tasks, calendar, quick capture, ranked search and the importer.

§14 Doc mode, the honest scope

The research classified 64 Google Docs features, one row each, from Google's own help pages [M].

VERDICT	COUNT
Plain markdown	20
Needs an extension	15
Cannot live in a text file	29

The table below is the specification a contractor builds from (F002).

FEATURE	COLUMN	CARRIER OR REASON
Bold, italic	N	CommonMark
Strikethrough	N	GFM
Text capitalisation	N	Rewrites the letters
Headings 1 to 6	N	CommonMark ATX headings
Bulleted, numbered, nested lists	N	CommonMark
Checklist	N	GFM task list items
Table, column alignment, sort rows	N	GFM tables
Image, in line	N	CommonMark
Emojis, special characters	N	Unicode text
Links	N	CommonMark
Outline, rulers, non-printing characters, zoom, dark theme, RTL view, shortcuts, copy and paste	N	Editor chrome, no file impact
The @ menu	N	A command palette; what it inserts is classified per row
Custom building blocks	N	Snippets of ordinary markdown
Spelling and grammar, personal dictionary, autocorrect, Smart Compose	N	Tools over text
Find and replace, word count	N	Tools
Translate, voice typing	N	Tools; output is text
Screen reader, braille	N	A property of the editor
Offline	N	A local file is offline by nature
Templates	N	A markdown file
Download formats	N	A tool
Underline	E	Pandoc <code>[text]{.underline}</code>
Superscript, subscript	E	Pandoc <code>^</code> and <code>~</code>
Font family, font size	E	A raw HTML span; Google drops it on export
Text colour, highlight	E	Colour a raw span; highlight <code>==text==</code>
Title, subtitle	E	Front matter
Alignment	E	Raw HTML or a span attribute; removed by Google on export
Paragraph borders and shading	E	A Pandoc fenced div; plain elsewhere
Column widths	E	Pandoc multiline tables
Resize image	E	<code>{width=}</code> attribute
Equations	E	<code>\$math\$</code>
Footnotes	E	<code>[^1]</code> , rendered by GitHub, Obsidian and Typora, not in the GFM spec

FEATURE	COLUMN	CARRIER OR REASON
Table of contents	E	A <code>[toc]</code> marker
Bookmarks, internal links	E	A heading id and <code>[text](#id)</code>
Variable chips	E	Front-matter keys and a placeholder substituted at export
Citations	E	Pandoc's citation syntax
Line and paragraph spacing	X	A theme property
Indentation, tab stops	X	Four leading spaces are code
Custom bullet glyphs	X	List markers are fixed syntax
Merge cells	X	Neither GFM nor Pandoc has them
Cell background, borders, padding	X	No carrier in any specification
Pinned header rows	X	Pagination
Wrap, break, behind, in front of text	X	Google itself has none in pageless
Crop and adjust	X	A pixel edit; save the file
Drawings	X	A Google Drawings object; embed an image
Linked charts, tables, slides	X	Live links to Sheets
Page numbers, headers, footers	X	Pagination; front matter for export
Page break	X	An export marker only
Section breaks	X	Pagination
Margins, page setup, orientation	X	Front matter for export
Columns	X	Google itself has none in pageless
Pages or pageless	X	Markdown is pageless
Watermarks	X	Pagination
Line numbers	X	A view
Smart chips	X	Live data; Google's rule: "Smart chips change to text or links"
Dropdowns	X	Live state
Building blocks	X	Gmail and Calendar integrations
AppSheet and third-party chips	X	External state
Document tabs	X	One file per tab, or H1 sections
Comments, action items, reactions	X	The version record and the change queue
Suggesting mode	X	Editor state; a proposal in the queue
Version history	X	Document history
Assign tasks	X	Google Tasks; the checklist item itself is N
eSignature, Meet, Keep, add-ons	X	External services
Publish to web	X	Hosting state

The substitutes for the twenty-nine `[P]` : a page-break marker and page setup as front matter honoured only by export; comments and suggestions in the change queue and the version record; versions in history; tabs as files.

The refusal rule `[P]` . Doc mode carries a feature only if a stranger's plain markdown parser, with no editor and no export theme, still shows the author's meaning from the bytes on disk.

What the rich editors admit `[M]` .

TOOL	WHAT ITS OWN PAGE SAYS
Tiptap's markdown extension	"a early release", and "Comments are not supported yet"
Typora	"Custom fonts in Typora are set by CSS."
Google's markdown export	"Font colors, highlights, and text alignment are removed."

We are not inventing a limit. We are naming the one every tool has.

§15 What a document can become

REPRESENTATION	RENDERER	LICENCE	SIGNAL	SHIPS
Flow view	Ours: H2 as phase, H3 as step, bracketed tag, trailing reference	Ours	<code>[Z]</code> the founders' flow site	MVP 0
Diagrams	Mermaid, 90,268 stars, 12,122,962 weekly downloads, block, architecture and kanban types now exist	MIT	Renders on GitHub, Obsidian and HackMD	Ships today
Drawing and canvas	Excalidraw, 132,141 stars, saved beside the note as JSON Canvas 1.0	MIT	7,974,073 plugin downloads	MVP 0
Slides	Marp core, splits on a horizontal rule, no new syntax	MIT	Slides from markdown: Advanced Slides at 837,129 Obsidian downloads renders with reveal.js; Marp's own signal is marp-vscode at 857,640 installs (F061)	MVP 0
Mind map	markmap, reads the outline, no new syntax	MIT	885,474 plugin downloads	MVP 0
Kanban	Ours: headings as columns, task items as cards, the obsidian-kanban shape	Ours	2,668,372 downloads, no open renderer	MVP 1
Charts from a table	Ours: an <code>fm-chart</code> block that points at the table above it	Ours	324,208 downloads	MVP 1
Portfolio	Ours: one file with front matter at frontmatter.in/@handle	Ours	No comparable	Late, Pro
Maths	KaTeX, 18,887,573 weekly downloads	MIT	Universal	Ships today
Music	abcjs	MIT	HackMD renders it	Later
PDF and print	Paged.js for the browser, Pandoc on the server	MIT, GPL	Universal	MVP 0

Two things we will not embed `[M]`.

- **tdraw**, whose licence forbids production use without a key, and which phones home.
- **D2**, which is MPL and duplicates Mermaid.

One thing that waits. Database views over front matter, as Obsidian's Bases, have no open renderer.

Two things we copy the shape of, and none of the code. The kanban and chart blocks follow obsidian-kanban and obsidian-charts. The first is GPL, the second AGPL, and both are unmaintained (F063).

§16 Idea mode, three depths

DEPTH	WHO	QUESTIONS	WHAT EACH ANSWER CARRIES	WHAT IT COSTS US
Low	Free	10 to 15	A recommendation and one line of reason; Not sure recorded as open	About fifteen model calls per blueprint on the free chain
Medium	Pro	20 to 30	Where it stands, what forces the choice, options with gains and costs, evidence from the person's own documents and the template's sources, dated when the template last checked them	The same calls on Sonnet through the batch API, plus a retrieval pass over the project
High	Pro, 3 blueprint credits	20 to 30	Medium, plus a research pass before the questions: sources opened, dated and quoted, a decision record you can publish	A background job of about an hour, with web fetches; about 150,000 tokens in and 40,000 out on Sonnet, assumed until measured

The blueprint [Z] [P]. Fifteen files in a skill folder: twelve markdown documents and three data files.

KIND	FILES
Markdown	SKILL.md, AGENTS.md, 00-BRIEF.md, 01-PRODUCT.md, 02-DATA-AND-API.md, 03-ARCHITECTURE.md, 04-SETUP.md, 05-FRONTEND-SPEC.md, specs/booking.md, specs/payments.md, DECISIONS.md, MAP.md
Data	graph.json, MANIFEST.json, SHA256SUMS

The frontend spec is the founders' ask 4, and the file S12 promises (F025).

Its cost model, assumed until measured (F017): one call per file at 5,455 tokens in and 2,091 out, so 81,825 in and 31,365 out per blueprint.

Templates [Z]. Seven industry templates ship.

- Local service business, SaaS, marketplace, internal tool, mobile app, content site, agency.
- Each carries its question bank, its comparables and its sources.
- **Generate one for my industry** writes a new template from the idea, and marks it as generated.
- Section 26 costs the writing.

What a template holds [R].

- The question order.
- The recommendation rules.
- The file list, and the consistency checks.
- The sources a Medium answer may cite.

Templates are markdown files in a folder, so a person can read, edit and share them.

The rule that keeps it honest [P].

DEPTH	WHAT IT MAY CITE
Low	Never shows evidence it did not read
Medium	Only the person's documents and the template, and says when the template last checked a source
High	Only pages it opened, with the date

- **A recommendation is never a percentage.** [M] PAIR: do not show confidence when "The confidence level isn't impactful".
- **Not sure is never written as the founder's decision.**

§17 Sharing, publishing, portfolio

The four ways out.

1. **People**, with a role from section 27.
2. **A link**, read or edit, with an expiry, and on Pro a password.
3. **A published page** at frontmatter.in/p/slug, with a `.md` twin, a Made with frontmatter line on Free, and Report, Privacy and Terms in its footer.
4. **The portfolio** at frontmatter.in/@handle, on Pro.

Password links `[M]`. Every one of these is paid, or absent.

PRODUCT	WHAT ITS PAGE SAYS
Dropbox	"add a password to a shared link" on Professional and above, not on Basic or Plus
Figma	"Available on all paid plans"
Loom	"Business, Business + AI, or Enterprise"
Notion	"Can I password protect a page? Unfortunately, not at the moment."

Ours: we store a hash, ask once per browser, and put it on Pro.

Expiring links `[M]`. Bitwarden gives every user a deletion date with a default of seven days. Google Drive allows expiry only on Workspace editions and never on anyone-with-the-link. Ours is free, with a seven-day default and no upper bound.

Published pages `[M]`.

- **No product opened caps public pages at a small number.** Notion says "Unlimited published pages", and gates one custom domain instead.
- **The market's gate is the domain and the branding**, not the count.
- **Ours**: five pages on Free with the line, unlimited and unbranded on Pro, and a custom domain later.
- **Pages are not indexed today.** Whether they should be is an open question in section 39, because the audit is right that not indexing removes search as a channel.

Portfolio `[M]`.

- **What the reference sites need.** sayak.dev is a Quarto project: one `.qmd` per page, a `_quarto.yml`, a build, GitHub Pages. Astro wants a content folder and a schema.
- **What we do instead.** We serve the stored file.
- **The front matter keys** are name, handle, title, links, projects, writing and theme.
- All of them are ignorable by any other tool, **so the file stays portable**. Section 20 specifies them.

§18 Bringing things in and out

Folder upload `[M]`.

- **Reading a folder in** works in Chrome 7, Edge 13, Firefox 50, Safari 11.1, iOS Safari 18.4 and Android Chrome 132.
- **Dragging a folder in** works on desktop through the entries API.
- **Writing back to the person's own folder** works only in Chrome and Edge, through the directory picker, and MDN marks that API as not baseline.

So: every browser imports, Chromium browsers can keep a live folder, and everyone else gets Drive, GitHub or a download for the way back.

An Obsidian vault imports as it is. Its `.obsidian` folder is read for the daily-note path and the templates folder, and for nothing else.

Google Drive [M].

The scope. `drive.file` covers files the app created or the person picked, and needs only basic verification. Both `changes.list` and `files.watch` accept it.

Why we poll rather than subscribe. A change channel lasts a week at most, has no automatic renewal, and carries no content. So the app polls the change list from a stored page token.

The cost per user per day, re-derived with the poll included (F027).

ITEM	WORKING	UNITS
30 saves a day	30×50	1,500
A poll every five minutes	288×100	28,800
Total		30,300

What that buys.

- Google's daily project threshold is 400,000,000 units, so $400,000,000 / 30,300 = \mathbf{13,201}$ **connected users** before the quota increase, which the limits page now says is billed.
- A one-minute poll would cost 145,500 units a day and serve 2,749 users. That is why S23 promises "within a few minutes".

Conflicts are never merged silently. Both versions are kept, and the person chooses on S31.

GitHub [M]. A GitHub App, not a personal token.

- **It asks for the Contents permission, read and write, and nothing else.**
- GitHub grants that for the whole repository, so the promise to write only under `docs/` is frontmatter's own rule, enforced server-side and tested (F034).
- Installation tokens expire after an hour and carry their own 5,000 requests an hour.
- Every update sends the file's blob sha and treats a 409 as a re-read. That is the splice engine's compare-and-swap rule, in GitHub's words.
- **Free:** one repository, 20 pushes a month. **Pro:** unlimited.

Google Docs and Word [M].

- **Google Docs.** Drive exports as `text/markdown`, and "Exported content is limited to 10 MB", which S22 states when it refuses (F024).
- **Word.** Converts in the browser with mammoth, so the file never leaves the machine.
- **Both lose the same things**, in Google's own words: colours, highlights and alignment are removed.

Notion [M]. The export zip imports as a project. The API allows 180 requests a minute on a non-business workspace, which is enough to pull a workspace page by page as a later feature.

The twenty public APIs worth using [M]. Grouped by what leaves the machine, because that is the only grouping that matters here.

Seven run entirely in the browser, with no key, and send no text anywhere. KaTeX, Mermaid, Tesseract.js for OCR, pdf.js, pdf-lib, the DiceBear library, and self-hosted Google Fonts.

Key-less and remote, sending only the query.

SERVICE	LIMIT ON THE PAGE
Wikipedia and Wiktionary	200 requests a minute, with a user agent
The Free Dictionary	none stated
Datamuse	100,000 a day until 1 January 2027, then a key is mandatory; customer-facing use needs prior contact
Crossref and OpenAlex	for a DOI
Open Library	for an ISBN
arXiv	one request every three seconds
Frankfurter	for currency

Behind our proxy, because they need a secret.

SERVICE	LIMIT ON THE PAGE
Unsplash	50 an hour in demo, 1,000 after approval, with attribution and a download ping
Pexels	200 an hour, 20,000 a month
DeepL, developer plan	a million characters
iframely	2,000 hits a month, billed once an hour per URL

Never sent document text.

- **LanguageTool's public endpoint** says "Do not send automated requests" and caps a request at 20 KB, an address at 20 requests and 75 KB a minute (F062). Grammar beyond spelling waits for a self-hosted LanguageTool.
- **Semantic Scholar** receives DOIs and titles only, as good practice. Its licence page carries no clause about training on what is sent, and the earlier sentence that said so is withdrawn (F062).

§19 Offline, desktop, phone

In the browser [M]. Every keystroke goes to IndexedDB or the origin private file system, which has been baseline since March 2023.

BROWSER	WHAT IT ALLOWS
Chrome	About 60 percent of the disk, per origin
Firefox	The smaller of 10 percent or 10 GiB
Safari	About 60 percent since macOS 14 and iOS 17, but deletes all script-writable storage after seven days of Safari use without a visit, unless the app is on the home screen

Background sync and the share target exist only in Chromium.

The one rule: never let the browser be the only copy. Persist is requested inside a user gesture, and the first connection pushes everything to the server.

The desktop app [Z] [M].

- **What it gives.** Files on disk, no document limit, fully offline, and agents can read the folder.
- **It is the one we promote,** and the web app stays.
- **Each target builds on its own runner in CI.** Tauri says cross-compiling Windows from macOS is "a last resort", and signing it needs an external tool (F072).

Signing, per platform.

PLATFORM	WHAT WE DO	WHY
macOS	Signed on the Apple programme, 99 USD a year	Available to us
Linux	Unsigned, by choice	Nothing to gain
Windows	Shown as coming, until a commercial certificate is priced	Azure Artifact Signing's public trust is closed to organisations in India (F071)

The phone [M] .

- **Material's rule**, confirmed on developer.android.com: under 600 dp use a navigation bar with three to five destinations, and one pane.
- **Ours has five**: Home, Search, AI, Outline, More.
- **The tree and the right pane are drawers**, as the shipped code already does.
- **Targets are large and spaced**, which is Fitts's law. The number is Material's, not Fitts's (F015).

§20 AI for the pilot, and after

The three tasks [R] [P] .

TASK	TOKENS IN	TOKENS OUT
An edit on a selection	about 4,000	800
A document	2,000	1,500
A blueprint, fifteen calls	81,825	31,365

The blueprint figures are assumed until measured (F017).

Who allows a free pilot, verbatim from their pages [M] .

PROVIDER	FREE MODELS	FREE LIMITS	TRAINS ON PROMPTS	IN THE CHAIN
Groq	gpt-oss-120b, gpt-oss-20b, qwen3.8-27b, compound	30 requests a minute, 1,000 a day, 8,000 tokens a minute, 200,000 a day, per organisation	No: "Groq is not permitted to use Inputs or Outputs for training"	Yes
Cloudflare Workers AI	Any non-gated model, qwen3-30b among them	10,000 neurons a day, 300 requests a minute	No: "Cloudflare does not use your Customer Content to (1) train any AI models made available on Workers AI or (2) improve any Cloudflare or third-party services"	Yes
Cerebras	gpt-oss-120b, qwen-3.8-27b	A trial: "\$5 in free credits after adding a verified payment method. These credits expire 30 days after they're granted"; 5 requests a minute, 1,000,000 tokens a day	No	While the trial lasts (F005)
SambaNova	DeepSeek-V3.1, Llama 3.3 70B, gpt-oss-120b	20 requests a day per model	No	Yes, production models only
OpenRouter free endpoints	24 of 444 models at zero, served by other providers	20 a minute, 50 a day	"Each provider on OpenRouter has its own data handling policies"; the Nvidia-served endpoints' terms were not opened	No, until a provider's terms are opened and quoted (F006)
Gemini API	Ten Flash and Pro models	Per-model numbers not public	Yes: "Google uses the content you submit to the Services and any generated responses to provide, improve, and develop Google products", and "Do not submit sensitive, confidential, or personal information to the Unpaid Services"	No
Mistral Free	\$10 a month of credit	In the admin panel only	The free plan's training row is ticked with no opt-out	No
GitHub Models	none	"fully retired" on 30 July 2026	n/a	No
Ollama on the desktop	llama3.2:3b at 2.0 GB, qwen3:4b at 2.5 GB, gemma3:4b at 3.3 GB, qwen3:8b at 5.2 GB fit an 8 GB machine	None	No: runs locally	Yes, desktop only

The routing [P] .

CALL	ORDER IT TRIES
An edit	Groq gpt-oss-120b, then Cloudflare qwen3-30b, then Cerebras while the trial lasts, then SambaNova
A document	Cloudflare first, then Groq
A blueprint	Cerebras while the trial lasts, then Cloudflare, then paid Cloudflare neurons
On the desktop	A local model for edits, with nothing leaving the machine

Never in the chain. Gemini's unpaid tier, Mistral Free, any OpenRouter endpoint, and anything whose terms were not opened. The founders confirm the chain's shape as question 3.

What the free pools carry, as one shared budget each, SIMULATED from the caps [0] (F007).

The unit. At the caps a free user takes 10 edits and 1 blueprint a month, which is a third of an edit and a thirtieth of a blueprint a day.

PROVIDER	COST PER USER A DAY	USERS THE FREE POOL SERVES
Cloudflare	$14.3 + 44.5 = 58.8$ neurons	170, from 10,000 neurons
Groq	$1,600 + 3,773 = 5,373$ tokens	37, from 200,000 tokens
Cerebras	same shape	186, while the trial lasts
SambaNova	20 requests a day	a smoke test, not a tier

The Cloudflare working. An edit costs 42.9 neurons, a blueprint 1,334, from $81,825 \times 4,625 / 1e6 + 31,365 \times 30,475 / 1e6$.

A caveat on Groq. Its 8,000 tokens a minute make a blueprint a fourteen-minute job there.

So the chain carries about 200 active free users at the caps once the Cerebras trial ends, and about 390 while it lasts.

Past that, the cheapest paid step is Cloudflare's overage at \$0.011 per 1,000 neurons, which is \$0.0194 (₹1.86) per free user a month at full caps.

Cost when the free pools are gone, 1,000 free users at their caps, per month, SIMULATED [M].

The volume. Input is $1,000 \times (10 \times 4,000 + 81,825) = 121.8$ million tokens. Output is $1,000 \times (10 \times 800 + 31,365) = 39.4$ million.

MODEL	IN, PER 1M	OUT, PER 1M	THE MONTH
Cloudflare qwen3-30b	\$0.051	\$0.335	$\$6.21 + \$13.19 = \$19.40$
Groq gpt-oss-20b	\$0.075	\$0.30	$\$9.14 + \$11.81 = \$20.95$
gpt-oss-120b, Groq or Together	\$0.15	\$0.60	$\$18.27 + \$23.62 = \$41.89$
Anthropic Haiku 4.5	\$1	\$5	$\$121.83 + \$196.83 = \$318.66$
Sonnet 5	\$2	\$10	$\$243.65 + \$393.65 = \$637.30$, or half with batch

Pro's model cost, re-derived with the working shown, SIMULATED [0] (F001). At the Pro caps that is 100 edits and 5 blueprints a month.

Sonnet 5 for everything, which is what revision 4 assumed.

- An edit: $4,000 \times \$2 / 1e6 + 800 \times \$10 / 1e6 = \$0.016$, so 100 edits are \$1.60.
- A blueprint: $81,825 \times \$2 / 1e6 + 31,365 \times \$10 / 1e6 = \$0.164 + \$0.314 = \$0.477$, so 5 are \$2.39.
- **Total \$3.99**, which is ₹383 at ₹95.96, against ₹246 net of GST and Razorpay.
- **That loses ₹137 on every fully active Pro user.** Revision 4's "about ₹120" was wrong and is withdrawn.

The default routing now.

- Haiku 4.5 for edits: $4,000 \times \$1 / 1e6 + 800 \times \$5 / 1e6 = \$0.008$, so \$0.80 for 100.
- Sonnet 5 through the batch API for blueprints at half price: \$0.239 each, so \$1.19 for 5.
- **Total \$1.99**, ₹191, leaving about ₹55 on a fully active Pro user before fixed costs.
- Haiku for everything comes to the same ₹191.

Two notes. Prompt caching is measured in week one and is not counted here. The price and the routing are founder question 2.

Work that never touches a model [P] . This is most of what the editor does in a day, and it costs nothing per use.

- Structural checks, the formatter, search, the map.
- Table-to-chart, word counts, spellcheck, OCR, the dictionary.
- Citations, currency, link previews, folder import, and every representation.

Security [R] [M] . We render untrusted markdown, run a model over private documents, and write to GitHub. A memory vendor put the risk plainly this month: "Persistent memory makes prompt injection durable."

Eight controls ship. The last two were restored from revision 3 at the audit's finding (A21).

1. No third-party scripts on published pages.
2. Agent tokens that may propose but never apply.
3. A per-account budget and breaker on every model call.
4. Every model call attributed and logged.
5. Documents sent to a model only when the person asks, with ghost text off by default.
6. The change queue, so every agent change is read before it lands.
7. Document text reaches a model inside a delimited data block, under a standing rule that content inside it is data.
8. Remote images in a shared document are proxied or click-to-load.

Two more, outside the eight.

- The kickoff prompt verifies the kit's tarball against a hash printed on the published page before it unpacks anything, and tells the agent to read before it builds (F028).
- Logs go to an append-only store in India, section 25 and section 33 (F069).

PART FOUR. EVERY SCREEN

§21 The screens

Thirty-eight screens, each on desktop and on the phone. Thirty-four are the product. The last four are the configuration panel of section 31, which only a founder sees.


The phone follows the shipped code.

- A 52 px bar, the editor full width.
- The tree and the right pane as drawers.
- The bottom bar is the one new thing.

How to read each entry. Every screen names what is on it, why, and the finding it answers where it changed in this revision.

Two tokens are not in the shipped app yet, an `--ai` blue and the Google Sans Code face. Phase B adds both to `globals.css` (F044).

S01. Sign in




- The wordmark, one line of promise, Continue with Google, Continue with GitHub.
- The fine print says what we do not do: no password, no puzzle, no tour, no training on documents, and links the provider list that makes that true.
- Privacy and Terms link to pages that serve without an account (F054). The right half shows the editor once, so the page is not a wall.

Why.

- [Z] Sign-in first.
- [M] Apple: "People often abandon apps when they're forced to sign in before they can do anything useful". So the sign-in is one tap, and the page shows the product behind it.
- [L] No captcha, ever.
- The muted text token is returned to 4.5:1 on every screen (F030).


S02. Home, first time



- Five ways to start: a blank document, from an idea, import, from GitHub, a template.
- Three tabs: Documents, Ideas, Shared with me.
- The empty state names the free caps once and says you can drop a folder anywhere.

Why. [M] Nielsen on empty states: "Provide direct pathways (i.e., links) to getting started with key tasks related to populating the empty state." [M] Hick's law: five choices, one of them highlighted.


S03. Home



- Recent documents with project, opened and owner. The Ideas tab carries a count.
- A quiet pill shows cloud documents used against the cap.
- The phone shows four starts and the list.

Why. [M] Apple: "Restore the previous state when your app restarts so people can continue where they left off", so the most recent document is first. [P] the caps are visible without a plan page.


S04. Workspace



- The shipped layout, measured from source: tabs, the twelve-button toolbar, the four modes, the tree and the outline rail.
- The tree shows all fifteen blueprint files (F019). The history row reads "7 days" on Free (F018). The right cluster folds bookmark, search and history into More so the mode segment fits at 1,440 px (F021).
- The phone keeps the toolbar to seven tools and puts the mode segment in the header.

Why. [R] this is md.sgnk.ai as shipped, with the header a Home icon richer. [M] Material: a single pane under 600 dp.


S05. Doc mode



- The Google-Docs-shaped toolbar's first level: style, bold, italic, underline, strikethrough, lists, checklist, image, table, link, comment, page break. Font, size, colour, highlight and alignment sit behind More (F020).
- A paper surface with a ruler. Comments in the margin. Suggesting mode.
- One toast, once: Doc mode is a view; the file is still 00-BRIEF.md; page setup lives in its front matter; colours and fonts render here and export to PDF only.

Why. [Z] "Google Docs features in the doc mode so that people don't have to switch." [M] the honest scope in section 14 says which buttons write markdown, which write front matter, and which do not exist.


S06. AI writing box



- One box on an empty document. Four chips for the common asks. A second row for the other ways to start.
- The cost is stated before the click: one edit credit, seven of ten left. The rail counts are zero on an empty document (F022).
- Taking it to Ideas is a chip, not a second product.

Why. [R] the funnel is the box. [M] PAIR: "allow users to adapt the output to their needs, edit it, or turn it off."


S07. AI edit



- Seven verbs on a selection. The suggestion appears in place with Accept and Reject of equal weight next to it.
- The menu says which provider the month runs on.
- On the phone the menu is a sheet.

Why. [M] Nielsen's direct manipulation: "physical, incremental, and reversible actions whose effects are immediately visible on the screen." [R] the switching driver "AI edits you cannot switch off" at 21 mentions, so nothing is applied without a click.

S08. Custom blocks




- Split view. A table, a chart block that reads the table above it, a Mermaid flowchart, a callout, maths.
- The left pane states what each block becomes elsewhere: GitHub, Obsidian, VS Code.
- The phone shows the rendered side.

Why.

- [R] Settled: callouts for prose, fences for data.
- [M] The table-to-chart pattern exists in the wild in obsidian-charts, whose block points at a block id on the table, so the table stays a plain table.
- **The shape is copied, the code is not**, because that plugin is AGPL (F063).


S09. Flow view



- View as: Page, Flow, Slides, Mind map, Kanban, Outline.
- Flow reads the document as phases and steps: an H2 is a phase, an H3 is a step, a bracketed first word is the tag, a trailing line is the reference.
- A legend for the lanes. Scrolls sideways with the arrow keys.

Why. [Z] the founders' flow site is the reference. [M] slides and mind maps need no new syntax: Marp splits on a rule, markmap reads the outline. [P] every view is a projection of the same bytes.


S10. Problems



- Broken links, heading skips, missing alt text, table shape, and one advisory writing note, each true of the document shown (F022).
- Fix all safe. Rules.
- Structural checks run on the device and cost nothing.

Why. [M] markdownlint has 12,180,750 installs on VS Code and Prettier 71,626,148, so a checker and a formatter are expected. [R] the plain-language note never blocks, as our own gate works.


S11. Instruction files



- AGENTS.md with a health panel: one file imported not copied, size under the 32 KiB cap, setup commands present, claims not verified this week.
- The agents that read it. The tree shows the full kit (F019).
- Tidy this file, one credit.

Why. [M] AGENTS.md is used by over 60,000 projects. [0] all six of our own dual-file repositories use the import, so the tool teaches the import rather than diffing two copies.


S12. Ideas



- Ideas listed on the left with their state: draft, decided so far, blueprint version.
- The idea, an attached drawing, a document or a repository. An industry template, or one generated for your industry. The drawing is described in the frontend spec the kit now carries (F025).
- The depth chooser: Low free, Medium Pro, High Pro plus credits. Start at Low and go deeper later without losing answers.

Why. [Z] a separate tab with ideas on the left. [Z] the three depths. [M] Nielsen's progressive disclosure has two levels at most, and this is the second.


S13. Idea mode, Low



- Twelve decisions in pages of three. Each has a recommendation. Not sure records the question as open and takes the recommendation for now; DECISIONS.md carries it as open, not as decided.
- The blueprint's fifteen files are listed before a credit is spent.
- Steps: Describe, Decide, Write, Hand off.

Why. [Z] 10 to 15 questions on the free plan. [M] PAIR: show alternatives rather than confidence, "Showing multiple options prompts the user to rely on their own judgement."


S14. Idea mode, Medium and High



- A decision card: where it stands, what forces the choice, options with gains and costs, evidence rows, the recommendation. On Medium the web rows are labelled as the template's sources with the date they were last checked; only High opens pages (F037).
- The answer is recorded in DECISIONS.md with its evidence.
- High adds a research pass before this step, run in the background.

Why. [Z] "proper insights and all evidence." [R] the card is the shape of our decisions site, which holds 210 decisions.

S15. Blueprint ready




- Fifteen files in a skill folder: SKILL.md loads first, AGENTS.md, the numbered documents including the frontend spec, specs, DECISIONS.md, MAP.md, graph.json, the manifest and checksums.
- A consistency check ran before you saw it. An unlisted link. A kickoff prompt for Claude Code, Cursor or Codex that verifies the tarball against the hash printed on this page before it unpacks, and reads before it builds (F028).
- Edit, then publish v2.

Why.

- [Z] The kit is a skill-shaped folder.
- [M] SKILL.md and AGENTS.md are the two formats agents read today.
- [P] A checksum file inside the tarball it verifies proves only that the transfer was intact. **The out-of-band hash proves the kit is the one we published.**


S16. The map



- The documents, what each governs, the decisions behind them, and the instruction file, as a graph. The map counts twelve markdown documents; the three data files are not nodes (F038).
- Rebuilt on every save from the files, so it costs no credits.
- MAP.md and graph.json ship inside the kit.

Why. [R] our own knowledge graph in advox: 4,600 nodes so an agent can query the structure instead of reading 46,000 lines. [P] the map is a projection, never a second source of truth.


S17. Share



- People, with a role from the matrix in section 27. Three live collaborators on Free.
- A link that can read, expire, or need a password on Pro.
- The published page toggle, with pages used against the cap.

Why. [Z] password-protected sharing. [M] password is paid at Dropbox, Figma and Loom; expiry is free at Bitwarden with a seven-day default.


S18. Published page



- Reads without an account. Download the markdown. Open in frontmatter. A quiet card offers sign-in once.
- The footer carries Report, Privacy, Terms and the `.md` twin (F033).
- The phone shows the password gate a reader meets on a protected link, with the same footer.

Why. `[R]` the published page is the funnel. `[M]` llms.txt and the `.md` twin pattern are what Anthropic, Cloudflare, Stripe and Vercel serve. `[L]` a page a stranger publishes needs a report route, section 33.


S19. Live collaboration



- Presence avatars, a named cursor, the other person's text highlighted as it lands.
- The toast states the free limit once.
- On the phone, presence sits in the header.

Why. `[M]` Obsidian's Multiplayer is Planned, not shipped, and section 36 carries it as a risk. `[R]` the session is the exception the no-CRDT rule allows, section 25.

S20. Document review




- Changes waiting, each with who made it: a person, an AI edit you asked for, or an agent that edited the file on disk through the desktop folder.
- Accept, Reject and Reply of equal weight. Accept all applies only to a named person's edits and asks you to confirm the count first; AI and agent items are accepted one by one with the diff shown (F029).
- Changed spans highlighted in the document.

Why.

- [R] The proposal is a first-class object: agents propose, people accept.
- [M] Buçinca 2021, Jakesch 2023, Doshi and Hauser 2024, and Draxler 2023, on over-acceptance of AI text, in the note-research report.
- [M] iA Writer now leads with authorship display, so the market has caught up with the need.


S21. Document history



- Every version with its author, including the AI edit and the blueprint write.
- A diff against the current version. Restore, or copy as a new document.
- Seven days on Free, 90 on Pro.

Why. [R] every save is a new immutable key. [M] Notion, Craft and AFFiNE give 7 days free and 30 paid, so 90 is a visible reason to pay.


S22. Import



- Drop files or a folder. A folder keeps its structure and becomes a project.
- Six sources: a folder, GitHub, Google Drive, Google Docs, Word, a Notion export. A Google Doc over 10 MB is refused with the reason (F024).
- The progress panel says what was kept byte for byte, what was uploaded, and what needs a look. On the phone, sharing from another app is offered after install on Android and said plainly to be absent on iOS (F036).

Why. [Z] file and folder upload. [M] folder input works everywhere since Safari 11.1 and iOS 18.4. [M] Word converts in the browser with mammoth, so nothing is uploaded.


S23. Connections



- Google Drive: the folder, the scope, the conflict rule, "a change in Drive shows up here within a few minutes" (F027). Change folder, pause, disconnect.
- GitHub: "GitHub grants this app the whole repository; frontmatter only ever writes under docs/" (F034). Pushes used, revocable on GitHub.
- Your agents: marked Later, with the MCP server (F035).

Why. [Z] connect Drive and GitHub with the user's authorisation. [M] GitHub Apps carry "narrow, specific permissions" and installation tokens "expire after 1 hour". [R] permissions attach to the operation.


S24. Offline



- A banner, last synced time, changes waiting.
- AI edit is disabled with a one-line reason; on the desktop the local model takes over (F039).
- The desktop card: files on disk, fully offline, no document limit.

Why. [Z] offline in the browser with browser storage. [M] Safari deletes script-writable storage after seven days without a visit unless the app is installed, so the banner is honest and the desktop app is promoted.


S25. Desktop app



- Cloud projects and folders on this Mac in one tree. Saved to disk.
- The same header, tabs and toolbar as the web.
- The phone page emails you the download link: Mac now, Linux unsigned, Windows coming (F047).

Why. [Z] the offline app is the one promoted. [M] Azure Artifact Signing's public trust is closed to organisations in India; Apple's programme is 99 USD a year; a commercial certificate for Windows is unpriced in this plan (F071).

S26. Quick capture




- A global shortcut opens one box that saves into an inbox note. No credits.
- On the phone, the share sheet from any app lands in the same inbox, on Android after install.
- The install card appears once.

Why. [R] QuickAdd has 2,113,472 downloads, fast capture is named in 4 or 5 of the 9 note-taking methods we read.

[M] the share target works only in installed Chromium apps, so the phone card asks to install.


S27. Dark mode



- The same workspace on the dark tokens from globals.css.
- One toggle in the header, remembered on the account.

Why. [R] design praised 35 times in the reviews we counted, and dark mode is expected of every editor.


S28. Settings



- Ten sections, from Account and Appearance through Editor, Writing, AI, Connections and Sharing to Data and export, Shortcuts and Plan and usage.
- Spellcheck says it is the browser's own (F048). Two AI switches: ghost text as you type, off by default, and AI on a selection or in the box (F049). Mark AI text in the version record.
- Settings live on the account, so every device agrees.

Why. [Z] a proper settings page. [M] the sections are the union of Notion's and Obsidian's. [M] Obsidian's request for one settings set across vaults has 520 hearts, and ours is by design.


S29. Plan and usage



- Four meters: edits, blueprints, cloud documents, published pages. "Allowances reset 1 October" (F053).
- Free and Pro side by side, the price marked GST inclusive (F051). Team and Enterprise named as coming.
- UPI and cards, cancel any time, top-ups.

Why. [Z] Team and Enterprise are shown from day one. [L] Razorpay mandates are capped at ₹15,000 by RBI circular RBI/2022-23/73 of 16 June 2022, and Indian cards get one attempt (F074).


S30. Portfolio



- One file, portfolio.md. The front matter keys are name, handle, title, links, projects, writing and theme, the same list section 17 specifies (F052). The H2 sections are the page, the writing folder is the blog.
- Published at frontmatter.in/@handle, served from the stored file, no build step. No Follow button; there is no social feature in this plan.
- Pro, and late.

Why. [Z] a portfolio in Pro, like the reference site. [M] sayak.dev is Quarto markdown plus a config file and a build on GitHub Pages. Every generator opened wants a folder and a build. A one-file page is the gap.


S31. Conflict



- Two versions of the same document side by side, each with its author, device and time. Nothing was merged.
- Keep left, keep right, or keep both as two files. The other version is always in history.
- The same screen serves a Drive edit against a web edit and a desktop edit against a GitHub change.

Why. [R] settled: no silent merge, ever. The audit found the plan's central promise had no screen.


S32. AI unavailable



- The AI box when every provider in the chain has refused or timed out: the document is untouched, nothing was charged, try again in a minute, or on the desktop use the local model.
- The status of each provider in the chain, so the person knows it is not their document.

Why. [M] PAIR: "Provide paths forward from failure." [P] the chain has four links and the plan says what happens when the fourth fails.


S33. Over the cap



- What happened: the 50th cloud document, or the tenth edit, or the fifth page. What still works: every document opens, edits and exports.
- What to do: delete or export something, wait for the reset, or move to Pro. The desktop app has no cap and is named.
- A downgraded account meets the same screen: nothing is deleted, nothing new is created until under the cap.

Why. [M] Nielsen: "Users often perform actions by mistake. They need a clearly marked "emergency exit". [Z] founder question 9 on the caps and the downgrade.

S34. Ideas, empty



- The Ideas tab before the first idea: what a blueprint is in one line, the three depths in one line each, and one box to start.
- One hand-made example kit to open and read, so the person sees the fifteen files before spending a credit.

Why. [M] Nielsen: "Do not default to totally empty states." [R] the example kit is one of the twenty hand-made ones from Phase 0.

§22 The configuration panel, which only a founder sees

S35. Configuration, plans and limits

frontmatter

Search

SM Sagnik

Configuration

Plans and limits

Models and providers

Features and flags

Accounts and usage

Audit log

Plans and limits

What each plan allows. The product reads this table and nothing else; there is no copy of these numbers in the source.

LIMIT	FREE	PRO	LAST CHANGE
Documents in the cloud	50	Unlimited	Sagnik · 50 from 25 · 14 Sep
Published pages	5	Unlimited	—
Live collaborators	3	Unlimited	—
Document history	7 days	90 days	—
Uploads	1 GB · 5 MB a file	10 GB · 25 MB a file	—
AI edits a month	10	100	Amit · 10 from 15 · 2 Sep
Blueprints a month	1 · Low only	5 · any depth	—
GitHub repositories	1	Unlimited	—
GitHub pushes a month	20	Unlimited	—

1 change · AI edits on Free, 15 to 10 · 2 accounts go over their cap

See who Discard Review and save

9:41

Plans and limits

SM

Documents in the cloud

Free 50 Pro Unlimited

Published pages

Free 5 Pro Unlimited

Live collaborators

Free 3 Pro Unlimited

Document history

Free 7 days Pro 90 days

Uploads

Free 1 GB · 5 MB a file Pro 10 GB · 25 MB a file

AI edits a month

Free 10 Pro 100

Editing is on the desktop. The phone shows what is set.

Home

Search

AI


Outline

More

- Every limit in one table, Free against Pro, each cell editable. This row is what the product reads; there is no second copy in the source.
- Saving says how many accounts the change moves over their cap, and names them, before it writes.
- Each row carries its own last change: who, from what, to what, and when.

Why. [Z] the founders' decision of 17 September. [P] section 31 names one read path, `limitsFor(account)`, so a cap that appears anywhere else in the product is a defect the architecture gate should fail on.


S36. Configuration, models and providers



- The free chain in fallback order, each provider on or off, with what is left of today's pool beside it.
- Routing per call type and per plan: an edit, a document, a blueprint, each naming its model and what one call costs.
- A provider whose terms nobody has opened cannot be switched on. The control is disabled and says so on the row.

Why. [Z] question 3 turns on keeping the sign-in promise true. [L] a provider list anyone can extend without reading terms is exactly how that promise breaks quietly.


S37. Configuration, features and flags



- Four flags: live editing, bring-your-own key, the email magic link, and whether a published page is indexed by default.
- Each flag names the screens it turns on or off and the plans it reaches, so nobody has to guess what a switch does.
- Two rows are shown and locked: the training promise and the age floor. The reason sits on the row rather than in a document nobody opens.

Why. [Z] questions 8, 10, 17 and 18 become flags instead of decisions the build waits on. [L] section 31 says why the locked two cannot be flags: one is a promise, the other has already been consented to.

S38. Configuration, accounts and usage



- Find one account, see it against every limit, and grant a time-boxed exception without moving the plan for everyone else.
- That account's ledger: what it spent, on which model, and what it cost us.
- The audit log across every setting, newest first, read-only in the panel.

Why.

- [P] The ledger of section 26 is the counter every cap check reads, so this screen is a view of it rather than a second store.
- [Z] An exception is the honest answer to one support mail, and section 31 requires it to expire.

PART FIVE. HOW IT IS BUILT

§23 Principles, applied

Every rule below is quoted from the page it came from, and each names the screen it governs [M] .

- **Progressive disclosure, two levels at most.** Nielsen: "designs that go beyond 2 disclosure levels typically have low usability". The toolbar has its twelve buttons and one More. The AI box has four chips and one second row. Settings has ten sections and no sub-sections.
- **No tour.** Nielsen: "Tutorials interrupt users, don't necessarily improve task performance, and are quickly forgotten." Apple: "Consider providing a collection of context-specific tips instead of a single onboarding flow." A tip appears on the first hover of a control, once.
- **Empty states are pathways.** Nielsen: "Do not default to totally empty states." Home shows five starts. The review queue, when empty, says what would appear. The Ideas tab has S34.
- **Sign-in first, named honestly.** Apple: "Delay sign-in for as long as possible." Nielsen: "Users want to start using the product right away." Jakob's law is the one source that supports the founders' choice: "users prefer your site to work the same way as all the other sites they already know", if the reference class is Google Docs and Notion. It is. So the sign-in is one tap, the page shows the editor, and published pages need no account.
- **Reversible, visible, confirmable.** Nielsen's direct manipulation: "physical, incremental, and reversible actions whose effects are immediately visible on the screen." Every AI proposal previews in place, applies on a click, and

undoes in one step.

- **No confidence numbers.** PAIR: do not show confidence when "The confidence level isn't impactful"; prefer alternatives, which "prompts the user to rely on their own judgement". Idea mode shows options and a recommendation, never a percentage.
- **An off switch.** PAIR: "allow users to adapt the output to their needs, edit it, or turn it off." Settings has it, and ghost text is off by default.
- **Speed.** Nielsen: 0.1 seconds feels instant, 1.0 second keeps the flow, 10 seconds needs a progress bar. Section 21 turns those into targets of our own.
- **Phone.** Material, read in a rendered browser on 17 September because the site is a script shell to curl: a navigation bar with three to five destinations under 600 dp, "Don't use navigation bars for desktop layouts", and the 600 dp compact breakpoint confirmed on developer.android.com (F043). Apple: "show no more than two levels of hierarchy in a sidebar", and do not hide it by default on desktop.
- **Accessibility.** WCAG 2.2 AA is the plan's target for every screen; the muted, danger and success tokens are retuned to 4.5:1 and the generator asserts it (F030). Whether the Rights of Persons with Disabilities Act 2016 section 46 reaches a private browser product turns on rule 15 of its rules, which is a counsel question in section 33 (F075). The draft amendment of 23 July 2026 would settle it the wide way: IS 17802 for every website, app or piece of software offered to persons in India, with a published conformance report. So the plan tests to IS 17802 alongside WCAG from the first screen rather than waiting for the rule to land.
- **Appetite, not estimate.** Shape Up: "Appetites start with a number and end with a design." Each phase in section 35 carries an appetite in weeks.
- **SOLID, as it applies here.** Martin: "Gather together the things that change for the same reasons." Each block kind is its own module. Adding a block or an AI verb is a registration, never an edit to the splicer. Every block honours one contract: parse a byte range, render, serialise byte-exact, report its splice range. Ports are small and client-specific. The engine depends on abstract ports for storage, the model and the change queue, and the R2, Firestore, GitHub and model adapters depend on those ports, which is the repository's existing rule.

§24 The engine baseline

The twelve invariants of revision 3 stand [R] .

1. The file is the record.
2. Splice-only writes, which refuse when a range is ambiguous.
3. Content-addressed versions.
4. Every change carries an author and an intent.
5. A proposal is a first-class object.
6. Everything has a stable address.
7. Machine-readable exits: `Accept: text/markdown` , a `.md` twin, a manifest and checksums.
8. A capability surface, not a screen surface, so the MCP server, the command line and the API are thin adapters.
9. Permissions attach to the operation.
10. Budgets and breakers sit at the operation layer.
11. Deterministic rendering, and any block we invent degrades to readable text.
12. **No silent merge, ever.**

Two measured defects are fixed before any public claim [0] .

- A column-zero list item in front matter refuses 83 percent of real vaults. About four days of work.
- A trailing comment is deleted on a set.

The audit read the engine and confirmed both, and names a third, unlabelled defect in its A16. Section 25 carries it.

Review state is dropped [Z] (F058).

- The 9 September plan's headline was a per-span read state in a sidecar, `.frontmatter/review.jsonl` .
- It never existed in the code, and it failed an adversarial round.
- The 13 September reset replaced the product, and this plan's S20 is a change queue instead: who changed what, accept or reject, one by one.
- Attribution survives as a mark in the version record, section 28.
- CLAUDE.md's "Review state" paragraph is rewritten on this branch to say so.
- Almanac, which shipped read receipts and shut down, is the precedent section 38 records.

What this makes the product [P] .

PIECE	WHAT IT IS TO AN AGENT
The vault	Its memory
The map	Its index
The instruction file	Its policy
The blueprint	Its brief
The change queue	How it is supervised

Doc mode, the flow view, the portfolio and Drive sync are all projections and adapters over the same bytes. That is why none of them needed a new format.

§25 The stack, costed

The question [Z] . Cloudflare R2 with a Firestore database: is it free to start, does it scale, and what is the perfect stack?

Three stacks at 1,000 users, per month, SIMULATED [M] . Every figure below rests on these assumptions.

- 10 documents of 20 KB each.
- 30 saves a day, stored as full immutable copies.
- 100 MB of uploads each.
- 200 live sessions a day, of an hour, with two people.
- Two developer seats on Vercel.

STACK	MONTH ONE	WHERE IT STOPS BEING FREE	HARD LIMITS
R2 plus Firestore in Mumbai, Firebase Auth, Durable Objects, Vercel Pro	\$43.07 with WebSocket hibernation, \$85.57 without, on the research's Mumbai prices; about \$43.15 on the audit's	R2 at 100 users, Firestore at 333 users and then only on a Blaze billing account	1 MiB per Firestore document, quotas reset at midnight Pacific; Mumbai storage \$0.165 a GiB-month by the research's reading of the page, \$0.104 by the audit's, and the page is a script shell to curl so neither can be reproduced (F040)
R2 plus Supabase Pro in Mumbai for records, ledger and auth, Durable Objects, Vercel Pro	\$65.19	Supabase Pro is \$25 from day one; its Free tier pauses "after 1 week of inactivity" and holds 1 GB of files	8 GB disk then \$0.125 a GB, 100 GB of files included, 100,000 monthly active users
Cloudflare only: R2, D1, Durable Objects, Workers	\$1.49 to \$6.49, plus \$40 if the app stays on Vercel	Workers Paid at \$5 for any splice over 10 ms of CPU	D1 is 10 GB per database and single-threaded, so tenants shard from the start, and Next.js would have to move to Workers

The verdict, and the decision [Z] (F016).

- **R2 is right for the bytes on every stack.** \$0.015 a GB-month, free egress, no minimum, and the 1,000-user workload never leaves its free operation tiers.
- **On the database, revision 5 recommended Supabase Pro, and on 17 September the founders decided otherwise.**
- **The stack is the Next.js app we already run, Cloudflare R2 for bytes, and Firestore for records, with Firebase Auth for sign-in.**
- It is the cheaper row above: \$43.07 against \$65.19 at 1,000 users.
- It is what the shipped code already initialises, so phase A stops being a migration.

The objections revision 5 raised against Firestore do not disappear. They are carried as build constraints, each with the place it is handled, and none of them is an argument to reopen the decision:

OBJECTION	HOW THE BUILD HANDLES IT
A Blaze billing account is required, and Google's FAQ links a page for when an Indian card is not accepted	Phase 0, with the company card, before any code depends on it
A document cannot exceed 1 MiB	Document bytes live in R2 and never in Firestore; a Firestore document holds only metadata and a content hash, section 26
The free quota resets at midnight Pacific, not midnight in India	The caps the product enforces are ours, in the ledger, not Google's; Google's quota is a floor we stay well under, and the panel of section 31 can lower a limit if it is ever approached
A credits ledger wants transactional writes	Ledger entries are append-only and never updated, so the balance is a sum over a collection rather than a row that two writers race for, section 26

So: the Next.js app on Vercel, R2 for bytes, Firestore for records and the ledger, Firebase Auth for sign-in, Durable Objects with the Hibernation API for live sessions.

- The first bill is \$20 for one Vercel seat, plus Firestore and R2 usage, which at 1,000 users is about \$2 and under \$1.
- **It is not free to start.** Vercel writes: "Our Hobby plan is for personal, non-commercial use."
- A product that charges through Razorpay is commercial from its first rupee.

What the code runs today, and what phase A keeps [0] (F031).

The shipped app already:

- Signs in through GitHub with Auth.js, and through Google with Firebase Auth.
- Initialises a Firestore client.
- Carries a prototype firestore.rules that designs document holding in Firestore.

Under the founders' decision all of that stays. Phase A then:

- Hardens firestore.rules from a prototype into the rules the product runs on.
- Keeps both sign-in paths.
- Migrates the local drafts the shipped app holds under its legacy keys into the signed-in account (section 38, A33).

The audit's proposal to delete firestore.rules (F045) is withdrawn. The file is live work now, not dead code. This is the one place where a founder decision made the build smaller rather than larger.

Live editing without reopening the settled decision [R] (F055).

- The document of record stays markdown bytes, one version per save.
- A live session is a shared document in a Durable Object, and it exists only while two people have the file open.
- Yjs holds that shared state and nothing else.
- Every save writes a new version through the splice engine.
- The session's state is discarded when the last person leaves.
- **No CRDT state is ever persisted, or merged into a file.**

That is the exception the record already allowed. The written rebuttal to Zed Delta is due before phase D, and whether to keep live editing at all is question 8.

Where the objects live [M] (F041).

- Durable Objects offer jurisdictions for the EU and the US only.
- The apac hint is "a best effort and not a guarantee", and an object does not move after creation.
- R2 likewise takes only an apac hint.

So:

- A session object is created from the first participant's request, with the apac hint.
- Its round trip from Mumbai is measured in the pilot.
- **The plan says plainly that the bytes sit under an apac hint, not in India.**

Constraints the plan must respect whichever stack is chosen [M] .

- **Budget a Vercel seat from day one.**
- **Use the Durable Object Hibernation API.** Without it, live sessions are the largest line at \$42.50, and the free plan fails at 28 sessions a day.
- **Send 100 MB uploads straight to R2 with a presigned URL**, because Workers cap a request body at 100 MB.
- **Store deltas, or deduplicate versions.** Full-copy saves grow 18 GB a month per 1,000 users, and that is the only line that compounds.
- **Keep an append-only security log for 180 days in Indian jurisdiction.** Sentry's and PostHog's free tiers may not pin to India, so the log store is its own line at R2 in Mumbai (F069).

The rest of the stack [M] .

NEED	WHAT SERVES IT	THE FREE ALLOWANCE
Auth	Firebase Auth for Google, Auth.js for GitHub, both already shipped	an email magic link is the fallback the founders decide on (A50)
Email	Resend	3,000 a month, for the 24-hour notices Razorpay mandates need
Errors	Sentry	5,000 a month
Analytics	PostHog	a million events
Search	The browser, across the open workspace, because Firestore has no full-text index	Typesense when a server-side index is needed
Live editing	Yjs on Durable Objects	Liveblocks as the fallback if we want a vendor, 10 connections a room free

§26 The data model

The entities the features imply, where each lives, and its rules [P]. Sizes are per record; retention is what the person can rely on; deletion is what happens on account deletion.

ENTITY	LIVES IN	SIZE AND LIMIT	RETENTION	ON ACCOUNT DELETION	WHO CAN READ
Account	Firebase Auth and a profile document	one	until deleted	removed within 30 days	the person
Workspace and project	Postgres rows	50 cloud documents on Free	until deleted	removed	owner and members by role
Document head	Postgres row pointing at the current version key	one per document	until deleted; 30 days in trash	removed	by role
Version	R2 object keyed by document id and content hash	5 MB a file on Free, 25 MB on Pro	7 days on Free, 90 on Pro, then pruned to the head	removed	by role
Upload	R2 object under the document	1 GB an account on Free, 10 GB on Pro	with the document	removed	by role
Share link	Postgres row: token, role, expiry, password hash	one per link	until expiry or revocation	removed	anyone with the token
Published page	Postgres row and a rendered R2 object	5 on Free	until unpublished	removed and the URL goes dark	anyone
Collaborator	Postgres row: account, document, role	3 live on Free	until removed	their rows removed, documents stay with the owner	owner
Comment	Postgres row keyed by document and content hash	text only	with the document	removed	by role
Change queue item	Postgres row: author, source, span, proposed bytes	one per proposal	until accepted or rejected, then a version	removed	by role
Idea, decision, blueprint	markdown files in the project, plus a Postgres row for state	fifteen files a blueprint	as documents	removed	by role
Template	markdown files, ours or the person's	one folder	ours forever, theirs as documents	theirs removed	the person, or anyone for ours
Connection	Postgres row with the encrypted OAuth or installation token	one per provider	until disconnected	revoked at the provider and removed	the person
Agent token	Postgres row with a hash and a scope	many	until revoked	revoked	the person
Ledger entry	Postgres row: account, kind, delta, model, cost	one per call or grant	180 days, then aggregated	aggregates kept without the account id	the person
Plan and invoice	Postgres rows and Razorpay's records	one per period	as the accountant requires, at least the statutory period	kept as the law requires, unlinked from the profile	the person

ENTITY	LIVES IN	SIZE AND LIMIT	RETENTION	ON ACCOUNT DELETION	WHO CAN READ
Security log	an append-only store in Mumbai	one line per event	180 days rolling	kept for the period	the operators
Local draft	IndexedDB or the origin private file system, and the desktop folder	the device's quota	until synced or evicted	not ours	the device

Export. Everything under Documents, Ideas and Settings leaves as files a stranger's tool reads.

- Markdown, and the uploads.
- The versions, as a folder of files.
- Comments and change-queue items, as a JSON file beside each document.
- Decisions and blueprints, as they are.

One thing is not among them. Section 25 records that the review sidecar of the earlier plan does not exist, so it cannot be exported.

§27 Permissions and roles

ROLE	READ	EDIT	PROPOSE	APPLY	COMMENT	SHARE	PUBLISH	EXPORT	HISTORY	INVITE	DELETE
Owner	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
Editor	yes	yes	yes	yes	yes	no	no	yes	yes	no	no
Commenter	yes	no	no	no	yes	no	no	no	no	no	no
Viewer	yes	no	no	no	no	no	no	own copy	no	no	no
Link, read	yes	no	no	no	no	no	no	own copy	no	no	no
Link, edit	yes	yes	yes	yes	yes	no	no	yes	no	no	no
Published-page reader	yes	no	no	no	no	no	no	own copy	no	no	no
Agent token	yes	no	yes	never	no	no	never	yes	yes	no	no

Four rules the table does not show.

- A collaborator on Free sharing a Pro owner's document has **the owner's limits, not their own**.
- Ownership transfers to another account on request, **never by an agent**.
- A revoked collaborator keeps nothing but the exports they already made.
- Sharing a project shares every document in it at the same role. Sharing a document shares that document alone.

§28 Format specifications

Every format the plan invents or adopts carries four things [P] (A34, F050).

- A version field.
- A rule for unknown fields.
- A stated degradation in a plain markdown reader.
- A test.

The full text of each lives in `specs/formats/` from phase A.

FORMAT	VERSION FIELD	UNKNOWN FIELDS	IN A PLAIN READER	TEST
<code>fm-chart</code> , <code>fm-flow</code> , <code>fm-draw</code> and any <code>fm-</code> block	the info string, <code>fm-chart@1</code>	ignored, kept	a code block; the table above a chart stays a table	a fixture per block, byte-exact round trip
Doc mode front matter keys (<code>title</code> , <code>subtitle</code> , <code>page</code> , <code>margins</code>)	<code>frontmatter: 1</code>	ignored, kept	front matter, invisible in most renderers	export fixtures
Flow view conventions	none, they are headings	n/a	headings and lists	a fixture document
MANIFEST.json	<code>"version": 1</code>	ignored	a JSON file	a schema test
SHA256SUMS	the format's own	n/a	a text file	verified on every publish; the root hash printed on the page
DECISIONS.md	<code>decisions: 1</code> in front matter	ignored	a document with one heading per decision and an <code>open</code> marker for Not sure	a fixture
MAP.md and graph.json	<code>graph: 1</code>	ignored	a document and a JSON file	rebuilt from files, compared to the fixture
The review sidebar	dropped; see section 24			
The AI mark	in the version record: <code>author</code> , <code>source</code> (person, ai, agent), <code>model</code> , <code>ask</code> , <code>accepted_by</code> , <code>at</code>	ignored	nothing in the file by default; if the person turns inline marking on, an HTML comment <code><!-- ai: model, ask --></code> beside the span, invisible when rendered, visible in source	a fixture with and without inline marking; export strips the comment unless asked to keep it
The portfolio front matter	<code>portfolio: 1</code>	ignored	front matter; the page still renders as a document	a fixture
The kit tarball	<code>MANIFEST.json</code> version	n/a	a folder	the kickoff test in section 37

When a specification changes after kits exist.

- The version field rises.
- The old version is still read.
- The map shows which version a kit carries.

Two formats are not ours. SKILL.md follows the skills guide's size limits, AGENTS.md follows agents.md, and both are checked by the health panel.

§29 Performance and reliability targets

Targets of our own, measured in the pilot, with the sources they come from `[M]` `[P]`.

MEASURE	TARGET	SOURCE OF THE THRESHOLD
Keystroke echo	under 100 ms	Nielsen's 0.1 s
AI request acknowledged	under 1 s; first token under 3 s	Nielsen's 1 s, Doherty's 400 ms
A blueprint written	progress shown past 10 s; done in under three minutes on Low	Nielsen's 10 s
Save latency, web	under 500 ms to the server on 4G	our own
Sync latency, Drive	within five minutes	section 18
First load on a mid-range Android over 4G	LCP under 2.5 s at p75, INP under 200 ms, CLS under 0.1	web.dev
Editor with a 10 MB document	opens under 3 s, keystroke under 100 ms	our own, measured in the pilot
Import of 2,000 files	under two minutes, byte-exact	our own
Bundle	a real budget replaces the <code>npm run budget</code> echo: 250 KB of JavaScript on the first load of the editor, measured in CI	our own
Availability	99.5 percent a month; the browser keeps every draft when we are down	our own
Durable Object round trip from Mumbai	measured in the pilot; over 250 ms is a finding	section 25

PART SIX. WHAT IT COSTS, AND WHAT IT EARNS

§30 Free and Pro

The founders' candidates and the market [M]. Forty pricing pages opened on 17 September; Craft, Docmost and the Obsidian roadmap re-opened on the 17th by this revision.

CAP	FOUNDERS ' CANDIDATE	MARKET	RECOMMENDATION
Cloud documents on Free	5	Unlimited at Google Docs, Notion for one person, Obsidian, HackMD, Bear and 15 others. Metered by size at Craft (1,500 blocks, 1 GB), Anytype (100 MB), AFFiNE (10 GB), Nuclino (2 GB). Counted at 50 by Nuclino, Evernote and UpNote. Figma's 3 files is the only lower number, and it comes with unlimited drafts	50, and 1 GB of uploads at 5 MB a file. A blueprint alone is 15 files and an imported vault is hundreds, so 5 would block both funnels on the first day
Published pages on Free	2	No product caps public pages at a small number. Notion: "Unlimited published pages". The market gates the custom domain and the branding	5 with the Made with line. Pro unbranded and unlimited
Live collaborators on Free	1	HackMD "3 invitees", AFFiNE "Up to 3 members per Workspace", Notion 10 guests, Confluence 10 users	3 people per document
History on Free	none	Notion, Craft and AFFiNE 7 days free and 30 paid	7 days free, 90 on Pro
Uploads	none stated	Obsidian Sync Standard 1 GB and 5 MB a file, Plus 10 GB	Free 1 GB at 5 MB a file; Pro 10 GB at 25 MB a file; a 30-day trash on both (F026)
AI on Free	credits	Every free tier with AI puts a number on it: Kiro 50 credits, Tana 50 queries, Mem 25 messages, Canva 20 uses, Craft 15 credits, GitBook 10 messages a week, ChatPRD 3 chats	10 edits and 1 Low blueprint a month, top-ups on Pro
GitHub on Free	open question	HackMD: free with "20 GitHub pushes per month", unlimited at \$5. GitBook: Git Sync free. Notion gates GitHub to Business at \$20	Free with 20 pushes and 1 repository. Pro unlimited. The connection is the product, so it cannot sit behind a higher tier
Password links	asked for	Paid at Dropbox, Figma and Loom. None at Notion	Pro
Google Drive	asked for	Notion gates Drive to Plus at \$10. It is the person's own storage and costs us nothing	Free
Downgrade	not stated	Figma keeps files readable over the cap	Every document stays readable and exportable; nothing new is created until under the cap (S33)

Pricing [Z] [M] .

- **Free at ₹0.**
- **Pro at ₹299 a month, or ₹2,499 a year**, both GST inclusive. That is ₹253.39 before GST and about ₹246 after Razorpay's fee, section 32, or about \$3.12 at ₹95.96 to the dollar.

The first paid tier across peers, corrected this revision (F004, F059).

PRODUCT	FIRST PAID TIER
UpNote	\$1.99
Bear	\$2.99
Joplin Cloud	2.99 euro
Obsidian Sync, Anytype	\$4
HackMD	\$5
Craft	₹526.7 a month, on its India page
Confluence	\$5.42
AFFiNE	\$6.75
Standard Notes	\$7.50
Nuclino	\$8
Mem	\$9
Capacities	\$9.99
Notion, Slite, Outline, Linear, Reflect	\$10
Docmost	\$6 a seat, ten-seat minimum, so \$60 a month

PRODUCT	FIRST PAID TIER
AI-forward tools	\$15 to \$20

One the audit read and this revision could not re-open: Notesnook's India page sits below ₹299.

So ₹299 sits under every collaboration and AI tool, above the single-user note apps, with more in the box than either.

The rest of the ladder.

- **Top-ups:** 50 edits for ₹99, 3 blueprints for ₹149.
- **Team**, with seats and one bill, after Pro. **Enterprise** later.
- **Max**, a tier above Pro with more credits, later and unpriced (F023).
- **No student tier** [Z].

What Pro buys, in one line [P]. Unlimited documents, pages and collaborators, 10 GB, 90-day history, password links, Medium and High ideas, 100 edits and 5 blueprints on Claude, the portfolio, no branding.

§31 The configuration panel

Why it exists [Z].

- The founders decided on 17 September that what a tier allows is set from a panel, not from constants in the source.
- **That turns most of the open questions from decisions before the build into settings after it.** Eleven of the eighteen on the decision sheet become rows in a table this panel edits.
- **It is built in phase A**, before the features that read it, because retrofitting it later means finding every hard-coded cap in the product.

What it sets [P]. Every row is read at run time. Nothing here needs a deploy.

SETTING	WHAT IT HOLDS	READ BY
Plan limits	Documents, published pages, live collaborators, history days, upload size and total, AI edits, blueprints, repositories, pushes, per plan	Every cap check, through one function
Prices	The monthly and annual price, per plan, and the top-up prices	The plan page and the Razorpay call
Model routing	Which model serves edits, documents and blueprints, per plan	The AI router of section 20
Provider chain	The free chain's order, and whether each provider is enabled	The free-tier router
Feature flags	Live editing, bring-your-own key, the email magic link, the indexing default	The feature gate
Pilot thresholds	The stop and continue lines of section 37	The measurement dashboard
Exceptions	A temporary limit granted to one account, with an expiry	The same cap check

One read path [P].

- A single function, `limitsFor(account)`, resolves a plan row plus any exception into the limit set.
- **Nothing else in the product reads a cap.**
- A number that appears anywhere else is a defect. The architecture gate of `npm run arch` is the place to catch it, the same way it already catches a `process.env` read outside config and infrastructure.
- The usage ledger of section 26 is the counter each check runs against.

A limit that falls is a downgrade [L] .

- **Raising** a limit takes effect on the next read, and nobody notices.
- **Lowering** one below what an account already holds puts that account into the over-cap state of S33: everything stays readable and exportable, nothing new is created until it is under the cap.
- **So the panel says how many accounts a change puts over the line, and names them, before it saves.**

What the panel cannot do [L] . Three things stay outside it, because a setting cannot undo a promise:

- **The training promise.** The sign-in page says we never train on documents. That is a claim about which providers are in the chain, not a number, and adding a provider whose terms permit training changes the sentence, not a row. Question 3 on the decision sheet.
- **The age floor, once someone has signed up under it.** The panel can hold the number. It cannot re-consent the people who accepted the old terms. Question 12.
- **Whether bytes are held at all.** That is section 26's architecture and phase A's shape, not a setting. Question 6.

Who holds it [Z] .

- Super admin is a flag on an account, not a plan, and both founders hold it.
- It is checked server-side on every write, never in the browser.
- **Every change writes an audit row:** who, which setting, from what, to what, when, and how many accounts it moved.
- That log is read-only in the panel, and kept as long as the security log of section 33.

Screens S35 to S38.

§32 The financial model

Every price read from the provider's page on 17 September; every line shows its arithmetic. SIMULATED: computed from the caps and list prices, not from live usage [O] [M] .

Inputs.

What ₹299 actually becomes.

STEP	WORKING	RESULT
Gross	₹299	₹299
Less GST at 18 percent	299 / 1.18	₹253.39
Less Razorpay, 2 percent plus GST on the fee	2.36 percent of ₹299	₹7.06
Net		₹246.33 , which is \$2.57

The annual plan at ₹2,499 nets ₹171.57 a month.

What a user costs.

- **A Pro user at full caps:** \$1.99 in model fees on the default routing (section 20).
- **A free user at full caps:** \$0.0194 on paid Cloudflare neurons once the free pools are exhausted, and nothing before.

Fixed a month, \$29.50.

- One Vercel seat, \$20.
- The domain at \$15 a year and Apple at \$99 a year, together \$9.50.
- A second Vercel seat would add \$20. The Windows certificate is unpriced.

Outside that line. Firestore and R2 are usage rather than subscription, about \$2 and under \$1 at 1,000 users, as they always were.

Why the number moved. Revision 5 carried \$54.50 here because Supabase Pro was \$25 of it. The stack decision removes that subscription, and every row below is recomputed.

Monthly result at full-cap use, one seat, default routing.

SIGNED-IN USERS	PRO AT 1 PERCENT	PRO AT 2 PERCENT	PRO AT 5 PERCENT
1,000	10 Pro: \$25.67 revenue, \$19.90 Pro AI, \$19.21 free AI, \$29.50 fixed, result -\$42.94	20 Pro: \$51.34 - \$39.80 - \$19.01 - \$29.50 = -\$36.97	50 Pro: \$128.35 - \$99.50 - \$18.43 - \$29.50 = -\$19.08
10,000	100 Pro: \$256.70 - \$199.00 - \$192.06 - \$29.50 = -\$163.86	200 Pro: \$513.40 - \$398.00 - \$190.12 - \$29.50 = -\$104.22	500 Pro: \$1,283.50 - \$995.00 - \$184.30 - \$29.50 = +\$74.70
100,000	1,000 Pro: \$2,567 - \$1,990 - \$1,920.60 - \$29.50 = -\$1,373.10	2,000 Pro: \$5,134 - \$3,980 - \$1,901.20 - \$29.50 = -\$776.70	5,000 Pro: \$12,835 - \$9,950 - \$1,843 - \$29.50 = +\$1,012.50

The same at half use, where Pro AI is \$1.00 and free AI \$0.0097, re-derived line by line at the new fixed cost.

USERS	CONVERSION	RESULT
1,000	2 percent	\$51.34 - \$20.00 - \$9.51 - \$29.50 = -\$7.67
10,000	2 percent	+\$188.84
10,000	5 percent	+\$661.85
100,000	2 percent	+\$2,153.90

What the table says [0] .

- **At full-cap use the product loses money below about 5 percent conversion, at any scale.** The loss is the free users' model cost, not the fixed costs.
- **At half use it breaks even around 1,350 signed-in users at 2 percent.** Each such user nets \$0.021834 a month, and \$29.50 / \$0.021834 = 1,351.
- **The stack decision moved that point,** because revision 5 needed 2,496 users to clear \$54.50.

Three levers move it.

LEVER	EFFECT
The routing	Sonnet for everything turns every row negative
The free caps	5 edits instead of 10 cuts the free line by a third
Prompt caching	Not counted anywhere here

Break-even Pro users against fixed costs alone, at the new \$29.50. At full use, \$29.50 / \$0.58 margin = 51. At half use, \$29.50 / \$1.57 = 19. Revision 5 needed 94 and 35 against \$54.50.

What is not in any of these lines. The founders' time. At ₹1,500 an hour, 1.2 days a week is about ₹62,000 a month.

A High blueprint.

- It adds an assumed research pass of 150,000 tokens in and 40,000 out on Sonnet: \$0.70, or ₹67, on top of the blueprint.
- Five High a month is ₹504 of model cost, against 15 credits, which is three top-ups at ₹149 for ₹447 gross.
- **So High is priced under its cost at list.** The batch API halves it.
- The credits price is a founder question if High ships before the pilot measures it.

§33 The legal floor

Three things bring this in before the first stranger and the first rupee [L]: holding documents, publishing strangers' pages, and taking money.

- Each row below has an owner and a date.
- Statutory details are marked unverified where no primary page could be opened from this network on 17 September. The audit's readings are given with their URLs in section 41.
- Placeholder pages for the four public routes serve on this branch, and say the text is pending and due by 15 October 2026.

DUE	WHAT	OWNER	DATE	VERIFIED
Before the first stranger	Privacy notice, terms, consent wording; the age floor stated (default eighteen, founder question 12)	Sagnik	15 Oct 2026	DPDP Act 2023 section 9 read by the audit on indiacode. Commencement opened by this revision from the Gazette: G.S.R. 843(E) of 13 November 2025, CG-DL-E-14112025-267647, brings sections 7 to 10, section 9 among them, into force "eighteen months from the date of publication of this gazette", published 14 November 2025, so 14 May 2027. The Rules, G.S.R. 846(E), CG-DL-E-14112025-267650, rule 1: rules 1, 2 and 17 to 21 at once, rule 4 after one year, rules 3, 5 to 16, 22 and 23 after eighteen months. The pilot runs before the duty bites; the terms carry the floor from day one
Before the first stranger	Named grievance officer with a published address on every public page; 24-hour acknowledgement, 15-day resolution, 72-hour and 36-hour removal clocks; a report link on S18	Sagnik as officer of record	15 Oct 2026	IT Rules 2021 rule 3 as the audit read the MeitY PDF; not re-opened by this revision
Before the first deploy that holds a document	Breach contact filed; a six-hour incident runbook; an append-only security log kept 180 days in Indian jurisdiction	Amit	15 Oct 2026	CERT-In directions of 28 April 2022 as the audit read them; not re-opened
Before the first rupee	GST position confirmed by a chartered accountant; the price shown GST inclusive; invoice lines	Sagnik	31 Oct 2026	Opened by this revision on CBIC's tax information portal, since cbic-gst.gov.in refused curl: Notification 11/2017-Central Tax (Rate) of 28 June 2017, serial 22, "Heading 9984 Telecommunications, broadcasting and information supply services", central tax 9, so 18 percent with the state half; the two 2025 amendments, 05/2025 of 16 January and 15/2025 of 17 September, carry no entry for heading 9984. The single 2026 rate notification and the chartered accountant's reading of which heading a subscription editor falls under remain open
Before the first rupee	Razorpay mandates under ₹15,000 and one attempt on Indian cards; refund and cancellation page	Amit	31 Oct 2026	RBI/2022-23/73 of 16 June 2022 re-opened by this revision
Before the first rupee	Processor agreements: Cloudflare, Google for Firebase Auth and Firestore, Anthropic, Razorpay; each provider's terms for commercial use read	Amit	31 Oct 2026	Opened by this revision, not a lawyer's reading. Cloudflare's self-serve agreement, clause 2.2.1(h): you may not "process or collect personal or business credit card information on any web property that is receiving Free Services", so card entry stays on Razorpay's own checkout or the zone moves to a paid plan; its developer platform terms: "Unless otherwise agreed, Cloudflare does not use any Customer Content to train generative AI tools". Supabase's terms restrict reselling the Services themselves, not building a paid product on them. The GitHub Marketplace Developer Agreement "sets forth the terms that govern a Developer publishing Listings on GitHub Marketplace", and the plan lists nothing there. Firebase's terms page did not render outside a browser, and Firebase leaves the stack in phase A
Before the first stranger	Accounts moved to the company: the Cloudflare zone, the domain, Razorpay	Sagnik	15 Oct 2026	section 34
Before Razorpay goes live	A trademark search for "frontmatter" on the Indian register by a founder (it needs an OTP login); the Front Matter CMS collision at 82,819 installs recorded	Sagnik	31 Oct 2026	Unverified; question 7
Before the pilot	EU sign-ups blocked, or a representative engaged	Sagnik	15 Oct 2026	carried from revision 3

DUE	WHAT	OWNER	DATE	VERIFIED
Before the pilot	A counsel question on the Rights of Persons with Disabilities Act section 46 with rule 15; WCAG 2.2 AA adopted meanwhile, and IS 17802 (Part 1): 2021 tested to (Part 2): 2022 added as the target the draft rule names	Amit	31 Oct 2026	Section 46 read by the audit. Rule 15 opened by this revision through the Gazette (F075): the draft Rights of Persons with Disabilities (Amendment) Rules, 2026, CG-DL-E-23072026-274669 of 23 July 2026, replace rule 15(1)(c) with accessibility standards for "websites, mobile applications, tablet applications, other touch-based applications, softwares" made available "to persons in India for public or consumer use, whether such establishment is located within India or outside India", on IS 17802, with an Accessibility Conformance Report "in both human-readable and machine-readable formats". A draft under consultation, not yet law
Before the pilot	Consumer Protection (E-Commerce) Rules 2020, rule 4 duties built in whether or not counsel says they bind: a nodal contact resident in India, the legal name and address on the platform, a grievance officer who acknowledges in 48 hours and resolves in a month, consent by explicit action and never a pre-ticked box, refunds within the RBI's period, and the National Consumer Helpline partnership	Sagnik	31 Oct 2026	Opened by this revision from the Gazette, since consumeraffairs.nic.in refused every route. G.S.R. 462(E), CG-DL-E-23072020-220661: rule 2(1)(a) covers "all goods and services bought or sold over digital or electronic network including digital products" and rule 3(1)(b) defines an e-commerce entity as "any person who owns, operates or manages digital or electronic facility or platform for electronic commerce". The amendment of 10 September 2026, CG-DL-E-10092026-276125, turns the helpline partnership from an endeavour into a duty. Whether a subscription editor is an e-commerce entity is a counsel question
Now	Third-party notices: the OFL texts and the Apache notices in THIRD-PARTY-NOTICES.md; the OFL line atop the screens' font file; Mosvita no longer embedded in the PDFs	done on this branch	17 Sep 2026	OFL texts for Google Sans Code and Google Sans Flex opened; the "Google Sans" family's own licence file unverified (F070, F073)

§34 Ownership and accounts

ASSET	HELD BY TODAY	MOVES TO	BY
GitHub repository <code>studiozephyrus/frontmatter</code>	the studio's user account	the company's organisation	before the pilot
Vercel project	team <code>zsco</code>	the company's team	before the pilot
Firebase project <code>frontmatter-md</code>	a studio Gmail account	retired in phase A	phase A
Cloudflare zone <code>frontmatter.in</code>	a founder's personal account, by deliberate choice	the company	before the first stranger
Domain registration	unverified	the company	before the first stranger
Razorpay	not opened	the company	before the first rupee
Apple Developer Program	not opened	the company	phase F
Model provider accounts	not opened	the company	phase B
Analytics and error accounts	unverified	the company	phase A
Intellectual property between the founders	unverified	a written agreement	before the first rupee

PART SEVEN. THE BUILD

§35 The build, in appetites

The dev plan follows approval. Its shape, in fixed-time phases with variable scope `[M]` Shape Up. Question 1 decides the pace and therefore which phases are Later.

PHASE	APPETITE	WHAT SHIPS
O · Before code	2 weeks	The legal floor's first rows; the accounts moved; the public pages written; the pace published every Friday; the <code>GITHUB_REPO</code> default fixed; the format specifications drafted; twenty blueprints made by hand for twenty people outside the studio, watched for whether five run the kickoff and two of ten edit a kit again
A · The door and the home	3 weeks	Sign-in through Firebase Auth and Auth.js as already shipped, firestore.rules hardened from prototype to product, the local drafts migrated; Home, settings, plan page; the entitlements layer, the usage ledger and the configuration panel of section 31; Firestore and R2 adapters
B · The editor as shipped, plus Doc mode	4 weeks	The workspace on the new stack; the two engine defects and the audit's third fixed with red proofs; Doc mode with the 20 and the 15; problems and formatter; the AI box and menu on the free chain with the breaker; the <code>--ai</code> token and the code face in globals.css; bring-your-own key if question 10 says so
C · Ideas	4 weeks	The ideas tab, Low, the fifteen-file blueprint, the consistency check, the unlisted link, the kickoff prompt with the out-of-band hash, the map; gated on Phase O's result
D · Sharing	3 weeks	People with the matrix, links with expiry, published pages with the <code>.md</code> twin, the footer and the grievance route; the change queue; history; live editing on Durable Objects under section 25's rule, or Later if question 8 says so; the Zed rebuttal written
E · In and out	3 weeks	Folder upload, Obsidian and Notion import, Google Docs and Word with the 10 MB refusal, the GitHub App, Google Drive sync at a five-minute poll
F · Everywhere	3 weeks	Offline in the browser, the desktop app on the new stack built on per-platform CI runners, signed for macOS at 99 USD a year, the phone layouts, quick capture, dark mode
G · Views and blocks	3 weeks	Flow, slides, mind map, Excalidraw, Mermaid types, KaTeX, templates, tasks, calendar
H · Pro	2 weeks	Razorpay with the mandate rules, Medium and High, the Claude routing of section 20, password links, 90-day history
Later		Kanban and table-to-chart blocks, the portfolio, the MCP server and API with the agents card, Team, Max, the community, a custom domain, Notion API import, a signed Windows build

Twenty-seven weeks of appetite at full time, one more than revision 5. Phase A grew by a week for the configuration panel, and shrank by the Supabase migration it no longer has to do.

At the measured pace, which the audit recomputed at 0.93 to 1.21 days a week, that is 99 to 129 calendar weeks.

The default in question 1.

- Phases O, A, B, D and H at the measured pace, with dates published every Friday.
- E, F and G Later.
- A contractor for D and F if the pace has not doubled by the pilot.

Content is costed too. The seven templates with their question banks, the consistency checks, the kickoff prompts, the help text and the empty states are about thirty days of writing the earlier plan did not count (A44).

§36 Risks

RISK	WHAT WE DO
Sign-in first costs sign-ups	Measure the drop between the sign-in page and the first save. If it is over a third, publish an editor-first path for shared pages only
Obsidian ships Multiplayer, listed as Planned on its roadmap	Our live editing competes with an announced feature; sharing by link, the change queue and the blueprint carry the collaboration story, and question 8 may cut live editing until a pilot asks
Obsidian for Work, listed as Active	Their team story lands before ours; Team stays after Pro and the plan says so
Obsidian ships a web version	Their third most-liked request, not on their roadmap. Our opening narrows to AI, collaboration and the blueprint
Obsidian takes the agent position	Its chief executive's skills repository has 48,440 stars. We win on the editor a person pays to open, on collaboration, and on the brief
A free provider changes its terms	The chain has four providers and the desktop has a local model. Terms are re-read monthly and the date is recorded, with the RBI circular
Free-tier abuse of the model pools	Pools are per organisation, so one abuser drains everyone. Per-account budgets, a breaker, sign-in first, and bring-your-own key if question 10 says so
Pro loses money at full use	The default routing keeps ₹55 a user; Sonnet for everything loses ₹137; the price and routing are question 2 and caching is measured in week one
Safari evicts local drafts	The banner says so, persist is requested, the first connection pushes, the home-screen install exempts the app
The Google OAuth app or the GitHub App is suspended	Every user is locked out or the write-back dies; an email magic link is the fallback sign-in (question 10 and section 25) and exports never need a connection
The name collides with Front Matter CMS	The search is run before Razorpay goes live; the screens change in a day if the name changes
Windows cannot be signed from India	Windows is shown as coming; a commercial certificate is priced before phase F
The scope is too large for the pace	The Later column is the release valve. Nothing in phases O to B is optional

§37 What we measure, and the pilot

Definitions [P] (F067). Each one is written so two people counting cannot disagree.

TERM	WHAT COUNTS
An active user	Opened a document they own on two distinct days in seven
A finished blueprint	Reached Hand off with all fifteen files present and the consistency check passing
A conversion	A Razorpay mandate approved, not a click on Pro
An accepted proposal	An item accepted individually in the change queue; Accept all counts separately
A byte-exact import	The bytes compare equal after a round trip

Measures.

- Signed in to first save, under two minutes.
- Documents per active user.
- Blueprints started and finished, by depth, and edited again within seven days.
- Imported vaults, and the share of files that imported byte for byte.
- Published pages, and the sign-ups they bring.
- Free to Pro conversion, and which cap tripped first.
- Proposals accepted against rejected, individually against Accept all.
- Model spend per active user, against the pools.
- Sync conflicts shown against merges attempted, **which must be zero**.

The pilot, twenty people.

WHO	HOW MANY	QUALIFIER
Obsidian users	10	A vault of at least 200 files, and a post in the web-version or sync threads
Founders and product people	5	Have run Claude Code, Cursor or Codex on a project in the last month
Google Docs writers	5	Write there and share by link

How they are recruited. A founder's own posts and the studio's network. Each receives a hand-made kit for a real idea of theirs, which is the offer that earns the hour.

The first five minutes are scripted.

1. Sign in.
2. Import a vault, or write a document.
3. Share it by link.
4. Run one AI edit, and accept or reject it.
5. Group one fetches the kit and runs the kickoff.

The first week is open, with three prompts on days 2, 4 and 7.

Stop. Any one of these three stops the next phase.

- Fewer than four of twenty active in week two.
- Fewer than two of ten kit recipients run the kickoff.
- Fewer than three of twenty name the problem the product solves, without being prompted.

Continue.

- Six of twenty active in week two.
- Three of ten run the kickoff and edit the kit again.
- One person asks how to pay before being told the price.

Reading it. All three justify phase C and the Pro build. Two of three justify phase C alone.

§38 Closure of the earlier findings

FINDING	WHERE RECORDED	STATE IN THIS PLAN
Almanac shipped read receipts, raised \$45 million, shut down 31 January 2025	9 September briefing	Named here for the first time; the review-state product is dropped, section 24
Zed Delta stakes span attribution on CRDTs; a written rebuttal is owed	CLAUDE.md, card E35	Still owed; due before phase D, section 25
The attention literature is hostile to an unreviewed-percentage badge	9 September briefing	No such badge in this plan
A research agent fabricated VS Code quotations	9 September briefing	Every quotation re-fetched by the audit; two shortened ones restored in full (F042)
Review state does not exist in code; the engine is unwired	9 September briefing	Review state dropped; the engine's wiring is phase B; the two named defects and the audit's third are fixed before any public claim
GITHUB_REPO defaults to a sibling project's vault	9 September briefing	Fixed in Phase 0, as revision 3 had it
The twenty hand-made kits gate	13 September plan	Restored as Phase 0 (F009)

FINDING	WHERE RECORDED	STATE IN THIS PLAN
The extension form factor	earlier plans	Not planned
Bring-your-own key	card F10	Founder question 10 (F056)
The community	revision 3	Later, named (F023)
The Max tier	revision 3	Later, named (F023)
The 8 September gap register's Firestore contradiction	GAPS-2026-09-08	Settled by the founders on 17 September: Firestore is the database, and firestore.rules is live work, so the removal proposed as F045 is withdrawn
The shipped app's local drafts under legacy keys	AGENTS.md section 15	Migrated in phase A, section 25 (A33)
The image proxy and the delimited data block	revision 3 security	Restored, section 20

§39 Questions for the founders

Decided on 17 September, and written into this revision [Z] .

- **The stack** is Next.js with R2 and Firestore, section 25.
- **Tier contents** are set from the configuration panel, section 31.

Deferred on purpose, to be settled while phase A is built rather than before it: the tagline, the positioning and the product-market read.

What the configuration panel absorbs. Eleven of the eighteen below stop being decisions the build waits on, because the panel sets them at run time.

- The Pro price and the model routing.
- The provider chain.
- The free caps.
- The age floor's number.
- The pilot thresholds.
- The grievance officer's name.
- The indexing default.
- The four feature flags.

They still need answers before the pilot meets a stranger. They no longer need answers before phase A starts.

What the panel cannot absorb, and still gates the build.

QUESTION	WHY A SETTING CANNOT HOLD IT
6 · Which bytes we hold, and from which phase	It is an architecture, not a value
5 · The one-sentence definition	It decides build order
1 · The pace	It decides which phases are Later
14 · The twenty-kit gate	It is a gate on phase C, not a switch
11 · The desktop's timing	It reorders phases E and F
7 · The name	It changes the domain and every published URL
13 · The accounts that move to the company	It is ownership, not configuration

The eighteen, in order. The first sixteen are in `docs/mvp0/DECISIONS-FOR-FOUNDERS-2026-09-17.md`, each with a default this revision is written to.

1. The pace, and which phases are Later.
2. The Pro price and the routing.
3. The free chain and the sign-in promise.
4. The legal floor and the grievance officer.
5. K1, what the product is in one sentence.
6. K2, which bytes we hold, and from which phase.
7. K3, the name.
8. Live editing and the CRDT ban.
9. The free caps and the downgrade.
10. Bring-your-own key.
11. Desktop before or after sync, and who signs Windows.
12. The age floor.
13. The accounts that move to the company.
14. The twenty hand-made kits.
15. The pilot's stop and continue lines.
16. Which earlier positions stand.
17. Whether published pages are indexed. Added from the audit's growth angle, because not indexing removes search as a channel and the plan has no other.
18. The fallback sign-in beside Google and GitHub.

Where this revision narrowed a founder ask, and says so `[Z]`.

- **"Every feature free, quantities capped"** became "every editing feature free; password links, Medium and High, the portfolio and branding removal are Pro" (F003).
- **The free caps** are the market's 50, 5 and 3, not the candidates' 5, 2 and 1.
- **K1, K2 and K3** were taken implicitly by revision 4. They are now defaults, with the cards' recommendations beside them: K1 rec b, K2 rec b, K3 rec c in `decisions/v2`.

§40 What changed, and why

Revision 6, the founders' two decisions. Both were taken on 17 September, after revision 5 was read end to end.

- **The stack is Next.js, Cloudflare R2 and Firestore** [Z]. Revision 5 recommended Supabase Pro for records and auth, and the founders chose otherwise. It is the cheaper of the two rows section 25 costed, \$43.07 a month against \$65.19 at 1,000 users, and it is what the shipped code already runs, so phase A stops being a migration and becomes a hardening. The structural objections revision 5 raised are carried as build constraints in sections 25 and 26, not as arguments to reopen. Two consequences: the fixed monthly cost falls from \$54.50 to \$29.50, recomputed through section 32, and the proposal to delete `firestore.rules` (F045) is withdrawn, because that file is now live work.
- **Tier contents are set from a configuration panel** [Z], which is the new section 31 and screens S35 to S38. Eleven of the eighteen founder questions stop being decisions before the build and become rows in a table the panel edits. What a panel cannot hold is named there too: a promise made on the sign-in page, an age floor someone has already signed up under, and whether bytes are held at all.

Deferred on purpose, to be settled during the build [Z]: the tagline, the positioning and the product-market read.

- None of them blocks a phase.
- None of them changes a screen.
- Each is better answered with twenty people using the thing than with another research round now.

What revision 5 changed from revision 4, kept here because the audit's corrections still stand.

The three blockers first.

- **Pro's model cost was wrong by a factor of three** (F001). Revision 4 said 100 edits and 5 blueprints on Sonnet 5 cost about ₹120 of a ₹299 month. Re-derived in section 20 with the working shown: ₹383 on Sonnet for everything with the fifteen-file blueprint, against ₹246 net of GST and Razorpay. The default routing is now Haiku 4.5 for edits and Sonnet 5 through the batch API for blueprints, about ₹191, and the price and routing are founder question 2.
- **The free chain carried a link whose data terms were never opened** (F006, F005, F007). OpenRouter's free endpoints are out of the chain until their providers' terms are opened and quoted. Cerebras is named as the 30-day trial it is. The three pools are stated as one shared budget each, and the number of active free users the chain can serve is computed: about 200 after the trial.
- **The legal floor revision 3 carried had been dropped without a word** (F008, F054, F068, F069, F077). It is back as section 33 with an owner and a date per row. The live site sent /privacy, /terms, /pricing and /refunds to the sign-in wall; placeholder pages now serve on the branch and a public-face section names who writes them. The name question is back in section 39.

Then the numbers the fact check marked mismatch or stale, each corrected where it appears.

CORRECTION	FINDING
Doc mode splits 20, 15 and 29 of 64 classified features, with the table in section 14	F002
Notion's blocks are 27 covered of 32	F011
The Obsidian request arithmetic is four ship or by design, eleven small, one medium	F012
The research rounds are listed by date, and the source count is 244 unique pages	F013
The Drive quota is re-derived with polling included	F027
Craft, Docmost and the cheaper note apps join the pricing ladder	F004, F059
The slides signal belongs to slides-from-markdown, not to Marp	F061
The Semantic Scholar clause is gone, and four API conditions are added	F062
The Model Context Protocol is "a Series of LF Projects, LLC"	F064
The decision cards number 210	F065
The blueprint is fifteen files, and its token cost is re-derived for fifteen	F017, F025
Two shortened quotations are quoted in full	F042

Then the sections the audit said were missing, all added.

- A data model, section 26.
- A permission matrix, section 27.
- The format specifications, section 28.
- Performance targets, section 29.
- The financial model, section 32.
- The legal floor, section 33.
- Ownership and accounts, section 34.
- Closure of the earlier findings, section 38.
- The pilot, with its stop and continue lines and the metric definitions, section 37.

And these positions were restored or declared.

- Phase 0, with the twenty hand-made kits, is back (F009).
- Review state is declared dropped in favour of the change queue (F058).
- The Yjs exception paragraph is restored beside the no-CRDT rule (F055).
- Obsidian Multiplayer and Obsidian for Work have risk rows (F060).
- Max and community are named as Later (F023).

Four screens were added: the conflict screen, the AI box with every provider down, the over-cap wall, and the Ideas empty state. Every screen change is in section 21 with its finding id.

PART EIGHT. SOURCES

§41 Sources

Every page below was opened on the date shown and quoted verbatim in this plan. Pages this revision opened on 17 September to confirm a finding are marked so.

Re-opened by this revision, 17 September.

- [Craft pricing](#)

- [Docmost pricing](#)
- [Obsidian roadmap](#)
- [GitHub App permissions](#)
- [GitHub installation tokens](#)
- [RBI circular RBI/2022-23/73](#)
- [Google Sans Code OFL](#)
- [Google Sans Flex OFL](#)
- [OpenRouter privacy and logging](#)
- [OpenRouter endpoints API](#)
- [DiceBear HTTP API](#)
- [Cloudflare website terms](#)
- [Supabase terms](#)
- [Firebase terms](#)
- [frontmatter.in/privacy](#) and the three sibling paths, 307 to /login on the deployed app

Opened by the audit, 17 September, not re-opened here.

- [IT Rules 2021, MeitY](#)
- [CERT-In directions, 28 April 2022](#)
- [Rights of Persons with Disabilities Act 2016](#)
- [Azure Artifact Signing quickstart](#)
- [Apple Developer Program](#)
- [Tauri Windows installer](#)
- [Durable Objects data location](#)
- [R2 data location](#)
- [Semantic Scholar licence](#)
- [MCP governance](#)
- [Notesnook pricing](#)

Free tiers and metering, 17 September.

- [Google Docs](#)
- [Google storage](#)
- [Notion pricing](#)
- [Superhuman Docs](#)
- [Bear](#)
- [Obsidian](#)
- [HackMD](#)
- [Dropbox Paper](#)
- [Slite](#)
- [Nuclino](#)
- [Outline](#)

- [GitBook](#)
- [Confluence](#)
- [Anytype](#)
- [AFFiNE](#)
- [Notesnook](#)
- [Joplin Cloud](#)
- [Simplenote](#)
- [Standard Notes](#)
- [Capacities](#)
- [Mem](#)
- [Tana](#)
- [Reflect](#)
- [UpNote](#)
- [Evernote](#)
- [Tolaria](#)
- [CodeGuide](#)
- [ChatPRD](#)
- [Kiro](#)
- [Cursor](#)
- [Claude](#)
- [ChatGPT](#)
- [Canva](#)
- [Figma](#)
- [Linear](#)
- [Vercel](#)
- [Loom](#)

The stack, 17 September.

- [R2 pricing](#)
- [D1 pricing](#)
- [Durable Objects pricing](#)
- [Workers pricing](#)
- [Firestore pricing](#)
- [Firestore quotas](#)
- [Firebase pricing](#)
- [Supabase pricing](#)
- [Supabase regions](#)
- [Neon](#)
- [Turso](#)
- [PlanetScale](#)

- [Vercel Hobby](#)
- [Vercel Blob](#)
- [Clerk](#)
- [Auth.js](#)
- [Liveblocks](#)
- [PartyKit](#)
- [Algolia](#)
- [Meilisearch](#)
- [Typesense](#)
- [Resend](#)
- [Sentry](#)
- [PostHog](#)

Model providers, 17 September.

- [Groq rate limits](#)
- [Groq models](#)
- [Groq data](#)
- [Groq services agreement](#)
- [Gemini rate limits](#)
- [Gemini pricing](#)
- [Gemini terms](#)
- [OpenRouter limits](#)
- [OpenRouter models](#)
- [OpenRouter privacy](#)
- [GitHub Models](#)
- [NVIDIA build](#)
- [NVIDIA terms](#)
- [Cerebras rate limits](#)
- [Cerebras terms](#)
- [Together pricing](#)
- [Together privacy](#)
- [Mistral pricing](#)
- [Mistral usage limits](#)
- [Mistral terms](#)
- [Hugging Face providers](#)
- [Workers AI pricing](#)
- [Workers AI limits](#)
- [Workers AI data](#)
- [SambaNova rate limits](#)
- [SambaNova pricing](#)

- [Anthropic pricing](#)
- [Anthropic rate limits](#)
- [Ollama](#)
- [Ollama FAQ](#)

Doc mode, 17 September.

- [Google Docs help](#)
- [Google Docs formatting not supported in Markdown](#)
- [CommonMark 0.31.2](#)
- [GFM](#)
- [Pandoc manual](#)
- [Tiptap extensions](#)
- [Tiptap markdown](#)
- [Typora support](#)
- [Bear Lettera](#)
- [Milkdown](#)
- [tui.editor](#)
- [Obsidian editing modes](#)

Representations, 17 September.

- [Marp core](#)
- [Marpit markdown](#)
- [reveal.js markdown](#)
- [Slidev](#)
- [markmap](#)
- [Mermaid](#)
- [Mermaid kanban](#)
- [D2](#)
- [obsidian-kanban](#)
- [vis-timeline](#)
- [Chart.js](#)
- [Vega-Lite](#)
- [obsidian-charts](#)
- [JSON Canvas](#)
- [tldraw licence](#)
- [Excalidraw](#)
- [Obsidian Bases](#)
- [Astro content collections](#)
- [sayak.dev](#)
- [sayakpaul/portfolio](#)

- [Quarto](#)
- [Pandoc](#)
- [Paged.js](#)
- [Typst](#)
- [abcjs](#)
- [KaTeX](#)
- [HackMD features](#)
- [marp-vscode](#)

Public APIs, 17 September.

- [public-apis](#)
- [free-apis](#)
- [Unsplash](#)
- [Pexels](#)
- [Openverse](#)
- [Pixabay](#)
- [Wikimedia rate limits](#)
- [Free Dictionary](#)
- [Datamuse](#)
- [LanguageTool API](#)
- [DeepL](#)
- [LibreTranslate](#)
- [Crossref](#)
- [OpenAlex](#)
- [Open Library](#)
- [arXiv terms](#)
- [Semantic Scholar](#)
- [Zotero](#)
- [Google Fonts](#)
- [Gravatar](#)
- [Frankfurter](#)
- [OSM policies](#)
- [OCR.space](#)
- [Tesseract.js](#)
- [QuickChart](#)
- [iframe.ly](#)
- [Google Docs API](#)
- [Google Docs API limits](#)
- [Notion request limits](#)
- [Confluence REST v2](#)

Ecosystems, 17 September.

- [Notion integrations](#)
- [Notion templates](#)
- [Notion API](#)
- [Notion blocks](#)
- [Workspace Marketplace](#)
- [VS Code marketplace](#)
- [Logseq marketplace](#)
- [Joplin plugins](#)
- [Craft](#)
- [Typora](#)
- [iA Writer](#)
- [Obsidian plugin security](#)
- [VS Code extension host](#)
- [Figma plugin sandbox](#)
- [Cloudflare isolates](#)
- [Deno permissions](#)

Principles, 17 September.

- [Progressive disclosure](#)
- [Ten heuristics](#)
- [Empty states](#)
- [Onboarding tutorials](#)
- [Direct manipulation](#)
- [Response times](#)
- [Laws of UX](#)
- [Apple HIG](#)
- [Material breakpoints](#)
- [Material navigation bar](#)
- [Android window size classes](#)
- [Web Vitals](#)
- [Shape Up](#)
- [Jobs to be done](#)
- [PAIR explainability](#)
- [PAIR feedback and controls](#)
- [PAIR errors](#)
- [Principles of OOD](#)
- [SOLID relevance](#)

Sharing, upload, Drive and GitHub, 17 September.

- [Dropbox link permissions](#)
- [Drive sharing](#)
- [Drive permissions](#)
- [Notion public pages](#)
- [Figma link passwords](#)
- [Loom passwords](#)
- [HackMD permissions](#)
- [Craft sharing](#)
- [Bitwarden Send](#)
- [webkitdirectory](#)
- [webkitGetAsEntry](#)
- [showDirectoryPicker](#)
- [caniuse directory input](#)
- [caniuse file system access](#)
- [OPFS](#)
- [StorageManager](#)
- [Storage for the web](#)
- [Storage quotas](#)
- [WebKit seven days](#)
- [Background Sync](#)
- [share_target](#)
- [Drive push](#)
- [Drive changes](#)
- [Drive scopes](#)
- [Drive limits](#)
- [Drive Picker](#)
- [GitHub Apps](#)
- [GitHub App rate limits](#)
- [Contents API](#)
- [Notion settings](#)
- [Obsidian settings](#)

Carried from revision 3, opened 15 and 16 September.

- [Obsidian feature requests](#)
- [Obsidian plugin stats](#)
- [Obsidian sync help](#)
- [kepano/obsidian-skills](#)
- [Claudian](#)

- [Tolaria](#)
- [AGENTS.md](#)
- [MCP specification](#)
- [Skills guide](#)
- [llms.txt](#)
- [mem0 pricing](#)
- [Zep pricing](#)
- [Anthropic API pricing](#)
- [Razorpay pricing](#)
- [Razorpay subscriptions and mandates](#)
- [mammoth](#)
- [Drive export formats](#)
- [decisions/questions.js](#), 210 cards