


# Triangles and their Properties







In the figure alongside, some points and some line segments joining them have been drawn.

Which of these figures is a triangle? Which figure is not a triangle? Why not?

 $\Delta$ ABC has three sides. Line segment AB is one side. Write the names of the other two sides.  $\Delta$ ABC has three angles.  $\angle$ ABC is one of them. Write the names of the other angles. Points A, B and C are called the vertices of the triangle.




A triangle is a closed figure made by joining three non-collinear points by line segments.


The vertices, sides and angles of a triangle are called the parts of the triangle.


## Types of Triangles - Based on Sides

Measure the sides of the following triangles in centimetres, using a divider and ruler. Enter the lengths in the table below. What do you observe?

'Length of line segment AB' is written as l(AB).







In ΔABC	In ∆PQR	In ΔXYZ
$l(AB) = \dots cm$	$l(QR) = \dots cm$	$l(XY) = \dots cm$
$l(BC) = \dots cm$	$l(PQ) = \dots cm$	$l(YZ) = \dots cm$
l(AC) = cm	$l(PR) = \dots cm$	$l(XZ) = \dots cm$

In the table above, the lengths of all sides of  $\Delta ABC$  are equal. Therefore, this triangle is an equilateral triangle. 'Lateral' refers to the sides of a figure.

#### A triangle with all three sides equal is called an equilateral triangle.

In  $\Delta$ PQR, the length of the two sides PQ and PR are equal.  $\Delta$ PQR is called an isosceles triangle.


#### A triangle with two equal sides is called an isosceles triangle.


The lengths of the sides of  $\Delta XYZ$  are all different. Such a triangle is called a scalene triangle.


#### A triangle with no two sides equal is called a scalene triangle.

### Types of Triangles - Based on Angles

Measure all the angles of the triangles given below. Enter them in the following table.







In ΔDEF	In ΔPQR	In ΔLMN
Measure of $\angle D = m \angle D = \dots^{\circ}$	Measure of $\angle P = m \angle P = \dots^{\circ}$	Measure of ∠L =°
Measure of $\angle E = m \angle E =^{\circ}$	Measure of $\angle Q = \dots = \dots^{\circ}$	Measure of ∠M =°
Measure of $\angle F = \dots = \dots^{\circ}$	Measure of $\angle R = \dots = \dots^{\circ}$	Measure of $\angle N = \dots^{\circ}$
Observations: All three angles	One angle is a right angle and	
are acute angles.	two are acute angles.	angle and two are acute.

In the figures above,  $\Delta DEF$  is an acute angled triangle.

A triangle with all three acute angles is called an acute angled triangle.

 $\Delta$ PQR is a right angled triangle.


A triangle with one right angle is a right angled triangle.

 $\Delta$ LMN is an obtuse angled triangle.

A triangle with one obtuse angle is called an obtuse angled triangle.



Observe the set squares in your compass box. What kind of triangles are they?









#### Properties of a Triangle

**Activity:** Take a triangular piece of paper. Choose three different colours or signs to mark the three corners of the triangle on both sides of the paper. Fold the paper at the midpoints of two sides as shown in the pictures.



**Activity:** Take a triangular piece of paper and make three different types of marks near the three angles. Take a point approximately at the centre of the triangle. From this point, draw three lines that meet the three sides. Cut the paper along those lines. Place the three angles side by side as shown.



See how the three angles of a triangle together form a straight angle, or, an angle that measures 180°.



The sum of the measures of the three angles of a triangle is  $180^{\circ}$ .

**Activity:** Draw any triangle on a paper. Name its vertices A, B, C. Measure the lengths of its three sides using a divider and scale and enter them in the table.


Length of side	Sum of the length of two sides	Length of the third side
$l(AB) = \dots cm$	$l(AB) + l(BC) = \dots cm$	l(AC) = cm
I	1	$l(AB) = \dots cm$
$l(AC) = \dots cm$	$l(AC) + l(AB) = \dots$ cm	$l(BC) = \dots cm$




The sum of the lengths of any two sides of a triangle is always greater than the length of the third side.


## Practice Set 36

1. Observe the figures below and write the type of the triangle based on its angles.



2. Observe the figures below and write the type of the triangle based on its sides.





- 3. As shown in the figure, Avinash is standing near his house. He can choose from two roads to go to school. Which way is shorter? Explain why.
- 4. The lengths of the sides of some triangles are given. Say what types of triangles they are.
  - (1) 3 cm, 4 cm, 5 cm

(2) 3.4 cm, 3.4 cm, 5 cm

(3) 4.3 cm, 4.3 cm, 4.3 cm

- (4) 3.7 cm, 3.4 cm, 4 cm
- 5. The lengths of three segments are given for constructing a triangle. Say whether a triangle with these sides can be drawn. Give the reason for your answer.
  - (1) 17 cm, 7 cm, 8 cm

(2) 7 cm, 24 cm, 25 cm

(3) 9 cm, 6 cm, 16 cm

(4) 8.4 cm, 16.4 cm, 4.9 cm

(5) 15 cm, 20 cm, 25 cm

(6) 12 cm, 12 cm, 16 cm

ಶಶಶ