



# PHYSICS HSSC-II

## SECTION – A (Marks 17)

Time allowed: 25 Minutes

Section – A is compulsory. All parts of this section are to be answered on this page and handed over to the Centre Superintendent. Deleting/overwriting is not allowed.

Do not use lead pencil.

حصہ اول لازمی ہے۔ اس کے جوابات اسی صفحہ پر دے کر ناظم مرکز کے حوالے کریں۔ کٹ کر دوبارہ لکھنے کی اجازت نہیں ہے۔ لیسڈ پنسل کا استعمال ممنوع ہے۔

| Version No. |   |   |   |   |
|-------------|---|---|---|---|
| 4           | 0 | 0 | 4 | 3 |

| ROLL NUMBER |  |  |  |  |  |  |
|-------------|--|--|--|--|--|--|
|             |  |  |  |  |  |  |

|   |   |   |   |   |
|---|---|---|---|---|
| 0 | ● | ● | 0 | 0 |
| 1 | 1 | 1 | 1 | 1 |
| 2 | 2 | 2 | 2 | 2 |
| 3 | 3 | 3 | 3 | ● |
| ● | 4 | 4 | ● | 4 |
| 5 | 5 | 5 | 5 | 5 |
| 6 | 6 | 6 | 6 | 6 |
| 7 | 7 | 7 | 7 | 7 |
| 8 | 8 | 8 | 8 | 8 |
| 9 | 9 | 9 | 9 | 9 |

|   |   |   |   |   |   |   |
|---|---|---|---|---|---|---|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 9 | 9 | 9 | 9 | 9 | 9 | 9 |



Answer Sheet No. \_\_\_\_\_

ہر سوال کے سامنے دیے گئے، کرکولم کے مطابق درست دائرہ کو پر کریں۔

Invigilator Sign. \_\_\_\_\_

Fill the relevant bubble against each question according to curriculum:

Candidate Sign. \_\_\_\_\_

| Question                                                                                                                                                                        | A                                    | B                                | C                                       | D                                  | A                     | B                     | C                     | D                     |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|----------------------------------|-----------------------------------------|------------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| 1. Which of the following <b>CANNOT</b> be accelerated using electric field?                                                                                                    | Proton                               | Ion                              | Electron                                | Neutron                            | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| 2. According to Quantum theory, increasing the brightness of a beam of light without changing the color will increase:                                                          | The speed of photons                 | The frequency of photons         | The number of photons                   | The energy of each photon          | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| 3. Primary function of transformer is to change:                                                                                                                                | The direction of alternating current | The level of alternating voltage | Alternating current into direct current | Mechanical energy into heat energy | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| 4. A forward biased PN Junction offers:                                                                                                                                         | Very high resistance                 | Very low resistance              | Infinite resistance                     | Zero resistance                    | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| 5. Which is <b>NOT</b> the characteristic of LASER?                                                                                                                             | Intense                              | Multi-directional                | Monochromatic                           | Coherent                           | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| 6. The resulting nucleus in given reaction is:<br>${}^1_0n + {}^{137}_{56}\text{Ba} \longrightarrow \text{_____} + \gamma$                                                      | ${}^{136}_{56}\text{Ba}$             | ${}^{138}_{57}\text{La}$         | ${}^{138}_{56}\text{Ba}$                | ${}^{138}_{55}\text{Cs}$           | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| 7. Compton effect proves the:                                                                                                                                                   | Particle nature of radiations        | Wave nature of particle          | Wave nature of radiations               | Dual nature of particle            | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| 8. Which is an <i>application</i> of Mutual Induction?                                                                                                                          | AC generator                         | Transformer                      | Radio choke                             | DC generator                       | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| 9. The temperature at which a ferromagnetic material becomes paramagnetic is called:                                                                                            | Neutral Point                        | Absolute Point                   | Inflection Point                        | Curie Point                        | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| 10. SI unit of capacitive reactance is:                                                                                                                                         | Ohm                                  | Mho                              | Farad                                   | Henry                              | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| 11. In which of the following conditions, the galvanometer shows <b>zero</b> deflection?<br> | $V_B = V_D$                          | $V_B < V_D$                      | $V_B > V_D$                             | $V_B = 2V_D$                       | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| 12. Due to electric polarization of dielectric, the charge storing capacity of capacitor:                                                                                       | Remains the same                     | Becomes zero                     | Decreases                               | Increases                          | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| 13. In the given stress-strain curve which point is known as yield point?<br>                | R                                    | S                                | P                                       | Q                                  | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| 14. Which of the following series lies in the ultraviolet region?                                                                                                               | Bracket series                       | Pfund series                     | Lyman series                            | Balmer series                      | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| 15. Which one belongs to Hadrons?                                                                                                                                               | Photon                               | Pion                             | Electron                                | Neutrino                           | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| 16. Coulomb force between two electric charges is 120N. If the distance between the charges is doubled, the coulomb force will be:                                              | 15 N                                 | 30 N                             | 60 N                                    | 40 N                               | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| 17. A particle having the mass of an electron and charge of proton is called:                                                                                                   | Antiproton                           | Electron                         | Photon                                  | Positron                           | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

—2HA-I 25004 (B)—

$$\Delta K.E = q\Delta V$$

$$\frac{1}{\lambda} = R_H \left[ \frac{1}{p^2} - \frac{1}{n^2} \right]$$

$$R_H = 1.0974 \times 10^7 \text{ m}^{-1}$$

$$\varepsilon = \frac{\Delta \phi}{\Delta t}$$

$$X_c = \frac{1}{2\pi fC}$$

$$F = \frac{Kq_1q_2}{r^2}$$



# PHYSICS HSSC-II

Time allowed: 2:35 Hours

Total Marks Sections B and C: 68

## SECTION – B (Marks 42)

Q. 2 Answer the following parts briefly.

(14x3=42)

|        |                                                                                                                                  |         |    |                                                                                                                                                                                                                           |     |
|--------|----------------------------------------------------------------------------------------------------------------------------------|---------|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| (i)    | By coulomb's law prove that the force between two-point charges is reduced in a medium other than free space.                    | 03      | OR | Briefly illustrate the variation of binding energy per nucleon with the mass number. Also draw the graph.                                                                                                                 | 1+2 |
| (ii)   | Write three postulates of Bohr's atomic model.                                                                                   | 03      | OR | Differentiate 'statically induced emf' and 'dynamically induced emf'. Illustrate your answer with example.                                                                                                                | 03  |
| (iii)  | Write three sources of emf by clearly specifying the energy conversion in each.                                                  | 1x3     | OR | If an electron and a proton have the same de-Broglie wavelength, which particle has greater speed? Justify.                                                                                                               | 1+2 |
| (iv)   | When is Compton shift maximum? Prove it.                                                                                         | 03      | OR | A metal sphere of radius <b>15cm</b> has a positive charge of <b>+3.0μC</b> at its centre. Find the electric field strength at a distance of <b>27cm</b> from the centre of sphere.                                       | 03  |
| (v)    | How can a galvanometer be converted into ammeter? Draw diagram as well.                                                          | 2+1     | OR | A <b>300kg</b> load produces an extension <b>0.2cm</b> in a steel wire having length <b>2.0m</b> and cross-sectional area <b>15cm<sup>2</sup></b> . Determine:<br>a). Stress b). Strain c). Young's Modulus for Steel (Y) | 03  |
| (vi)   | What are the causes of power losses in Transformer? Write any three.                                                             | 03      | OR | A pure inductor is connected across a <b>10V, 200Hz</b> AC Supply and the current flowing through it is measured as <b>0.4A</b> . Determine the value of its inductance.                                                  | 03  |
| (vii)  | What is meant by magnetic flux? State its unit.                                                                                  | 2+1     | OR | In which combination of capacitors the energy stored is maximum, parallel or series? Justify.                                                                                                                             | 1+2 |
| (viii) | Calculate the longest and the shortest wavelengths for Paschen series.                                                           | 03      | OR | Calculate the current through a single loop circuit if <b>ε=120V, R=1000Ω</b> and internal resistance <b>r=0.01Ω</b> .                                                                                                    | 03  |
| (ix)   | Briefly describe the working of rheostat as a potential divider circuit with diagram.                                            | 1.5+1.5 | OR | Briefly describe the operation of NPN transistor.                                                                                                                                                                         | 03  |
| (x)    | Why the emitter base junction is forward biased and collector base junction is reverse biased?                                   | 03      | OR | Distinguish between emf and potential difference. (Any three points)                                                                                                                                                      | 03  |
| (xi)   | Briefly explain the role of moderators and control rods in nuclear reactor.                                                      | 1.5+1.5 | OR | What is Coercivity? Why coercive force of Tungsten steel is greater than iron?                                                                                                                                            | 1+2 |
| (xii)  | Briefly explain the magnetic force acting on a stationary charged particle placed in a uniform magnetic field.                   | 03      | OR | What are superconductors? Write down their four applications.                                                                                                                                                             | 1+2 |
| (xiii) | In RL series circuit, will the current Lag or Lead the voltage? Illustrate your answer by drawing waveforms and phasor diagrams. | 1+2     | OR | What is Geiger-Muller counter? Briefly describe its working.                                                                                                                                                              | 1+2 |
| (xiv)  | Deduce the expression for maximum output power delivered to a load resistance.                                                   | 03      | OR | Write any three factors affecting the magnitude of the induced emf.                                                                                                                                                       | 03  |

## SECTION – C (Marks 26)

Note: Attempt the following questions.

|     |                                                                                                                                                                                                       |       |    |                                                                                                                                                         |       |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|----|---------------------------------------------------------------------------------------------------------------------------------------------------------|-------|
| Q.3 | Explain the concept of Black body radiation with the help of examples. Describe how energy is distributed over the wavelength range for different values of source temperature. Also draw its curves. | 2+4+1 | OR | What is AC generator? How is an AC generator used to produce an alternating current? Explain with the help of graph between instantaneous emf and time. | 2+3+2 |
| Q.4 | Construct phasor diagrams and impedance diagrams of an R-L-C series circuit. Determine formula for impedance, phase angle and power factor.                                                           | 2+5   | OR | What is mass spectrograph? Explain its working. Also show that radius of circular path of an isotope depends upon its mass.                             | 1+3+3 |
| Q.5 | Demonstrate charging and discharging of a capacitor through a resistance. Elaborate your answer with the help of Q-t graphs.                                                                          | 3+3   | OR | What are X-rays? How inner shell transitions in heavy elements result into emission of characteristic X-rays? Explain and draw diagrams.                | 1+3+2 |
| Q.6 | State Ampere's law. Apply it to obtain a quantitative expression for the magnetic field inside a solenoid.                                                                                            | 2+4   | OR | What is rectification? Describe the use of diodes for half and full wave rectification with circuit diagrams.                                           | 2+2+2 |

— 2HA-I 25005(B) —

$$E = K \frac{q}{r^2}$$

$$V_t = \varepsilon - Ir$$

$$Z = \sqrt{R^2 + (X_L - X_C)^2}$$

$$I = \frac{V}{X_L}$$

$$W = \frac{1}{2} CV^2$$

$$h = 6.626 \times 10^{-34} \text{ Js}$$

$$X_L = 2\pi fL$$

$$K.E_{\max} = \frac{hc}{\lambda} - \phi$$

$$X_C = \frac{1}{2\pi fC}$$

$$Y = \frac{F/A}{\Delta L/L}$$

$$\Delta\lambda = \frac{\lambda}{m_0c} (1 - \cos\theta)$$

$$\lambda = \frac{h}{mv}$$

$$R_H = 1.0974 \times 10^7 \text{ m}^{-1}$$

$$\frac{1}{\lambda} = R_H \left[ \frac{1}{p^2} - \frac{1}{n^2} \right]$$

$$F = I(\vec{L} \times \vec{B})$$

$$\text{Stress} = \frac{F}{A}$$

$$c = 3 \times 10^8 \text{ ms}^{-1}$$

$$K = 9 \times 10^9 \text{ Nm}^2 \text{C}^{-2}$$

$$\text{Strain} = \frac{\Delta L}{L}$$



# PHYSICS HSSC-II

## SECTION – A (Marks 17)

Time allowed: 25 Minutes

Section – A is compulsory. All parts of this section are to be answered on this page and handed over to the Centre Superintendent. Deleting/overwriting is not allowed. Do not use lead pencil.

حصہ اول لازمی ہے۔ اس کے جوابات اسی صفحہ پر دے کر ناظم مرکز کے حوالے کریں۔ کاٹ کر دوبارہ لکھنے کی اجازت نہیں ہے۔ لید پینسل کا استعمال ممنوع ہے۔

| Version No. |   |   |   |   |
|-------------|---|---|---|---|
| 4           | 2 | 0 | 4 | 2 |

| ROLL NUMBER |  |  |  |  |  |  |
|-------------|--|--|--|--|--|--|
|             |  |  |  |  |  |  |

0 0 0 0 0  
1 1 1 1 1  
2 2 2 2 2  
3 3 3 3 3  
4 4 4 4 4  
5 5 5 5 5  
6 6 6 6 6  
7 7 7 7 7  
8 8 8 8 8  
9 9 9 9 9

0 0 0 0 0 0 0  
1 1 1 1 1 1 1  
2 2 2 2 2 2 2  
3 3 3 3 3 3 3  
4 4 4 4 4 4 4  
5 5 5 5 5 5 5  
6 6 6 6 6 6 6  
7 7 7 7 7 7 7  
8 8 8 8 8 8 8  
9 9 9 9 9 9 9

Answer Sheet No. \_\_\_\_\_

Invigilator Sign. \_\_\_\_\_

Fill the relevant bubble against each question according to curriculum:

Candidate Sign. \_\_\_\_\_

| Question                                                                                                         | A                                | B                                       | C                                  | D                                       | A                     | B                     | C                     | D                     |
|------------------------------------------------------------------------------------------------------------------|----------------------------------|-----------------------------------------|------------------------------------|-----------------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| 1. Which one belongs to Lepton's group?                                                                          | Electron                         | Proton                                  | Neutron                            | Pion                                    | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| 2. The unit of electric field intensity $\vec{E}$ is:                                                            | $Vm$                             | $NC^{-2}$                               | $Vm^{-1}$                          | $NmA^{-1}$                              | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| 3. Capacitance of a capacitor can be increased by:                                                               | Using battery of high potential  | Increasing distance between the plates  | Decreasing area of plates          | Inserting dielectric between the plates | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| 4. Use Kirchhoff's first law to deduce the value of Current I in figure:                                         | 4A                               | 1A                                      | 2A                                 | 3A                                      | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| 5. The correct relationship between $\varepsilon$ and $V_t$ for a closed circuit is:                             | $\varepsilon = V_t - Ir$         | $\varepsilon = V_t$                     | $\varepsilon > V_t$                | $\varepsilon < V_t$                     | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| 6. Ohm-meter is the SI unit of:                                                                                  | Resistivity                      | Resistance                              | Conductivity                       | Conductance                             | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| 7. Lenz's law is in accordance with the law of conservation of:                                                  | Mass                             | Charge                                  | Momentum                           | Energy                                  | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| 8. Primary function of transformer is to change:                                                                 | The level of alternating voltage | Alternating current into direct current | Mechanical energy into heat energy | The direction of alternating current    | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| 9. Magnetic flux will be minimum if the angle between magnetic field strength and area vector is:                | $90^\circ$                       | $0^\circ$                               | $45^\circ$                         | $60^\circ$                              | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| 10. At high frequency in an inductive circuit, the current will be:                                              | Infinite                         | Large                                   | Small                              | Zero                                    | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| 11. Identify the diamagnetic material:                                                                           | Copper                           | Aluminium                               | Cobalt                             | Iron                                    | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| 12. In photoelectric effect, which factor increases by increasing the intensity of incident photon?              | Stopping potential               | Work function                           | K.E of electrons                   | Number of photons                       | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| 13. The conversion of an alternating current into direct current is called:                                      | Rectification                    | Amplification                           | Resolution                         | Magnification                           | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| 14. An electron in a hydrogen atom is in its ground state. The minimum energy required to ionize it is:          | 1.5 ev                           | 13.6 ev                                 | 3.4 ev                             | 0.1 ev                                  | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| 15. Initial quantity of a uranium sample is 400g. After 3 <sup>rd</sup> half life how much uranium will be left? | 25 g                             | 50 g                                    | 100 g                              | 200 g                                   | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| 16. Positron and electron annihilate into:                                                                       | One $\gamma$ -ray photon         | $\alpha$ - rays                         | Two $\gamma$ -ray photons          | X-rays                                  | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| 17. Peak value of an AC voltage is 300 V, its rms value is:                                                      | 212V                             | 300V                                    | 220V                               | 320V                                    | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

—2HA-I 25004 (D)—

$\sum I = 0$      $\Delta K.E = q\Delta V$      $For t = nT_1, N = \left(\frac{1}{2}\right)^n \times N_0$      $\varepsilon = \frac{\Delta\phi}{\Delta t}$      $\phi = \vec{B} \cdot \vec{A}$      $E = \frac{F}{q} = \frac{\Delta V}{\Delta r}$   
 $V_m = \sqrt{2}V_{rms}$      $X_L = 2\pi fL$      $E_n = \frac{E_0}{n^2}, E_0 = 13.6ev$



# PHYSICS HSSC-II

Time allowed: 2:35 Hours

Total Marks Sections B and C: 68

## SECTION – B (Marks 42)

Q. 2 Answer the following parts briefly.

(14x3=42)

|        |                                                                                                                                                                       |         |    |                                                                                                                                                          |         |
|--------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|----|----------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| (i)    | Distinguish between soft and hard magnetic materials by drawing hysteresis curves.                                                                                    | 03      | OR | Three arms of a Wheatstone bridge are $75\Omega$ each. What is the resistance of fourth arm?                                                             | 03      |
| (ii)   | Under what two conditions the terminal potential difference and electromotive force give the same values?                                                             | 03      | OR | Which capacitor stores more amount of charge, a $100\mu F$ capacitor charged to $200V$ or a $200\mu F$ capacitor charged to $100V$ ?                     | 03      |
| (iii)  | Write impedance equation for RLC Series circuit. What can be stated about impedance and current in a circuit at resonance condition?                                  | 03      | OR | What is meant by the term 'back emf' in any electric motor operation?                                                                                    | 03      |
| (iv)   | Will higher frequency light eject a higher number of electrons than low frequency light? Justify.                                                                     | 1+2     | OR | Briefly describe a circuit which will give continuously varying potential.                                                                               | 03      |
| (v)    | An electron and a proton are projected with same velocity normal to the magnetic field, which one will undergo greater deflection? And why?                           | 1+2     | OR | Write any three results of special theory of relativity.                                                                                                 | 03      |
| (vi)   | Calculate longest and shortest wavelengths for Paschen series.                                                                                                        | 1.5+1.5 | OR | What happens to the atomic number and mass number of a nucleus that emits $\gamma$ -ray photons?                                                         | 03      |
| (vii)  | What is self-inductance? Write its SI unit. Enlist two factors affecting the inductance of a coil.                                                                    | 03      | OR | According to Stephen-Boltzmann law what will be the effect on the intensity of radiation emitted by black body when its absolute temperature is doubled? | 03      |
| (viii) | How does thermo emf vary with temperature for copper-iron thermocouple? Also draw the graph.                                                                          | 2+1     | OR | In an RC-Circuit, will the current lag or lead the voltage? Illustrate by drawing waveform and phasor diagram.                                           | 03      |
| (ix)   | The value in Amperes of an alternating current is given by an equation $I=2\sin(50\pi t)$ . What is the peak value of current? What is the frequency(f) of AC supply? | 03      | OR | Differentiate between conductors and semi-conductors on the basis of energy band theory.                                                                 | 03      |
| (x)    | If a person swallows an $\alpha$ -particle and a $\beta$ -particle, which would be more dangerous? Justify.                                                           | 03      | OR | Differentiate between N-type semi-conductors and P-type semi-conductors.                                                                                 | 03      |
| (xi)   | Calculate the voltage $\epsilon_2$ in the circuit by using Kirchoff's Voltage Law (KVL) when $I=0.2A$ .                                                               | 03      | OR | Why in a transistor:<br>a. The base is thin and lightly doped?<br>b. The collector is large in size?                                                     | 1.5+1.5 |
| (xii)  | A metal sphere of radius 20cm has a positive charge of $+2.0\mu C$ at its centre. Find the electric field strength at a distance of 25cm from the centre of sphere?   | 03      | OR | If a transformer is connected to a steady (DC) supply, no emf is induced across the secondary coil. Why?                                                 | 03      |
| (xiii) | What is population inversion? Why can LASER action NOT occur without population inversion between atomic levels?                                                      | 1.5+1.5 | OR | Briefly explain following terms:<br>a. Super-conductors b. Critical temperature                                                                          | 2+1     |
| (xiv)  | Briefly explain the magnetic force acting on a stationary charged particle placed in a uniform magnetic field.                                                        | 03      | OR | Show that the electric field at a point is given by the negative of potential gradient at that point.                                                    | 1+2     |

## SECTION – C (Marks 26)

Note: Attempt the following questions.

|     |                                                                                                                                                                             |       |    |                                                                                                                                                                                            |       |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|
| Q.3 | State Gauss's law. Draw and find Electric field due to a conducting plate of infinite size having positive charge.                                                          | 2+5   | OR | What is mass spectrograph? Show that the radius of circular path of isotopes depends on its mass by using labelled diagram.                                                                | 2+5   |
| Q.4 | Differentiate spontaneous emission and stimulated emission. Describe the working of He-Ne Laser with diagram.                                                               | 3+3+1 | OR | Draw symbol diagrams of NPN and PNP transistors. Describe the operation of NPN transistor. Also draw its schematic diagram.                                                                | 2+4+1 |
| Q.5 | What is meant by motional emf? Compute emf across the ends of a conductor of length $L$ that moves at a steady speed of ' $v$ ' at right angle to a uniform magnetic field. | 1+5   | OR | A coil having a resistance of $7\Omega$ and an inductance of $31.8mH$ is connected to $220V$ , $50Hz$ AC supply. Calculate:<br>a) The circuit current<br>b) Phase angle<br>c) Power factor | 06    |
| Q.6 | What is meant by photoelectric effect? How did Einstein explain photoelectric effect on the basis of Plank's quantum theory?                                                | 2+4   | OR | How is charge to mass ratio of electron determined using magnetic field?                                                                                                                   | 06    |

— 2HA-I 25005(D) —

$$E = K \frac{q}{r^2}$$

$$\sum \epsilon = \sum IR$$

$$Z = \sqrt{R^2 + X_L^2}$$

$$h = 6.626 \times 10^{-34} Js$$

$$X_C = \frac{1}{2\pi fC}$$

$$Z = \sqrt{R^2 + (X_L - X_C)^2}$$

$$X_L = 2\pi fL$$

$$K.E_{\max} = \frac{hc}{\lambda} - \phi$$

$$c = 3 \times 10^8 ms^{-1}$$

$$I = \frac{V}{Z}$$

$$\frac{1}{\lambda} = R_H \left[ \frac{1}{p^2} - \frac{1}{n^2} \right]$$

$$Q = CV$$

$$R_H = 1.0974 \times 10^7 m^{-1}$$

$$E = \alpha T^4$$

$$X = \frac{RQ}{P}$$

$$I = I_m \sin(\omega t)$$

$$\omega = 2\pi f$$

$$K = 9 \times 10^9 Nm^2C^{-2}$$

$$\tan \phi = \frac{X_L}{R}$$

$$V_t = \epsilon - Ir$$