

VIM Cheatsheet

Stu Field

| Movement | |
|----------|--|
| h | move left |
| j | move down |
| k | move up |
| l | move right |
| w | jump by start of words (punctuation considered words) |
| W | jump by words (spaces separate words) |
| e | jump to end of words (punctuation considered words) |
| E | jump to end of words (no punctuation) |
| b | jump backward by words (punctuation considered words) |
| B | jump backward by words (no punctuation) |
| 0 | (zero) start of line |
| ctrl+u | page up |
| ctrl+d | page down |
| ^ | first non-blank character of line |
| \$ | end of line |
| G | Go To command (prefix with number → 5G goes to line 5) |

| Editing | |
|---------|--|
| r | replace a single character (does not use insert mode) |
| J | join line below to the current one |
| cc | change (replace) an entire line |
| cw | change (replace) to the end of word |
| c\$ | change (replace) to the end of line |
| s | delete character at cursor and substitute text |
| S | delete line at cursor and substitute text (same as cc) |
| xp | transpose two letters (delete and paste, technically) |
| u | undo |
| . | repeat last command |

| Insert Mode | |
|-------------|---|
| i | start insert mode at cursor |
| I | insert at the beginning of the line |
| a | append after the cursor |
| A | append at the end of the line |
| o | open (append) blank line below current line (no need to press return) |
| O | open blank line above current line |
| ea | append at end of word |
| Esc | exit insert mode |

| Visual Mode | |
|-------------|---|
| v | start visual mode, mark lines, then do command (such as y-yank) |
| V | start Line-wise visual mode |
| o | move to other end of marked area |
| ctrl+v | start visual block mode |
| O | move to Other corner of block |
| aw | mark a word |
| ab | a () block (with braces) |
| aB | a { } block (with brackets) |
| ib | inner () block |
| iB | inner { } block |
| Esc | exit visual mode |

| Visual Commands | |
|-----------------|-------------------------|
| ˆ | shift right |
| ⏪ | shift left |
| y | yank (copy) marked text |
| d | delete marked text |
| ~ | switch case |

| Cut & Paste | |
|-------------|--|
| yy | yank (copy) a line |
| yl | yank character under cursor |
| 2yy | yank 2 lines |
| yw | yank word |
| y\$ | yank to end of line |
| p | put (paste) the clipboard after cursor |
| P | put (paste) before cursor |
| dd | delete (cut) a line |
| dw | delete (cut) the current word |
| x | delete (cut) current character |

| Exiting | |
|---------|---------------------------------------|
| :w | write (save) the file, but don't exit |
| :wq | write (save) and quit |
| :q | quit (fails if anything has changed) |
| :q! | quit and throw away changes |

| Search & Replace | |
|------------------|---|
| /pattern | search for pattern |
| ?pattern | search backward for pattern |
| n | repeat search in same direction |
| N | repeat search in opposite direction |
| :%s/old/new/g | replace all <i>old</i> with <i>new</i> throughout file |
| :%s/old/new/gc | replace all <i>old</i> with <i>new</i> throughout file with confirmations |

| Multiple Files | |
|-----------------|--|
| :e filename | Edit a file in a new buffer |
| :bnext (or :bn) | go to next buffer |
| :bprev (of :bp) | go to previous buffer |
| :bd | delete a buffer (close a file) |
| :sp filename | Open a file in a new buffer and split window |
| ctrl+ws | Split windows |
| ctrl+ww | switch between windows |
| ctrl+wq | Quit a window |
| ctrl+wv | Split windows vertically |

| VI Spell Check | |
|----------------------------|---|
| :set spell | Turn on spell checking |
|]s | Go to next misspelled word |
| [s | Go to previous misspelled word |
|]S | like]s but only stop at bad words not rare words |
| zg | Add word as a good word and append to 'spellfile' |
| zG | Add word to internal spell list |
| zug | Remove word from 'spellfile' |
| zuG | Remove word from internal spell list |
| z= | List suggestions for misspelled word |
| :set spell spelllang=en_us | Set region dictionary (us, ca, gb, de_de, de_at, de_ch) |
| :set nospell | Turn off spell checking |

| PopD/PushD | |
|--------------|---|
| dirs | list the directory stack |
| dirs -p | list the directory stack, each on a new line |
| dirs -c | clear the directory stack |
| pushd dir | add directory to the top of the stack and switch to that dir |
| pushd -n dir | add directory to the top of the stack and suppress dir switch |
| pushd | switch 1st and 2nd dirs in stack |
| pushd -N | bring Nth (from bottom) stack entry to top, rotates rest, zero indexing |
| pushd +N | bring Nth (from top) stack entry to top, rotates rest, zero indexing |
| popd | pop top dir off the stack and switch to new 1st in stack |
| popd +N | remove the Nth stack entry from the top |
| popd -N | remove the Nth stack entry from the bottom |
| | popd +0 == popd |
| | popd -0 removes bottom dir in stack |