APPENDIX B. VERIFYING THE INSTALLATION TAPE'S VALIDITY

If you encounter inexplicable problems shortly after you install Medley, they may be due to files being corrupted — the release tape may have been damaged, errors may have occurred while the tape was being read, etc. If you have unexplained problems, we recommend that you verify the checksums of your installed files.

The script generates checksum files named *.check and compares them to the released *.sum residing in the /checksumdir subdirectory.

The checksum script reports inconsistent files, the correct checksum values for the files, and an error message. The checksum of individual files can be generated with the UNIX command sum filename.

ldechecksum	[-cg] /	medleydir [dir dirgroup]	[Command]
-c		es checksums for your installed files and compares alues. This is the default action.	s them with
-g	Generate	es checksums for the files specified.	
medleydir	Name of	the Medley installation directory. Default is /usr	/share/lde.
dir		eific directory residing under <i>medleydir</i> . Only relates with respect to <i>medleydir</i> are accepted.	tive
dirgroup	The direc	ctory group, either all (the default) or lisp , which	includes the

X/install.xxxx, X/lisplibrary and X/lispsysouts directories.

Output

As it begins checking each directory, the script prints a message in the form:

Checking directory: /usr/share/lde/subdir

Error and warning messages may be in one of two forms:

< E > 32711 49 4045XLPSTREAM.DFASL

indicates that file 4045XLPSTREAM.DFASL is erroneous or does not exist in the directory. The correct checksum of 32711, together with the size (49 Kbytes) of the file, are shown.

< W > /usr/share/lde/fonts/display/chinese : Directory not installed

indicates that Chinese fonts were not installed or were removed after Medley was installed.

Examples

prompt% ldechecksum /usr/share/lde

All files in the installed Medley directories in /usr/share/lde are checked.

```
prompt% ldechecksum /usr/share/somedir/lde lisp
```

This example checks all files in:

```
/usr/share/somedir/lde/install.xxxx
/usr/share/somedir/lde/lisplibrary
/usr/share/somedir/lde/lispsysouts
```

prompt% cd/usr/share/lde

```
prompt% ldechecksum -c . fonts/display
```

This example checks only the display font directories. The period (.) is used because you are positioned under the current Medley installation directory.



[This page intentionally left blank]