A Access key 11,13 Asterisk 36 AUTHOR (File Attribute) 38  B Back trace 40,42 BACKGROUNDPAGEFREQ (Variable) 25 BEEPOFF (Function) 27 BEEPON (Function) 27 \text{BeginDST (Variable) 12,22} Binary files 4,38,40 Binary image, executable A-2; 13 Brackets  left angle 33 right angle 31 square 31	creation 36,37 deletion 37 enumeration 36 home 32,37 name delimiting 31 parent 32 DISKFREEPAGES (Function) D-1 DISKPARTITION (Function) D-1 Display functions 27 Display fonts, how to find 12,21 DISPLAYFONTDIRECTORIES (Variable) 12,21 DLRS232C D-2 DLTTY D-2 {DSK} 26,32,36, 38 special characters 32 naming conventions 33 {DSK}INIT. 12, 16 DSKDISPLAY (Function) D-1
c	E
C-Shell 32 Carriage return 4,38,40 Case sensitivity 33,35,39,40,41,42 CHANGEBACKGROUNDBORDER (Function) 27 Characters, special 32 CHDIR (Function) 35,37,44,45 checksum 1,3, B-1 chmod (UNIX Command) 38 CLOCK (Function) 28 Clocks 27 CNDIR (Function) 37 Compatibility     compiled-file 4     end-of-line convention 4     sysout 4	Emulator 2 \EndDST (Variable) 13,22 End-of-line convention 4,38,40 Environment variable A-1 LDEDESTSYSOUT 23 LDEINIT 11,16 LDESOURCESYSOUT 14,15 obtaining value of 26 EOL (File Attribute) 38 Errors fatal 44 file system 39,41 Lisp 44
Configuration	F
changing 11 software A-2 CONN (Command) 37 Console messages 28 Conventions common {DSK} and {UNIX} 32 {DSK} naming 33 fonts 3 Medley devices 3,17,35 notation 3 URAID 39,41 Copy protection 11 CREATIONDATE (File Attribute) 38 .cshrc file 13, A-1	fg (UNIX Command) 25 File attributes 38 File name
D	text 38
Daylight Savings Time setting values for 12,22  DEFAULTFILETYPE (Variable) 38,39  DEFAULTFILETYPELIST (Variable) 38,39  DEFAULTPRINTERTYPE (Variable) 12,21  DEFAULTPRINTINGHOST (Variable) 12,21  DIRECTORIES (Variable) 12,21  Directory changing 32,37	transfer 38 versionless 34  FINDFILE (Function) 35  FLOPPY.ARCHIVE (Function) D-1  FLOPPY.CAN.READP (Function) D-1  FLOPPY.CAN.WRITEP (Function) D-1  FLOPPY.FORMAT (Function) D-1  FLOPPY.FREE.PAGES (Function) D-1  FLOPPY.FROM.FILE (Function) D-1

FLOPPY.MODE (Function) D-1	L
FLOPPY.NAME (Function) D-1	lde 13,22, A-3
FLOPPY.SCAVENGE (Function) D-1	killing 42,44
FLOPPY.TO.FILE (Function) D-1	ldechecksum (Command) 1, B-1
FLOPPY.UNARCHIVE (Function) D-1	LDEDESTSYSOUT (Variable) 23
FLOPPY.WAIT.FOR.FLOPPY (Function) D-1	ldeether 13, A-3
Font directories C-3	LDEFILETIMEOUT (Variable) 40
Fonts 2	LDEINIT (Variable) 11,16
font conventions 3	LDEKBDTYPE (Variable) 16,19
Interpress 12,21	LDEKBDTYPE (Variable) 17
Frames, viewing 41,43 Functions	LDESRCESYSOUT (Variable) 14,15
display and keyboard 27	Left angle bracket 33,35
environment inquiry 26	Library files, finding 12,21
Lisp-stopping 25	Line feed 4,38,40
login 26	Lisp symbols
system environment 24	set in site initialization file 12,21
timer and clock 27	LISP-RELEASE-VERSION (Variable) 24
VM 25	LispUsers' Modules 5
G	finding 12,21 LISPUSERSDIRECTORIES (Variable) 12,21
G .	litatom 39,41
GETFILEINFO (Function) 38	LOGIN (Function) 26
	Login functions 26
H	LOGOUT (Function) 22,23
Hardware, requirements 1,24	*LONG-SITE-NAME* (Variable) 12,22
Host access key 13	LONG-SITE-NAME (Function) 12,22
Host ID 11	(= (=
identifying 24	M
Host name, identifying 24	
Hosts supported by Medley	MACHINE-INSTANCE (Function) 24
{CORE} 31	MACHINE-TYPE (Function) 24
{DSK} 31	MACHINE-VERSION (Function) 24
{LPT} 31	MACHINETYPE (Function) 24
{NULL} 31	Medley, exiting 23
{UNIX} 31	Memory, requirements 1 MP errors 39,41
т	\MY.NSADDRESS (Variable) 24
I	
Input/output devices, requirements 1	
install.sunosX 1	N
Installation preparation 7	Naming onventions 32, 33
script 9	Network address, identifying 24
software 9	NFS service 40
tape layout C-1	
extracting files from C-4	0
Installation Options Menu 9	Object file A-2
Interlisp package 39,41	OPENFILE (Function) 38
InterPress files 39 InterPress fonts, finding 12,21	OPENSTREAM (Function) 38
INTERPRESSIONTS, INCHIG 12,21  INTERPRESSIONTDIRECTORIES (Variable) 12,21	Operating system requirements 2
(, allasi) 12,21	Options, adding 11
K	_
Kermit 38	P
KEYACTION (Function) 15,17	Packages 3
Keyboard functions 27	Passwords, maintaining for access 26
Keyboard template	Pathname, Lisp 31,35
Sun 3 15,18	Period
Sun 4 15,18	single 32,37 double 32,37
Keyboard tone generator 27	Personal init file, set up 22
KEYBOARDEDITOR D-2	PLAYTUNE (Function) 27
KEYDOWNP (Function) 15,17	Postscript 1
kill (UNIX Command) 42,44	Postscriptstream Module 5

Press files 39 Printers 1 default 12,21	PUP protocol 13, 38 installation 3,8 PURGEDSKDIRECTORY (Function) D-1
PROTECTION <i>(File Attribute)</i> 38 Protocol	R
Ethernet 2 PUP 13 pstat (UNIX Command) 8	RCLKMILLISECOND (Variable) 28 READSYS 42,44 REALMEMORYSIZE (Function) 24 Relative pathnames 33 Release contents 4, 5 Relinking A-3 Right angle bracket 31 RINGBELLS (Function) 27 rmdir (UNIX Command) 37 root (UNIX Command) 13 RPC 5
	S
	SAVEVM (Function) 22,23 setenv (UNIX Command) 23 SETMAINTPANEL (Function) 27 SETPASSWORD (Function) 26 SETTIME (Function) 28 setuid (UNIX Command) 26 SETUSERNAME (Function) 26 *SHORT-SITE-NAME* (Variable) 12,22 Site initialization file 11,15 how to find 12,21 site-init.lisp 11,16 SIZE (File Attribute) 38 Sketch files 39 Slash 31 Software requirements 2, A-2 Special characters 32 Square brackets 31 Stack 40,42 Sun type 3 keyboard 17,18 Sun type 4 keyboard 17, 19 Sun Workstations, sharing 2 SunOS versions supported 2,37,38,39 Type 4 keyboard 16,19 console messages 28 directory notations 32 file system 31 username 26 SunOS process identifying username of 26 SUSPEND-LISP (Function) 25 Swap space, allocating additional 8 Symbols set in site initialization file 12,21 Sysout 2,13,39,41 files 37,39 locations of 13,15 SYSOUT (Function) 24,45
	System administrator 9,13
	T
	TCP D-1 TCPCHAT D-1 TCP/IP 38

Teleraid 39,41	\
m 1.	\BeginDST (Variable) 12,22
Template	\EndDST (Variable) 13,22
Sun 3 keyboard 15,18 Sun 4 keyboard 15,18	MY.NSADDRESS (Variable) 24
Text files 4,38,40	\RCLKMILLISECOND (Variable) 28
tilde 32	THE TENED TO THE T
tilde-slash 35,37	{
TIME (Function) 28	ι
Timers 27	{CORE} 31
/tmp/XXXX-lisp.log 29	$\{DSK\}$ 26,32,36,38
TYPE (File Attribute) 38,39	special characters 32
	naming conventions 33
U	{DSK}INIT. 12,16
[ITATE V] 98 28 27 20	{LPT} 31
{UNIX} 26,36,37,38	{NULL} 31
naming conventions 35 {UNIX} (Function) 32	{UNIX} 26,36,37,38
	naming conventions 35
UNIX process, suspending 25 UNIX-FULLNAME (Function) 26	{UNIX} (Function) 32
UNIX-GETENV (Function) 26	
UNIX-GETPARM (Function) 26	~
UNIX-USERNAME (Function) 26	~ 32
URAID 39,41	~/ 35,37
commands 40,42	~/lisp.virtualmem 14,15,22,23
quit 40,42	,
/usr/share/lde 1, 2, B-1	*
User IDs, maintaining for access 26	
USERGREETFILES (Variable) 12,21	* 36
USERNAME (Function) 26	*LONG-SITE-NAME* (Variable) 12,22
	*SHORT-SITE-NAME* (Variable) 12,22
V	
Version	•
identifying machine 24	. 32,37
numbering 33	32,37
numbers 32,35	.cshrc file A-1;13
VIDEOCOLOR (Function) 27	.login file 13
VIDEORATE (Function) 27	
VIRTUALKEYBOARD D-2	/
Virtual memory	
saving 23,24,25	/ 31
saving with URAID 42,44	/install.sunosx A-3
VM functions 25	/usr/share/lde 1, 2, B-1
VMEM.PURE.STATE (Variable) 25	
VMEMSIZE (Function) 23,25	<
VOLUMES (Function) D-1	< 33,35
VOLUMESIZE (Function) D-1 VRAID 42,44	,
VKAID 42,44	>
W	. 91
	> 31
WRITEDATE (File Attribute) 38	
X	
X Windows 16	
Medley window 17	
preparing to run Medley 13,16	
running Medley remotely 16	
starting 17	
XNS Ethernet protocol 2, 8,13 enabling A-3	
Chaping A-0	
I	
[] 31	