A Access key 11,13 Asterisk 36 AUTHOR (File Attribute) 38 B Back trace 40,42 BACKGROUNDPAGEFREQ (Variable) 25 BEEPOFF (Function) 27 BEEPON (Function) 27 \text{BeginDST (Variable) 12,22} Binary files 4,38,40 Binary image, executable A-2; 13 Brackets left angle 33 right angle 31 square 31	creation 36,37 deletion 37 enumeration 36 home 32,37 name delimiting 31 parent 32 DISKFREEPAGES (Function) D-1 DISKPARTITION (Function) D-1 Display functions 27 Display fonts, how to find 12,21 DISPLAYFONTDIRECTORIES (Variable) 12,21 DLRS232C D-2 DLTTY D-2 {DSK} 26,32,36, 38 special characters 32 naming conventions 33 {DSK}INIT. 12, 16 DSKDISPLAY (Function) D-1
C	F
C-Shell 32 Carriage return 4,38,40 Case sensitivity 33,35,39,40,41,42 CHANGEBACKGROUNDBORDER (Function) 27 Characters, special 32 CHDIR (Function) 35,37,44,45 checksum 1,3, B-1 chmod (UNIX Command) 38 CLOCK (Function) 28 Clocks 27 CNDIR (Function) 37 Compatibility compiled-file 4 end-of-line convention 4 sysout 4	Emulator 2 \EndDST (Variable) 13,22 End-of-line convention 4,38,40 Environment variable A-1 LDEDESTSYSOUT 23 LDEINIT 11,16 LDESOURCESYSOUT 14,15 obtaining value of 26 EOL (File Attribute) 38 Errors fatal 44 file system 39,41 Lisp 44
Configuration	F
changing 11 software A-2 CONN (Command) 37 Console messages 28 Conventions common {DSK} and {UNIX} 32 {DSK} naming 33 fonts 3 Medley devices 3,17,35 notation 3 URAID 39,41 Copy protection 11 CREATIONDATE (File Attribute) 38 .cshrc file 13, A-1	fg (UNIX Command) 25 File attributes 38 File name
D	text 38
Daylight Savings Time setting values for 12,22 DEFAULTFILETYPE (Variable) 38,39 DEFAULTFILETYPELIST (Variable) 38,39 DEFAULTPRINTERTYPE (Variable) 12,21 DEFAULTPRINTINGHOST (Variable) 12,21 DIRECTORIES (Variable) 12,21 Directory changing 32,37	transfer 38 versionless 34 FINDFILE (Function) 35 FLOPPY.ARCHIVE (Function) D-1 FLOPPY.CAN.READP (Function) D-1 FLOPPY.CAN.WRITEP (Function) D-1 FLOPPY.FORMAT (Function) D-1 FLOPPY.FREE.PAGES (Function) D-1 FLOPPY.FROM.FILE (Function) D-1

FLOPPY.MODE (Function) D-1	L
FLOPPY.NAME (Function) D-1	lde 13,22, A-3
FLOPPY.SCAVENGE (Function) D-1	killing 42,44
FLOPPY.TO.FILE (Function) D-1	ldechecksum (Command) 1, B-1
FLOPPY.UNARCHIVE (Function) D-1	LDEDESTSYSOUT (Variable) 23
FLOPPY.WAIT.FOR.FLOPPY (Function) D-1	ldeether 13, A-3
Font directories C-3	LDEFILETIMEOUT (Variable) 40
Fonts 2	LDEINIT (Variable) 11,16
font conventions 3 Interpress 12,21	LDEKBDTYPE (Variable) 16,19
Frames, viewing 41,43	LDEKBDTYPE (Variable) 17
Functions	LDESRCESYSOUT (Variable) 14,15
display and keyboard 27	Left angle bracket 33,35
environment inquiry 26	Library files, finding 12,21
Lisp-stopping 25	Line feed 4,38,40 Lisp symbols
login 26 system environment 24	set in site initialization file 12,21
timer and clock 27	LISP-RELEASE-VERSION (Variable) 24
VM 25	LispUsers' Modules 5
	finding 12,21
G	LISPUSERSDIRECTORIES (Variable) 12,21
GENETI EINEO (Function) 20	litatom $39,41$
GETFILEINFO (Function) 38	LOGIN (Function) 26
н	Login functions 26
п	LOGOUT (Function) 22,23
Hardware, requirements 1,24	*LONG-SITE-NAME* (Variable) 12, 22
Host access key 13	LONG-SITE-NAME (Function) 12,22
Host ID 11	7.6
identifying 24 Host name, identifying 24	M
Hosts supported by Medley	MACHINE-INSTANCE (Function) 24
{CORE} 31	MACHINE-TYPE (Function) 24
{DSK} 31	MACHINE-VERSION (Function) 24
{LPT} 31	MACHINETYPE (Function) 24
$\{NULL\}$ 31	Medley, exiting 23
{UNIX} 31	Memory, requirements 1
	MP errors 39,41
I	\MY.NSADDRESS (Variable) 24
Input/output devices, requirements 1	
install.sunosX 1	N
Installation	
preparation 7	Naming onventions 32, 33
script 9	Network address, identifying 24 NFS service 40
software 9 tape layout C-1	NI D Service 40
tape layout C-1 extracting files from C-4	0
Installation Options Menu 9	
Interlisp package 39,41	Object file A-2
InterPress files 39	OPENGEDEAN (Function) 38
InterPress fonts, finding 12,21	OPENSTREAM (Function) 38 Operating system requirements 2
INTERPRESSFONTDIRECTORIES (Variable) 12,21	Operating system requirements 2 Options, adding 11
T 7	options, adding 11
K	P
Kermit 38	Darles are 9
KEYACTION (Function) 15,17	Packages 3 Passwords, maintaining for access 26
Keyboard functions 27	Pathname, Lisp 31,35
Keyboard template	Period
Sun 3 15,18 Sun 4 15,18	single 32,37
Keyboard tone generator 27	double 32,37
KEYBOARDEDITOR D-2	Personal init file, set up 22
KEYDOWNP (Function) 15,17	PLAYTUNE (Function) 27
kill (UNIX Command) 42,44	Postscript 1 Postscriptstream Module 5
	Postscriptstream Module 5

Press files 39 Printers 1 default 12,21 PROTECTION (File Attribute) 38 Protocol Ethernet 2 PUP 13 pstat (UNIX Command) 8	PUP protocol 13, 38 installation 3,8 PURGEDSKDIRECTORY (Function) D-1 R \RCLKMILLISECOND (Variable) 28 READSYS 42,44 REALMEMORYSIZE (Function) 24 Relative pathnames 33 Release contents 4, 5 Relinking A-3 Right angle bracket 31 RINGBELLS (Function) 27 rmdir (UNIX Command) 37 root (UNIX Command) 13 RPC 5
	S
	SAVEVM (Function) 22,23 setenv (UNIX Command) 23 SETMAINTPANEL (Function) 26 SETTASSWORD (Function) 26 SETTIME (Function) 28 setuid (UNIX Command) 26 SETUSERNAME (Function) 26 *SHORT-SITE-NAME* (Variable) 12,22 Site initialization file 11,15 how to find 12,21 site-init.lisp 11,16 SIZE (File Attribute) 38 Sketch files 39 Slash 31 Software requirements 2, A-2 Special characters 32 Square brackets 31 Stack 40,42 Sun type 3 keyboard 17,18 Sun type 4 keyboard 17, 19 Sun Workstations, sharing 2 SunOS versions supported 2,37,38,39 Type 4 keyboard 16,19 console messages 28 directory notations 32 file system 31 username 26 SunOS process identifying username of 26 SUSPEND-LISP (Function) 25 Swap space, allocating additional 8 Symbols set in site initialization file 12,21 Sysout 2,13,39,41 files 37, 39 locations of 13,15 SYSOUT (Function) 24,45 System administrator 9,13
	·
	T TCP D-1 TCPCHAT D-1 TCP/IP 38

Teleraid 39,41	\
m 1.	\BeginDST (Variable) 12,22
Template	\EndDST (Variable) 13,22
Sun 3 keyboard 15,18 Sun 4 keyboard 15,18	MY.NSADDRESS (Variable) 24
Text files 4,38,40	\RCLKMILLISECOND (Variable) 28
tilde 32	(variable) 20
tilde-slash 35,37	{
TIME (Function) 28	1
Timers 27	{CORE} 31
/tmp/XXXX-lisp.log 29	$\{DSK\}$ 26,32,36,38
TYPE (File Attribute) 38,39	special characters 32
	naming conventions 33
U	{DSK}INIT. 12,16
[ITATE V] 98 28 27 20	{LPT} 31
{UNIX} 26,36,37,38	{NULL} 31
naming conventions 35 {UNIX} (Function) 32	{UNIX} 26,36,37,38
	naming conventions 35
UNIX process, suspending 25 UNIX-FULLNAME (Function) 26	{UNIX} (Function) 32
UNIX-GETENV (Function) 26	
UNIX-GETPARM (Function) 26	~
UNIX-USERNAME (Function) 26	~ 32
URAID 39,41	~/ 35,37
commands 40,42	~/lisp.virtualmem 14,15,22,23
quit 40,42	, ==== : === : === = = = = = = = = = = =
/usr/share/lde 1, 2, B-1	*
User IDs, maintaining for access 26	
USERGREETFILES (Variable) 12,21	* 36
USERNAME (Function) 26	*LONG-SITE-NAME* (Variable) 12,22
	SHORT-SITE-NAME (Variable) 12,22
V	
Version	•
identifying machine 24	. 32,37
numbering 33	32,37
numbers 32,35	.cshrc file A-1;13
VIDEOCOLOR (Function) 27	.login file 13
VIDEORATE (Function) 27	
VIRTUALKEYBOARD D-2	/
Virtual memory	
saving 23,24,25	/ 31
saving with URAID 42,44	/install.sunosx A-3
VM functions 25	/usr/share/lde 1, 2, B-1
VMEM.PURE.STATE (Variable) 25	
VMEMSIZE (Function) 23,25	<
VOLUMES (Function) D-1	< 33,35
VOLUMESIZE (Function) D-1	. 00,00
VRAID 42,44	>
W	
	> 31
WRITEDATE (File Attribute) 38	
X	
X Windows 16	
Medley window 17	
preparing to run Medley 13,16	
running Medley remotely 16	
starting 17	
XNS Ethernet protocol 2, 8,13	
enabling A-3	
r	
[] 31	