

BFS Step 1



Event: Initialize: push 1, dist[1]=0

Current: None Visited: [1] Queue: [1] dist: {1:0}


BFS Step 2



Event: Pop 1 from queue

Current: 1 Visited: [1] Queue: [] dist: {1:0}


BFS Step 3



Event: Discover 2: set dist[2]=1, push 2

Current: 1 Visited: [1, 2] Queue: [2] dist: {1:0, 2:1}

BFS Step 4




Event: Discover 3: set dist[3]=1, push 3

Current: 1

Visited: [1, 2, 3] Queue: [2, 3] dist: {1:0, 2:1, 3:1}

BFS Step 5




Event: Discover 9: set dist[9]=1, push 9

Current: 1

Visited: [1, 2, 3, 9] Queue: [2, 3, 9] dist: {1:0, 2:1, 3:1, 9:1}


BFS Step 6



Event: Pop 2 from queue

Current: 2 Visited: [1, 2, 3, 9] Queue: [3, 9] dist: {1:0, 2:1, 3:1, 9:1}

BFS Step 7




Event: Discover 4: set dist[4]=2, push 4

Current: 2

Visited: [1, 2, 3, 4, 9] Queue: [3, 9, 4] dist: {1:0, 2:1, 3:1, 4:2, 9:1}

BFS Step 8




Event: Discover 7: set dist[7]=2, push 7

Current: 2

Visited: [1, 2, 3, 4, 7, 9] Queue: [3, 9, 4, 7] dist: {1:0, 2:1, 3:1, 4:2, 7:2, 9:1}


BFS Step 9



Event: Pop 3 from queue

Current: 3 Visited: [1, 2, 3, 4, 7, 9] Queue: [9, 4, 7] dist: {1:0, 2:1, 3:1, 4:2, 7:2, 9:1}

BFS Step 10




Event: Discover 5: set dist[5]=2, push 5

Current: 3

Visited: [1, 2, 3, 4, 5, 7, 9] Queue: [9, 4, 7, 5] dist: {1:0, 2:1, 3:1, 4:2, 5:2, 7:2, 9:1}

BFS Step 11




Event: Pop 9 from queue


Current: 9

Visited: [1, 2, 3, 4, 5, 7, 9] Queue: [4, 7, 5] dist: {1:0, 2:1, 3:1, 4:2, 5:2, 7:2, 9:1}


BFS Step 12




BFS Step 13




BFS Step 14




BFS Step 15



BFS Step 16



BFS Step 17



BFS Step 18

