

HOTEL MANAGEMENT USING HTML, CSS, JAVASCRIPT, PHP, AND SQL CONNECTIVITY

A Project Report

Submitted in partial fulfilment of the degree of

Master of Computer Application

By

YOGITA (19MCA0009)

STUTI MOHAN SRIVASTAVA (19MCA0014)

KARAN KHAYANI (19MCA0155)

Under the guidance of

PROF. SENTHILKUMAR N.

School of Information Technology and Engineering



VIT[®]

Vellore Institute of Technology

(Deemed to be University under section 3 of UGC Act, 1956)

JUNE 2020

QUESTION:

The main objective of the project on Hotel Management is to manage the details of Payments, Bookings Services, Hotels, and Customers. The project is totally built at administrative end and thus only the administrator is guaranteed the access. The project facilitates the following operations:

- a) Provides the search facility based on various factors such as Payment, Booking, Services etc.,
- b) Show the information about customer payment and its services.
- c) Editing, Adding and updating the information on customer database.
- d) Manage the information on Bookings.

MODULE:

1) USER:

Customers/users can see the required articles or news, can signup, sign in the website.

2) ADMIN:

Administrator can maintain daily updates in the hotel records. Administrator must be an authorized user. He can further change the password. There is the facility for password recovery, logout etc.

Admin can add, delete, update the hotel detail. This authority is owned by only ADMIN, with hotel-id feature.

3) PAYMENT:

Payment mode from credit card/debit card/ cash, the customer or user can pay through it.

4) BOOKING:

- Check-in and check-out Detail
 - 1) Functions Admission of New customer
 - 2) Check-out of customer
 - 3) Room assigning related to customer's need.
- Room Details
 - 1) Total number of Customers in the Hotel
 - 2) Individual customer Report

5)HOTEL :

This project is used by two types of users

- i. Users.
- ii. Administrator (management of the Hotel).

. The main aim of the entire activity is to automate the process of day to day activities of Hotel like Room activities, Admission of a New Customer, Assign a room according to customer's demand, checkout of a computer and releasing the room and finally compute the bill etc.

The limited time and resources have restricted us to incorporate, in this project, only a main activities that are performed in a HOTEL Management System, but utmost care has been taken to make the system efficient and user friendly. "HOTEL Management System" has been designed to computerized the following functions that are performed by the system:

- Room Detail Functions
 - 1) Opening a New Room
 - 2) Modification to room assigned
- Statement of Customer Details
 - 1) Check-in customer
 - 2) Check-out customer

OBJECTIVE:-

This project intends to introduce more user friendliness in the various activities such as record updation, maintenance, and searching.

- The searching of record has been made quite simple as all the details of the customer can be obtained by simply keying in the identification of that customer.
- Similarly, record maintenance and updation can also be accomplished by using the identification of the customer with all the details being automatically generated. These details are also being promptly automatically updated in the master file thus keeping the record absolutely up-to-date.

- The entire information has maintained in the database or Files and whoever wants to retrieve can't retrieve, only authorization user can retrieve the necessary information which can be easily be accessible from the file.

- The main objective of the entire activity is to automate the process of day to day activities of Hotel like:

1. Room activities,
2. Admission of a New Customer,
3. Assign a room according to customer's demand,
4. Check-out and check-in of a computer and releasing the room
5. Payment Details
6. Email facility and Contact us .
7. Feedbacks
8. Add, update,

This project have some more features:

- System Connectivity
- No data duplication
- No Paper Work Required
- Time Efficient
- Cost Efficient
- Automatic data validation
- User friendly environment
- Data security and reliability
- Fast data insertion & retrieval
- Easy performance check

CODE:

1)REGISTRATION PAGE:

```
<!DOCTYPE html>
<html>
<head>
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <link rel="stylesheet" type="text/css" href="../J%20Component/J%20Component_iwp/extra.css">

  <style>
    body {margin:0;font-family:Arial}
    /*Navigation bar for the website*/
    .topnav {
      overflow: hidden;
      background-color: #1c18de;
    }

    .topnav a {
      float: left;
```

```
display: block;
color: black;
text-align: center;
padding: 22px 16px;
text-decoration: none;
font-size: 17px;
}
```

```
.topnav .icon {
display: none;
}
```

```
/*Css for the dropdown and it's sub classes*/
```

```
.dropdown {
float: right;
color: black;
overflow: hidden;
padding-right: 20px;
}
```

```
.dropdown .dropbtn {
font-size: 17px;
border: none;
outline: none;
color: black;
padding: 22px 10px;
background-color: inherit;
font-family: inherit;
margin: 0;
}
```

```
.dropdown-content {
display: none;
position: absolute;
background-color: #add8e6;
min-width: 160px;
box-shadow: 0px 8px 16px 0px rgba(0,0,0,0.2);
z-index: 1;
}
```

```
.dropdown-content a {
float: none;
color: black;
```

```
padding: 12px 20px;
margin-right: -200px
text-decoration: none;
display: block;
text-align: left;
}
```

```
.topnav a:hover, .dropdown:hover .dropbtn {
  background-color: #add8e6;
  color: white;
}
```

```
/*When you hover over dropdown this will happen*/
.dropdown-content a:hover {
  background-color: white;
  color: black;
}
```

```
.dropdown:hover .dropdown-content {
  display: block;
}
```

```
/*Again a media query*/
@media screen and (max-width: 600px) {
  .topnav a:not(:first-child), .dropdown .dropbtn {
    display: none;
  }
  .topnav a.icon {
    float: right;
    display: block;
  }
}
```

```
/*Media queries are for responsiveness basically we're desc a width size for the each screen*/
@media screen and (max-width: 600px) {
  .topnav.responsive {position: relative;}
  .topnav.responsive .icon {
    position: absolute;
    right: 0;
    top: 0;
  }
  .topnav.responsive a {
    float: none;
    display: block;
  }
}
```

```
        text-align: left;
    }
    .topnav.responsive .dropdown {float: none;}
    .topnav.responsive .dropdown-content {position: relative;}
    .topnav.responsive .dropdown .dropbtn {
        display: block;
        width: 100%;
        text-align: left;
    }
}
```

/*For header image*/

```
.HeaderImg{
    background-image: url("Hotel1.jpg");
    background-position: center;
    background-size: cover;
    padding-top: 600px;
    background-repeat: no-repeat;
}
```

/*CSS for Search bar calling by input*/

```
.topnav input[type=text]
{
    float: right;
    padding-right: -80px;
    padding-top: 5px;
    padding-left: 10px;
    padding-bottom: 5px;
    background-color: #add8e6;
    border: 2px solid black;
    margin-top: 16px;
    color: black;
    margin-left: 20px;
    margin-right: 10px;
    font-size: 17px;
}
```

/*Styling Placeholder For Search bar*/

```
::placeholder{
    color: black;
    text-align: left;
    font-family: Arial;
}
```

```
/*CSS For the Gallery Please make the gallery responsive*/
```

```
.GalleryMain{  
    padding-top: 40px;  
    padding-bottom: 3px;  
    margin: 100x;  
}
```

```
.GalleryMain h1{  
    text-align: center;  
    font-weight: 500;  
}
```

```
div.gallery {  
    margin-top: 40px;  
    margin-left: 150px;  
    border: 1px solid #ccc;  
    float: left;  
    width: 3px;  
}
```

```
/*When you hover over the gallery border will occur*/
```

```
div.gallery:hover {  
    border: 1px solid #777;  
}
```

```
div.gallery img {  
    width: 100%;  
    height: auto;  
}
```

```
div.desc {  
    padding: 15px;  
    text-align: center;  
}
```

```
.AboutUsMain h1{  
    text-align: center;  
    font-weight: 500;  
    font-size: 30px;  
    padding-top: 30px;
```

```
}
```

```
.AboutUsContent{  
    padding-top: 5px;
```



```
padding-left: 90px;
padding-right: 90px;
padding-bottom: 40px;
margin-right: 10em;
margin-left: 10em;
display: block;
line-height: 1.5;
justify-content: center;
background-color: #add8e6;
}
```

```
.AboutUsContent p{
font-size: 20px;
}
```

```
.AboutUsSubContent1{
padding-top: 40px;
padding-left: 80px;
padding-right: 80px;
padding-bottom: 15px;
margin-right: 10em;
margin-left: 10em;
}
```

```
.AboutUsSubContent1 h3{
font-size: 22px;
font-weight: 600;
}
```

```
.AboutUsSubContent1 P{
font-size: 30px;
padding-top: 1px;
}
```

```
.AboutUsSubContent2 h3{
padding-top: 5px;
font-size: 22px;
}
```

```
.AboutUsSubContent2 P{
font-size: 20px;
}
```

```
#photos {
```

```
    opacity: .88;
    margin-bottom: 100px;
    padding-top: 80px;
    padding-bottom: 500px;
}
```

```
#photos img {
    width: 30%;
    float: left;
    display: block;
    margin: 4px;
}
```

```
footer{
    background-color:black;
    padding:10px;
    color:white;
    text-align:center;
}
```

```
ol {
    list-style: none;
    margin: 0px auto;
    padding: 10px;
    display: block;
    max-width: 780px;
    text-align: center;
}
```

```
#overlay {
    background: rgba(0,0,0, .8);
    width: 100%;
    height: 100%;
    position: absolute;
    top: 0;
    left: 0;
    display: none;
    text-align: center;
}
```

```
#overlay img {
    margin: 10% auto 0;
    width: 770px;
    border-radius: 5px;
}
```

```
#photos {  
    width: 100%;  
}
```

```
#photo-gallery {  
    width: 100%;  
  
}
```

```
.GalleryHeading{  
    text-align: center;  
    font-weight: 500;  
    font-size: 34px;  
    padding-top: 0px;  
    padding-bottom: 5px;  
}
```

```
.page-headings  
{  
    text-align: center;  
    color: rgb(5,38,55);  
    font-size: 30px;  
    font-family: arial;  
    font-weight: bold;  
    margin-top: 100px;  
}
```

```
.animated-imgs  
{  
  
    height: 90px;  
    /*overflow: hidden; */  
    margin-left: 25%;  
}
```

```
.how-it-works  
{  
    background-color: rgb(233,233,233);  
    padding:35px;  
    height: 280px;  
    display: block;  
    margin-top: 25px;  
    margin-bottom: 50px;
```

```
}  
.three-child-divs1  
{  
  width: 380px;  
  height: auto;  
  margin-left: 40px;  
  margin-bottom: 10px;  
  float: left;  
}  
.three-child-divs2  
{  
  width: 380px;  
  height: auto;  
  margin-left: 40px;  
  margin-bottom: 10px;  
  float:left;  
}  
.three-child-divs3  
{  
  width: 380px;  
  height: auto;  
  margin-left: 10px;  
  margin-bottom: 70px;  
  float: right;  
}  
.small-headings  
{  
  color: rgb(5,38,55);  
  font-size: 17px;  
  font-family: arial;  
  font-weight: bold;  
}  
.page-texts  
{  
  text-align: center;  
  color: rgb(5,38,55);  
  font-size: 15px;  
  font-family: arial;  
  margin-top: 10px;  
}  
.hover-for-contactus  
{  
  color: blue;  
  text-decoration: none;
```

```

}
.hover-for-contactus:hover
{
    background-color: none;
    color:rgb(5,38,55);
}

/* Slideshow container */
.slideshow-container {

    max-width: 1000px;
    position: relative;
    margin: auto;
}

/* Hide the images by default */
.mySlides {
    display: none;
}

/* Next & previous buttons */
.prev, .next {
    cursor: pointer;
    position: absolute;
    top: 50%;
    width: auto;
    margin-top: -22px;
    padding: 16px;
    color: white;
    font-weight: bold;
    font-size: 18px;
    transition: 0.6s ease;
    border-radius: 0 3px 3px 0;
    user-select: none;
}

/* Position the "next button" to the right */
.next {
    right: 0;
    border-radius: 3px 0 0 3px;
}

/* On hover, add a black background color with a little bit see-through */

```

```
.prev:hover, .next:hover {
  background-color: rgba(0,0,0,0.8);
}

/* Caption text */
.text {
  color: #f2f2f2;
  font-size: 15px;
  padding: 8px 12px;
  position: absolute;
  bottom: 8px;
  width: 100%;
  text-align: center;
}

/* Number text (1/3 etc) */
.numbertext {
  color: #f2f2f2;
  font-size: 12px;
  padding: 8px 12px;
  position: absolute;
  top: 0;
}

/* The dots/bullets/indicators */
.dot {
  cursor: pointer;
  height: 15px;
  width: 15px;
  margin: 0 2px;
  background-color: #bbb;
  border-radius: 50%;
  display: inline-block;
  transition: background-color 0.6s ease;
}

.active, .dot:hover {
  background-color: #717171;
}

/* Fading animation */
.fade {
  -webkit-animation-name: fade;
  -webkit-animation-duration: 1.5s;
```

```
animation-name: fade;
animation-duration: 1.5s;
}
```

```
@-webkit-keyframes fade {
  from {opacity: .4}
  to {opacity: 1}
}
```

```
@keyframes fade {
  from {opacity: .4}
  to {opacity: 1}
}
```

```
.modal {
  display: none; /* Hidden by default */
  position: fixed; /* Stay in place */
  z-index: 1; /* Sit on top */
  left: 0;
  top: 0;
  width: 100%; /* Full width */
  height: 100%; /* Full height */
  overflow: auto; /* Enable scroll if needed */
  background-color: rgb(0,0,0); /* Fallback color */
  background-color: rgba(0,0,0,0.4); /* Black w/ opacity */
}
```

```
/* Modal Content/Box */
```

```
.modal-content {
  background-color: #fefefe;
  margin: 15% auto; /* 15% from the top and centered */
  padding: 20px;
  border: 1px solid #888;
  width: 80%; /* Could be more or less, depending on screen size */
}
```

```
/* The Close Button */
```

```
.close {
  color: #aaa;
  float: right;
  font-size: 28px;
  font-weight: bold;
}
```

```
.close:hover,
```

```
.close:focus {  
    color: black;  
    text-decoration: none;  
    cursor: pointer;  
}
```

```
.close1 {  
    color: #aaa;  
    float: right;  
    font-size: 28px;  
    font-weight: bold;  
}
```

```
.close1:hover,  
.close1:focus {  
    color: black;  
    text-decoration: none;  
    cursor: pointer;  
}
```

```
.close2 {  
    color: #aaa;  
    float: right;  
    font-size: 28px;  
    font-weight: bold;  
}
```

```
.close2:hover,  
.close2:focus {  
    color: black;  
    text-decoration: none;  
    cursor: pointer;  
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<!--Navigation bar-->
```

```
<div class="topnav" id="myTopnav">
```

```
  <a href="C:\Users\Stuti\Desktop\IWP2\HomePage (1).html"><b>HOME</b></a>
```



```

<a href="#AboutPage"><b>ABOUT</b></a>
<a href="#GalleryPage"><b>GALLERY</b></a>
<a href="C:\Users\Stuti\Desktop\IWP2\contact.html"><b>CONTACT</b></a>
<input type="text" placeholder="Search More" >
<a href="C:\Users\Stuti\Desktop\IWP2\search.html"><b>SEARCH</b></a>
<div class="dropdown">
  <button class="dropbtn"><b>LOGIN/REGISTER</b>

  </button>
  <div class="dropdown-content">
    <a href="C:\Users\Stuti\Desktop\IWP2\Login_Page.html"><b>CUSTOMER</b></a>
    <a href="C:\Users\Stuti\Desktop\IWP2\Admin_Login.html"><b>ADMIN</b></a>
  </div>
</div>
<!--Calling myFunction function from the javascript which invokes burger menu when you minimize
the screen -->
  <a href="javascript:void(0);" style="font-size:15px;" class="icon"
onclick="myFunction()">&#9776;</a>
</div>
<!--For Header Image-->
<header>
<div CLASS="HeaderImg">
</div>
</header>

<section id="AboutPage">
  <div class="AboutUsMain">
    <h1><b><u>ABOUT US</u></b></h1>
    <div>
      <div class="AboutUsContent">
        <p>The Sky Website helps the customer to hire best hotel in best price. its's approx 72+
countries spread across the world. We have many years of experience,extensive conference facilities.
We've prefered the art of reviving old,worn down properties,and injecting them with new SKYstyle.
</p>
        <div class="AboutUsSubContent1">
          <ul style="list-style-type:disc;"><b><u><font face="arial">Surprisingly
Unordinary</u></b></ul>
          <li> Wherever you go,stay at a space with a curated experience at a price you won't believe. Best in
class efficiency.Zero hassle every time..
Reserve a Room in person at one of our well-desinged spaces or use our app to book in 3 easy
steps.</li></font> </pre></div>
        </div>
      </div>
    </div>
  </div>

```


</div>

<div class="slideshow-container">

<!-- Full-width images with number and caption text -->

<div id="GalleryPage" class="mySlides fade">

<div class="numbertext">1 / 3</div>

<div class="text"><U>VALUABLE

PRICE</U></div>

</div>

<div class="mySlides fade">

<div class="numbertext">2 / 3</div>

<div class="text"><U>BEST

FACILITIES</U></div>

</div>

<div class="mySlides fade">

<div class="numbertext">3 / 3</div>

<div class="text"><U>EASY

COMFORT</U></div>

</div>

<!-- Next and previous buttons -->

❮

❯

</div>

<!-- The dots/circles -->

<div style="text-align:center">

</div><!-- footer -->

<footer>

All Rights Reserved @

```
</footer>
<!-- end of footer -->
```

```
<!-- The Modal -->
<div id="myModal" class="modal">
  <div class="modal-content">
    <span class="close">&times;</span>
    <p>contact us soon</p>
  </div>
</div>
```

```
<div id="bookModal" class="modal">
  <div class="modal-content">
    <span class="close1">&times;</span>
    <p>HURRY UP!BOOK THE ROOM</p>
  </div>
</div>
```

```
<div id="payModal" class="modal">
  <div class="modal-content">
    <span class="close2">&times;</span>
    <p>Some Random text</p>
  </div>
</div>
```

```
<!--Close Modals-->
```

```
<!--Javascript Function which works when minimize or change the size of the screen.-->
```

```
<script>
  function myFunction() {
    var x = document.getElementById("myTopnav");
    if (x.className === "topnav") {
      x.className += " responsive";
    } else {
      x.className = "topnav";
    }
  }
}
```

```
var slideIndex = 1;
showSlides(slideIndex);
```

```
// Next/previous controls
```

```

function plusSlides(n) {
    showSlides(slideIndex += n);
}

// Thumbnail image controls
function currentSlide(n) {
    showSlides(slideIndex = n);
}

function showSlides(n) {
    var i;
    var slides = document.getElementsByClassName("mySlides");
    var dots = document.getElementsByClassName("dot");
    if (n > slides.length) {slideIndex = 1}
    if (n < 1) {slideIndex = slides.length}
    for (i = 0; i < slides.length; i++) {
        slides[i].style.display = "none";
    }

    slides[slideIndex-1].style.display = "block";
    dots[slideIndex-1].className += " active";
}

function bigImg(x) {
    x.style.height = "190px";
    x.style.width = "190px";
}

function normalImg(x) {
    x.style.height = "100px";
    x.style.width = "120px";
}

//MODAL USING DOM
const modal = document.getElementById("myModal");
const btn = document.getElementById("myBtn");
const span = document.getElementsByClassName("close")[0];

// When the user clicks on the button, open the modal(pop-up)
btn.onclick = function() {
    modal.style.display = "block";
};
span.onclick = function() {

```

```
    modal.style.display = "none";
};

window.onclick = function(event) {
    if (event.target === modal) {
        modal.style.display = "none";

    }
};

const book = document.getElementById("bookModal");
const btn1 = document.getElementById("bookBtn");
const bookClose = document.getElementsByClassName("close1")[0];

btn1.onclick = function () {
    book.style.display = "block";
};

bookClose.onclick = function () {
    book.style.display = "none";
};

window.onclick = function (event) {
    if(event.target === book){
        book.style.display = "none";
    }
};

const pay = document.getElementById("payModal");
const btn2 = document.getElementById('payBtn');
const payClose = document.getElementsByClassName("close2")[0];

btn2.onclick = function () {
    pay.style.display = "block";
};

payClose.onclick = function () {
    pay.style.display = "none";
};

window.onclick = function (event) {
    if(event.target === pay){
        pay.style.display = "none";
    }
}
```

};

</script>

</body>

</html>

2) USER-LOGIN-PAGE:

(HTML FILE)

<html>

<head>

<title>Login page</title>

<meta charset="UTF-8">

<meta name="viewport" content="width=device-width, initial-scale=1.0">

<meta name="description" content="Login Page">

<meta name="keywords" content="HTML,CSS">

<meta name="author" content="Yogita">

<link rel="stylesheet" href="Login.css" type="text/css">

</head>

<body>

<div>

Home

<div class="login">

<h2 class="login-header">Log In</h2>

<form class="login-container" action='Login_Page.php' method="POST">

<p><input type="email" name="username" placeholder="Email"></p>

<p><input type="password" name="password" placeholder="Password"></p>

<p><input type="submit" value="Log in" name="formsubmit"></p>

Forgot Password? Register/Sign

Up

</form>

</div>

</div>

</body>

</html>

(PHP-FILE)

```
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="ie=edge">
  <link rel="stylesheet" type="text/css" href="css/Login.css">

</head>
<body>
<?php
$host="localhost";
$user="root";
$password="";
$db="hotel_management";
$dbc = mysqli_connect("localhost","root", "") or die("oops !Could not connect database");
mysqli_select_db($dbc,$db) or die("oops! database not connected");
mysqli_query($dbc,"use hotel_management");

if(isset($_POST['formsubmit'])){
  $uname=$_POST['username'];
  $pass=$_POST['password'];

  $que = "select * from user where email=".$uname." and password=".$pass;
  $result=mysqli_query($dbc,$que);
  if(mysqli_affected_rows($dbc)){
    echo " Log-in Successfully<br>";
  }
  else{
    echo "Login failed<br>";
  }
}
?>
</body>
</html>
```

(CSS-FILE):

```
body{
  background: url(LoginBack1.jpg);
  background-repeat: no-repeat;
  background-size: 100% 100%;
```



```

}
.login {
    width: 400px;
    margin: 16px auto;
    font-size: 16px;
    font-family:arial;
}
@media screen and (max-width:1000px){
    .body,
    .login,
    .login-container
    {
        width:100%;
        text-align:center;
    }
    img{
        margin:auto;
    }
}
/* css for home link*/
a.hm
{
    background-color: transparent;
    color: White;
    font-family:arial;
    font-size: 16px;
}

/*css for register and forgot password */
a
{
    background-color: white;
    color: black;
    border: 2px solid #1c18de;
    padding: 10px 10px;
    text-align: right;
    text-decoration: none;
    display: inline-block;
    margin-left: 30;
    font-family:arial;
    font-size: 14px;
}

a:hover, a:active {

```

```
    background-color: #1c18de;
}
/* top and bottom margins from certain elements */
.login-header,
.login p {
    margin-top: 0;
    margin-bottom: 0;
    font-family: arial;
}

.login-header {
    background: #1c18de;
    padding: 20px;
    font-size: 1.4em;
    font-weight: normal;
    text-align: center;
    text-transform: uppercase;
    color: #fff;
    font-family: arial;
}

.login-container {
    background: #ebebeb;
    padding: 12px;
}

/* Every row inside .login-container is defined with p tags */
.login p {
    padding: 12px;
    font-family: arial;
}

.login input {
    box-sizing: border-box;
    display: block;
    width: 100%;
    border-width: 1px;
    border-style: solid;
    padding: 10px;
    outline: 0;
    font-size: 0.95em;
    font-family: arial;
}
```

```
.login input[type="email"],.login input[type="text"],
.login input[type="password"] {
  background: #fff;
  border-color: #aba9a2;
  color: #555;
}
```

```
/* Text fields' focus effect */
.login input[type="email"]:focus,
.login input[type="password"]:focus {
  border-color: #1c18de;
  border-width:2px;
}
```

```
.login input[type="submit"] {
  background: #1c18de;
  border-color: transparent;
  color: #fff;
  cursor: pointer;
  align: center;
  width:100%;
}
```

```
.login input[type="submit"]:hover {
  background: #17c;
}
```

s

```
/* Buttons' focus effect */
.login input[type="submit"]:focus {
  border-color: #05a;
}
```

3)USER-REGISTRATION-PAGE:

```
<html>
```

```
<head>
```

```
  <title>Sign Up page</title>
```

```
  <meta charset="UTF-8">
```

```
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
  <meta name="description" content="Sign Up Page">
```

[illegible]

```

        <p><b>Password *</b><input type="text" name="pssw" placeholder="Enter New Password"
id="pass"></p>
        <p><b>Confirm Password *<input type="password" name="confirm_pssw" placeholder="Re Enter
your Password" id="cpass"></p>
        <p><input type="submit" value="Sign Up" onclick="validate()"></p>
        <p><input type="reset" value="Reset"></p>
        <a href="Login_page.html">Return to Login Page</a>

    </form>
</div>
</span>
</div>
</body>
</html>
<?php
    if($_GET['msg']=="done"){
        echo "<script>";
        echo "alert('Welcome')";
        echo "</script>";
    }
?>

```

(PHP-FILE)

```

<?php

    $username=$_POST['f_name'];
    $userlname=$_POST['l_name'];
    $Email=$_POST['email_id'];
    $Contactno=$_POST['contact_no'];
    $dateofbirth=$_POST['DOB'];
    $Gender1=$_POST['Gender'];
    $City=$_POST['city_city'];
    $Country=$_POST['coun_try'];
    $Pincode=$_POST['Pin_code'];
    $Password=$_POST['pssw'];
    $confirmpssd=$_POST['confirm_pssw'];

//DB conn
    $mysql_hostname = "localhost";
    $mysql_user ="root";
    $mysql_password ="";
    $mysql_database ="hotel_management";
    $dbc = mysqli_connect("localhost", "root", "", "hotel_management") or die("oops !Could not
connect database");

```

```

        $sque = "INSERT INTO `user` (`user_fname`, `user_lname`, `email`, `contact_no`,
`date_of_birth`, `gender`, `city`, `country`, `pincode`, `password`)
        VALUES
        ('$Userfname','$Userlname','$Email','$Contactno','$dateofbirth','$Gender1','$City','$Country','$Pin
code','$Password')";

```

```

        $result=mysqli_query($dbc,$sque);
        echo mysqli_error($dbc);
        if($result){
            $msg="done";
            header("Location:Registration_Page.php?msg=$msg");
        }
        else{
            echo "Details Insertion Failed<br>";
        }

```

?>

(JAVA-SCRIPT):

```

function validate(){
var a=document.getElementById("nm").value;
var b=document.getElementById("lm").value;
var c=document.getElementById("em").value;
var d=document.getElementById("cn").value;
var x=document.getElementById("Add").value;
var e=document.getElementById("date").value;
var f=document.getElementById("city").value;
var g=document.getElementById("pin").value;
var h=document.getElementById("pass").value;
var i=document.getElementById("cpass").value;
var regex = /^[a-zA-Z0-9._-]+@[a-zA-Z0-9.-]+\.[a-zA-Z]{2,4}$/;
var Add=/^[0-9a-zA-Z]+$/;
var con=/^\d{10}$/;
var pass=/^[A-Z][a-zA-z0-9]+[!@#%&*]+$/$/
if(a=="")
{
    alert("Name cannot be blank");
}

if(b=="")
{
    alert("Last Name cannot be blank");
}

```

```

}

if(c=="")
{
    alert("Email cannot be blank");
}
else if(regex.test(c)==false)
{
    alert("Email is Invalid");
}

if(d=="")
{
    alert("Contact Number cannot be blank");
}
if(con.test(d)==false)
{
    alert("Contact number must have 10 digits");
}
else if(x.value.Add==false)
{
    alert("Address cannot be blank");
}

if ( ( form.gender[0].checked == 0 ) && ( form.gender[1].checked == 0 ) && ( form.gender[2].checked
== 0 ) )
{
    alert("Please choose your Gender");
}

if(e=="")
{
    alert("Please provide your Date of Birth");
}

if(f=="")
{
    alert("Please enter the City");
}

if (form.country.selectedIndex == 0 )
{
    alert("Please select the Country");
}

```

```

}

if(g=="")
{
    alert("Please enter Pincode");
}

if(h=="")
{
    alert("Enter your Password");
}
else if((h.length<8) || (h.length>15))
{
    alert("Password must have 8 to 15 characters");
}
else if(pass.test(h)==false)
{
    alert("Password must have atleast one Uppercase letter and one special character");
}

if(i=="")
{
    alert("Please ReEnter your password");
}
else if(h!=i)
{
    alert("Incorrect Confirm Password");
}
}

```

(CSS-FILE):

```

body{
    background: url(RegBack.jpg);
    background-repeat: no-repeat;
    background-size: 100% 100%;
}
.login {
    width: 450px;
    margin: 16px auto;
    font-size: 14px;
    font-family:arial;
}

@media screen and (max-width:1000px){
.body,

```



```
.login.  
.login-container  
{  
width:100%;  
text-align:center;  
}  
img{  
margin:auto;  
}  
}  
a.hm  
{  
background-color: transparent;  
color: White;  
margin-left: 25px;  
font-family:arial;  
}  
a  
{  
background-color: white;  
color: black;  
border: 2px solid #1c18de;  
padding: 10px 10px;  
text-align: right;  
text-decoration: none;  
display: inline-block;  
margin-left: 130;  
align: center;  
font-family:arial;  
}  
  
a:hover, a:active {  
background-color: #1c18de;  
}  
/* Reset top and bottom margins from certain elements */  
.login-header,  
.login p {  
margin-top: 0;  
margin-bottom: 0;  
}  
  
.login-header {  
background: #3339FF ;  
padding: 20px;
```

```
font-size: 1.4em;
font-weight: normal;
text-align: center;
text-transform: uppercase;
color: #fff;
}
```

```
.login-container {
  background: #ebebeb;
  padding: 12px;
}
```

```
/* Every row inside .login-container is defined with p tags */
.login p {
  padding: 12px;
  font-family: arial;
}
```

```
.login input {
  box-sizing: border-box;
  display: block;
  width: 100%;
  border-width: 0.1px;
  border-style: solid;
  padding: 10px;
  outline: 0;
  font-size: 0.95em;
  font-family: arial;
}
```

```
.login input[type="email"],.login input[type="text"],
.login input[type="password"],.login input[type="date"],.login[type="radio"],.login[select]{
  background: #fff;
  border-color: #bbb;
  color: #555;
  font-family: arial;
}
```

```
.tbl
{
  background: #fff;
  border-color: #bbb;
  color: #555;
  padding: 6px;
  border-width: 0.1px;
```

```

border-style: solid;
font-size: 0.95em;
font-family:arial;
}

/* Text fields' focus effect */
.login input[type="email"]:focus,.login input[type="text"]:focus, .login input[type="reset"]:focus,
.login input[type="password"]:focus {
    border-color: #1c18de;
    border-width:2px;
}

.login input[type="submit"],.login input[type="reset"] {
    background: #1c18de;
    border-color: transparent;
    color: #fff;
    cursor: pointer;
    align: center;
    width:100%;
    font-family:arial;
}

.login input[type="submit"]:hover,.login input[type="reset"]:hover {
    background: #17c;
    font-family:arial;
}

/* Buttons' focus effect */
.login input[type="submit"]:focus, .login input[type="reset"]:hover {
    border-color: #aba9a2;
    font-family:arial;
}

```

4)ADMIN-PAGE: **(HTML-PAGE)**

```

<html>
<head>
<meta name="viewport" content="width=device-width, initial-scale=1">
<link rel="stylesheet" href="Admin_css.css" type="text/css">
</head>
<body>
<div>
<span>
<a href="HomePage (1).html" class="hm" ><b>Home</b></a>

```

```

<div class="login">
  <h2 class="login-header">-----<b>Admin Log In</b> ----- </h2>

  <form class="login-container" action="Admin_Login.php" method="post">
    <p><input type="email" name="username" placeholder="Email"></p>
    <p><input type="password" name="password" placeholder="Password"></p><br>
    <p><input type="submit" name="formsubmit" value="Log in"></p><br>
  </form>
</div>
</span>
</div>
</body>
</html>

```

ADMIN-PAGE:

(PHP-FILE):

```

<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="ie=edge">
  <link rel="stylesheet" type="text/css" href="css/Admin_css.css">

</head>
<body>
<?php
$host="localhost";
$user="root";
$password="";
$db="hotel_management";
$dbc = mysqli_connect("localhost","root", "") or die("oops !Could not connect database");
mysqli_select_db($dbc,$db) or die("oops! database not connected");
mysqli_query($dbc,"use hotel_management");

if(isset($_POST['formsubmit'])){
  $uname=$_POST['username'];
  $pass=$_POST['password'];

  $que = "select * from admin where admin_username=".$uname." and admin_pssd=".$pass;
  $result=mysqli_query($dbc,$que);

```

```

        if(mysqli_affected_rows($dbc)){
            echo" Log-in Successfully<br>";
        }
        else{
            echo "Login failed<br>";
        }
    }
    ?>
</body>
</html>

```

(CSS-FILE):

```

body{
    background: url(AdminBack.jpg);
    background-repeat: no-repeat;
    background-size: 100% 100%;
}
.login {
    width: 400px;
margin: 16px auto;
font-size: 16px;
font-family:arial;
}

@media screen and (max-width:1000px){
    .body,
    .login.
    .login-container
    {
        width:100%;
        text-align:center;
    }
    img{
        margin:auto;
    }
}
a.hm
{
    background-color: transparent;
    color: White;
    font-family:arial;
    font-size: 16px;
}

```

```
a
{
  background-color: white;
  color: black;
  border: 2px solid #1c18de;
  padding: 10px 10px;
  text-align: right;
  text-decoration: none;
  display: inline-block;
  margin-left: 30;
  font-family:arial;
}

a:hover, a:active {
  background-color: #1c18de;
}
/* Reset top and bottom margins from certain elements */
.login-header,
.login p {
  margin-top: 0;
  margin-bottom: 0;
}

.login-header {
  background: #1c18de;
  padding: 20px;
  font-size: 1.4em;
  font-weight: normal;
  text-align: center;
  text-transform: uppercase;
  color: #fff;
}

.login-container {
  background: #ebebeb;
  padding: 12px;
}

/* Every row inside .login-container is defined with p tags */
.login p {
  padding: 12px;
}
```

```

.login input {
  box-sizing: border-box;
  display: block;
  width: 100%;
  border-width: 1px;
  border-style: solid;
  padding: 10px;
  outline: 0;
  font-size: 0.95em;
}

.login input[type="email"],.login input[type="text"],
.login input[type="password"] {
  background: #fff;
  border-color: #aba9a2;
  color: #555;
}

/* Text fields' focus effect */
.login input[type="email"]:focus,
.login input[type="password"]:focus {
  border-color: #1c18de;
  border-width:2px;
}

.login input[type="submit"] {
  background: #1c18de;
  border-color: transparent;
  color: #fff;
  cursor: pointer;
  align: center;
  width:100%;
}

.login input[type="submit"]:hover {
  background: #17c;
}
s
/* Buttons' focus effect */
.login input[type="submit"]:focus {
  border-color: #05a;
}
(ADMIN-UPDATE .ADD.DELETE-PAGE):
<html>

```

```

<head>
  <title>Admin Home page</title>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <meta name="description" content="Sign Up Page">
  <meta name="keywords" content="HTML,CSS">
  <meta name="author" content="Yogita">
  <link rel="stylesheet" href="Admin_hm.css" type="text/css">
</head>
<body>
<div class="chip">
  
  <b>Welcome Admin!!</b>
</div>
<br>
<br>
<br>
<br>
<br>
<br>
<div class="main">
  <ul class="cards">
    <li class="cards_item">
      <div class="card">
        <div class="card_image"></div>
        <div class="card_content">
          <button class="btn card_btn"
onclick="window.location.href='/C:/Users/Stuti/Desktop/IWP2/Addhoteldetails.html'"><b>ADD
HOTELS</b></button>
        </div>
      </div>
    </li>
    <li class="cards_item">
      <div class="card">
        <div class="card_image"></div>
        <div class="card_content">
          <button class="btn card_btn"><b>DELETE HOTELS</b></button>
        </div>
      </div>
    </li>
    <li class="cards_item">
      <div class="card">
        <div class="card_image"></div>
        <div class="card_content">

```



```

        <button class="btn card_btn"><b>MODIFY HOTELS</b></button>
    </div>
</div>
</li>
</ul>
</div>
</body>
</html>

```

(CSS-FILE):

```

body{
    background: url(adm_h1.jpg);
    background-repeat: no-repeat;
    background-size: 100% 100%;
}

.chip {
    display: inline-block;
    padding: 0 25px;
    height: 50px;
    font-size: 16px;
    line-height: 50px;
    border-radius: 25px;
    background-color: #f1f1f1;
}

.chip img {
    float: left;
    margin: 0 10px 0 -25px;
    height: 50px;
    width: 50px;
    border-radius: 50%;
}

/* Design */
*,
*::before,
*::after {
    box-sizing: border-box;
}

body {
    color: #272727;
    font-family: 'Arial', arial;
    font-style: normal;
    font-weight: 400;
    letter-spacing: 0;
}

```

```
padding: 1rem;  
}
```

```
.main{  
  max-width: 1200px;  
  margin-left: 100px;  
}
```

```
h1 {  
  font-size: 24px;  
  font-weight: 400;  
  text-align: center;  
}
```

```
img {  
  height: auto;  
  max-width: 100%;  
  vertical-align: middle;  
}
```

```
.btn {  
  color: #ffffff;  
  padding: 0.6rem;  
  font-size: 16px;  
  text-transform: uppercase;  
  border-radius: 6px;  
  font-weight: 400;  
  display: block;  
  width: 100%;  
  cursor: pointer;  
  border: 3px solid rgba(255, 255, 255, 0.2);  
  background: transparent;  
}
```

```
.btn:hover {  
  background-color: #add8e6;  
}
```

```
.cards {  
  display: flex;  
  flex-wrap: wrap;  
  list-style: none;  
  margin: 0;  
  padding: 0;
```

```
}
```

```
.cards_item {  
  display: flex;  
  padding: 1rem;  
}
```

```
@media (min-width: 40rem) {  
  .cards_item {  
    width: 50%;  
  }  
}
```

```
@media (min-width: 56rem) {  
  .cards_item {  
    width: 33.3333%;  
  }  
}
```

```
.card {  
  background-color: white;  
  border-radius: 0.25rem;  
  box-shadow: 0 20px 40px -14px rgba(0, 0, 0, 0.25);  
  display: flex;  
  flex-direction: column;  
  overflow: hidden;  
}
```

```
.card_content {  
  padding: 1rem;  
  background: linear-gradient(to bottom left, #1c18de 40%, #1c18de 100%);  
}
```

```
.card_title {  
  color: #ffffff;  
  font-size: 1.1rem;  
  font-weight: 700;  
  letter-spacing: 1px;  
  text-transform: capitalize;  
  margin: 0px;  
}
```

```
.card_text {  
  color: #ffffff;
```

```

font-size: 0.875rem;
line-height: 1.5;
margin-bottom: 1.25rem;
font-weight: 400;
}
.made_by{
font-weight: 400;
font-size: 13px;
margin-top: 35px;
text-align: center;
}

```

4)ABOUT-PAGE:

```

<!DOCTYPE html>
<html>
<head>
<link rel="stylesheet" type="text/css" href="mystyle.css">
</head>
<body>

<h1>About Us</h1>
<p>The Sky Website helps the customer to hire best hotel in best price. its's approx 72+ countries spread
across the world. We have many years of experience,extensive conference facilities. We've prefered the
art of reviving old,worn down properties,and injecting them with new SKYstyle. </p>
<h3>Surprisingly Unordinary</h3>
<p>Wherever you go,stay at a space with a curated experience at a price you won't believe.
<h3>Best in class efficiency</h3>
<p>Zero hassle every time..<p>
<p>Reserve a Room in person at one of our well-desinged spaces or use our app to book in 3 easy
steps.</ps>
</body>
</html>

```

5)CONTACT-PAGE:

```

<html>
<head>
<link rel="stylesheet" href="mystyle (1).css" type="text/css">
</head>
<body b>
<form class="form">
<h2>CONTACT US</h2>
<p type="Name:"><input placeholder="Write your name here.."></input></p>
<p type="Email:"><input placeholder="Let us know how to contact you back.."></input></p>
<p type="Message:"><Textarea></textarea></p>
<button>Send Message</button>

```

</form>

</body>

<html>

(PHP-FILE):

```
body{
  background: url("ContactBack.jpg");
  background-repeat: no-repeat;
  background-size: 100% 100%;
}
```

```
.form{
width:340px;
height:440px;
background:#e6e6e6;
border-radius:8px;
box-shadow:0 0 40px -10px #000;
margin-left: 500px;
margin-top: 100px;
padding:20px 30px;
box-sizing:border-box;
font-family:'Arial',sans-serif;
position:relative
}
```

```
h2
{
margin:10px 0;
padding-bottom:10px;
width:180px;
color:#78788c;
border-bottom:3px solid #78788c
}
```

```
input{
width:100%;
padding:10px;
box-sizing:border-box;
background:none;
outline:none;
resize:none;
border:0;
font-family:'Arial',sans-serif;
transition:all .3s;
border-bottom:2px solid #bebed2
```

```
}
input:focus{
border-bottom:2px solid #78788c
}
p:before
{
content:attr(type);
display:block;
margin:28px 0 0;
font-size:14px;
color:#5a5a5a
}
button
{
float:right;
padding:8px 12px;
margin:8px 0 0;
font-family:'Arial',sans-serif;
border:2px solid #78788c;
background:0;
color:#5a5a6e;
cursor:pointer;
transition:all .3s;
}
button:hover{
background:#78788c;
color:#fff
}
div{
content:'Hi';
position:absolute;
bottom:-15px;
right:-20px;
background:#50505a;
color:#fff;
width:320px;
padding:16px 4px 16px 0;
border-radius:6px;
font-size:13px;
box-shadow:10px 10px 40px -14px #000
}
span{
margin:0 5px 0 15px
}
```

🔍SEARCH-PAGE:

```
<!DOCTYPE html>
<html>
<head>
  <title>search page</title>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <meta name="description" content="Search Page">
  <meta name="keywords" content="HTML,CSS">
  <meta name="author" content="Karan Khayani">
  <style type="text/css">
    body
    {
      padding: 0px;
      margin: 0px;
      font-family: Arial;
      text-decoration: none;
    }
    #header
    {
      background-color: white;
      padding: 10px;
      overflow: auto;
      display: block;
      position: sticky;
      width: auto;
      box-shadow: 5px 5px 10px rgb(0,0,0,10);
    }
    .parent-main
    {
      background-color: rgb(233,233,233);
      width: 930px;
      margin-top:10px;
      margin-left:auto;
      margin-right: auto;
      padding:20px;height: auto;
      overflow: auto;
      /*border-bottom: 1px solid;
      border-color: rgb(0,0,0,10);
      box-shadow: 5px 5px 10px rgb(0,0,0,10);*/
    }
    .two-child-divs
    {
```

```

        width: 400px;
        height: auto;
        margin-left: 30px;
        padding: 10px;
        float: left;
        margin: 0px 10px;
    }
.small-imgs
{
    height: 265px;
    width: 400px;
    box-shadow: 5px 5px 10px rgb(0,0,0,10);
}
.left-child-child-div
{
    /*border-right: 2px solid;
    border-color: rgb(3,127,187);*/
    width: 280px;
    /*float: left;*/
    /*background-color: red;*/
}
/* .right-child-child-div
{
    width: 180px;
    float: right;
} */
.page-headings
{
    /*background-color: pink;*/
    text-align: center;
    color: rgb(5,38,55);
    font-size: 20px;
    font-family: arial;
    font-weight: bold;
    margin-top: 0px;
}
.text-inside
{
    color: rgb(5,38,55);
    font-size: 17px;
    font-family: arial;
    /*font-weight: bold;*/
    margin-left: 30px;
    /*background-color: blue;*/
}

```



```

    }
    .button
    {
        background-color: #4CAF50; /* Green */
        color: white;
        padding: 15px 32px;
        text-align: center;
        text-decoration: none;
        display: inline-block;
        font-size: 16px;
        margin: 4px 60%;
        cursor: pointer;
    }

    .button1
    {
        background-color: white;
        color: black;
        border: 2px solid #1c18de;
    }
    .button1:hover
    {
        background-color: #1c18de;
    }
    hr
    {
        border-bottom: 1px solid rgb(232,232,232);
        box-shadow: 2px 2px 10px rgb(0,0,0,10);
        margin-right: 10%;
        margin-left: 10%;
        margin-top: 10px;
    }
    @media only screen and (max-width: 600px) {
        parent-div
        {
            width: 400px;
        }
    }
</style>
</head>
<body>
<form action="C:/Users/Stuti/Desktop/IWP2/book.html">
    <div id="header"><!--HEADER PART-->

```


[illegible]

[illegible]

```
</div>
</form>

</body>
```

7) PAYMENT-PAGE:

```
<!DOCTYPE html>
<html>
<head>
  <title>payment page</title>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <meta name="description" content="Payment Page">
  <meta name="keywords" content="HTML,CSS">
  <meta name="author" content="Karan Khayani">
</head>
<style type="text/css">
  body
  {
    padding: 0px;
    margin: 0px;
    font-family: arial;
    background-image: url("C:\Users\Stuti\Desktop\IWP2\back.jpg");
    background-repeat: no-repeat;

    /*opacity: 0.5;*/
  }
  #header
  {
    background-color: white;
    padding: 10px;
    overflow: auto;
    display: block;
    position: sticky;
    width: auto;
    box-shadow: 5px 5px 10px rgb(0,0,0,10);
  }
  form
  {
    text-align:center;
    padding: 10px;
    margin: 10px;
```

```

    }
    .input-text
    {
        height: 30px;
        width: 50%;
        text-align: center;
        margin: 10px;
    }
    h1, h3
    {
        color: white;
    }
    .button
    {
        background-color: #4CAF50; /* Green */
        color: white;
        padding: 15px 32px;
        text-align: center;
        text-decoration: none;
        display: inline-block;
        font-size: 16px;
        margin: 4px 30%;
        cursor: pointer;
    }

    .button1
    {
        background-color: white;
        color: black;
        border: 2px solid #1c18de;
    }
    .button1:hover
    {
        background-color: #1c18de;
    }
    @media only screen and (max-width: 600px) {
        parent-div
        {
            width: 400px;
        }
    }
</style>
<body>
<div id="header"><!--HEADER PART-->

```



```
        margin: 0px;
        font-family: arial;
        background-image: url('back4.jpg');
        background-repeat: no-repeat;

        /*opacity: 0.5;*/
    }
    #header
    {
        background-color: white;
        padding: 10px;
        overflow: auto;
        display: block;
        position: sticky;
        width: auto;
        box-shadow: 5px 5px 10px rgb(0,0,0,10);
    }
    form
    {
        text-align:center;
        padding: 10px;
        margin: 10px:

    }
    .input-text
    {
        height: 30px;
        width: 50%;
        text-align: center;
        margin: 10px;
    }
    h1, h3, h5
    {
        color: white;
    }
    .button
    {
        background-color: #4CAF50; /* Green */
        color: white;
        padding: 15px 32px;
        text-align: center;
        text-decoration: none;
        display: inline-block;
        font-size: 16px;
```


[illegible]

```

        <tr>
            <td><h5>Enter check-in date</h5></td>
            <td><input type="date" name="t1" required class="input-text"></td>
        </tr>
        <tr>
            <td><h5>Enter check-out date</h5></td>
            <td><input type="date" name="t1" required class="input-text"></td>
        </tr>
        <tr>
            <td><h5>Enter check-in time</h5></td>
            <td><input type="time" name="t1" required class="input-text"></td>
        </tr>
        <tr>
            <td><h5>Enter check-out time</h5></td>
            <td><input type="time" name="t1" required class="input-text"></td>
        </tr>
    </table>
    <br><input type="submit" name="submit" value="Confirm booking"
class="button button1">
    </form>
</div>
</body>
</html>

```

9)ADD-HOTEL-PAGE:

```

<html>
<head>
<meta name="viewport" content="width=device-width, initial-scale=1">
<link rel="stylesheet" href="Addhoteldetails.css" type="text/css">
</head>
<body>
<div>
<span>
<a href="HomePage (1).html" class="hm" ><b>Home</b></a>
<div class="login">
    <h2 class="login-header">-----<b>Add Hotel details</b> ----- </h2>

    <form class="login-container">
        <p><b>Hotel ID *</b><input type="text" placeholder="Enter Hotel ID"></p>
        <p><b>Hotel Name *</b><input type="text" placeholder="Enter Hotel Name"></p>
        <p><b>Country *</b><input type="text"placeholder="Enter Country"></p>
        <p><b>City *</b><input type="text"placeholder="Enter City"></p>
    </form>

```

```

        <p><b>Pincode *</b><input type="text"placeholder="Enter Pincode"></p>
        <p><b>Facilities *</b><br><textarea></textarea></p>
        <p><b>Ratings *</b><input type="text"placeholder="Enter Ratings"></p>
        <p><input type="submit" value="ADD HOTEL"></p><br>
    </form>
</div>
</span>
</div>
</body>
</html>

```

(CSS-FILE):

```

body{
    background: url(AdminBack.jpg);
    background-repeat: no-repeat;
    background-size: 100% 100%;
}
.login {
    width: 400px;
    margin: 16px auto;
    font-size: 16px;
    font-family:arial;
}

@media screen and (max-width:1000px){
    .body,
    .login,
    .login-container
    {
        width:100%;
        text-align:center;
    }
    img{
        margin:auto;
    }
}
a.hm
{
    background-color: transparent;
    color: White;
    font-family:arial;
    font-size: 16px;
}
a

```

```

{
  background-color: white;
  color: black;
  border: 2px solid #1c18de;
  padding: 10px 10px;
  text-align: right;
  text-decoration: none;
  display: inline-block;
  margin-left: 30;
font-family:arial;
}

a:hover, a:active {
  background-color: #1c18de;
}
/* Reset top and bottom margins from certain elements */
.login-header,
.login p {
  margin-top: 0;
  margin-bottom: 0;
}

.login-header {
  background: #1c18de;
  padding: 20px;
  font-size: 1.4em;
  font-weight: normal;
  text-align: center;
  text-transform: uppercase;
  color: #fff;
}

.login-container {
  background: #ebebeb;
  padding: 12px;
}

/* Every row inside .login-container is defined with p tags */
.login p {
  padding: 12px;
}

.login input {

```

```
box-sizing: border-box;
display: block;
width: 100%;
border-width: 1px;
border-style: solid;
padding: 10px;
outline: 0;
font-size: 0.95em;
}
```

```
.login input[type="email"],.login input[type="text"],
.login input[type="password"] {
  background: #fff;
  border-color: #aba9a2;
  color: #555;
}
```

```
/* Text fields' focus effect */
.login input[type="email"]:focus,
.login input[type="password"]:focus,.login input[type="text"]:focus {
  border-color: #1c18de;
  border-width:2px;
}
```

```
.login input[type="submit"] {
  background: #1c18de;
  border-color: transparent;
  color: #fff;
  cursor: pointer;
  align: center;
  width:100%;
}
```

```
.login input[type="submit"]:hover {
  background: #17c;
}
```

s

```
/* Buttons' focus effect */
.login input[type="submit"]:focus {
  border-color: #05a;
}
```

(10) DEL-HOTEL DETAILS:

<html>

<head>

```

<meta name="viewport" content="width=device-width, initial-scale=1">
<link rel="stylesheet" href="Addhoteldetails.css" type="text/css">
</head>
<body>
<div>
<span>
<a href="HomePage (1).html" class="hm" ><b>Home</b></a>
<a href="Admin_hm.html" class="hm" ><b>Admin Home</b></a>
<div class="login">
  <h2 class="login-header">-----<b>DELETE HOTEL</b> ----- </h2>

  <form class="login-container" action="Admindel.php" method="POST">
    <p><b>Hotel ID *</b><input type="text" placeholder="Enter Hotel ID" name="Hotel_ID"></p>
    <p><input type="submit" name="frmsubmit" value="DELETE HOTEL"></p><br>
  </form>
</div>
</span>
</div>
</body>
</html>

```

(CSS-FILE)

```

body{
  background: url(images/adm_h1.jpg);
  background-repeat: no-repeat;
  background-size: 100% 100%;
}

.chip {
  display: inline-block;
  padding: 0 25px;
  height: 50px;
  font-size: 16px;
  line-height: 50px;
  border-radius: 25px;
  background-color: #f1f1f1;
}

.chip img {
  float: left;
  margin: 0 10px 0 -25px;
  height: 50px;
  width: 50px;
  border-radius: 50%;
}

/* Design */

```

```
*,
*::before,
*::after {
  box-sizing: border-box;
}
```

```
body {
  color: #272727;
  font-family: 'Arial', arial;
  font-style: normal;
  font-weight: 400;
  letter-spacing: 0;
  padding: 1rem;
}
```

```
.main{
  max-width: 1200px;
  margin-left: 100px;
}
```

```
h1 {
  font-size: 24px;
  font-weight: 400;
  text-align: center;
}
```

```
img {
  height: auto;
  max-width: 100%;
  vertical-align: middle;
}
```

```
.btn {
  color: #ffffff;
  padding: 0.6rem;
  font-size: 16px;
  text-transform: uppercase;
  border-radius: 6px;
  font-weight: 400;
  display: block;
  width: 100%;
  cursor: pointer;
  border: 3px solid rgba(255, 255, 255, 0.2);
}
```

```
    background: transparent;
}
```

```
.btn:hover {
    background-color: #add8e6;
}
```

```
.cards {
    display: flex;
    flex-wrap: wrap;
    margin: 0;
    padding: 0;
}
```

```
.cards_item {
    display: flex;
    padding: 1rem;
}
```

```
@media (min-width: 40rem) {
    .cards_item {
        width: 50%;
    }
}
```

```
@media (min-width: 56rem) {
    .cards_item {
        width: 33.3333%;
    }
}
```

```
.card {
    background-color: white;
    border-radius: 0.25rem;
    box-shadow: 0 20px 40px -14px rgba(0, 0, 0, 0.25);
    display: flex;
    flex-direction: column;
    overflow: hidden;
}
```

```
.card_content {
    padding: 1rem;
    background: linear-gradient(to bottom left, #1c18de 40%, #1c18de 100%);
}
```



```
.card_title {
  color: #ffffff;
  font-size: 1.1rem;
  font-weight: 700;
  letter-spacing: 1px;
  text-transform: capitalize;
  margin: 0px;
}
```

```
.card_text {
  color: #ffffff;
  font-size: 0.875rem;
  line-height: 1.5;
  margin-bottom: 1.25rem;
  font-weight: 400;
}
```

```
.made_by{
  font-weight: 400;
  font-size: 13px;
  margin-top: 35px;
  text-align: center;
}
```

(PHP-FILE):

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
  <meta charset="UTF-8">
```

```
  <meta http-equiv="X-UA-Compatible" content="ie=edge">
```

```
</head>
```

```
<body>
```

```
<?php
```

```
if(isset($_POST['frmsubmit'])){
```

```
    $Hotel_ID=$_POST['Hotel_ID'];
```

```
//DB conn
```

```
    $mysql_hostname = "localhost";
```

```
    $mysql_user = "root";
```

```
    $mysql_password = "";
```

```
    $mysql_database = "hotel_admin";
```

```
    $dbc = mysqli_connect($mysql_hostname, $mysql_user, $mysql_password) or die("oops !Could  
not connect database");
```

```
    mysqli_select_db($dbc,$mysql_database) or die("oops! database not connected");
```

```

    $que = "Delete from hotel_details where Hotel_ID = '$Hotel_ID'";

    $q=mysqli_query($dbc,$que);
    if($q){
        $message=" Hotel Id $Hotel_ID has been deleted successfully";
        echo "<script>alert('$message');window.location.href = 'Admin_hm.html';</script>";
    }
    else{
        echo '<script>alert("Hotel Deletion Failed");<script><br>';
    }
}
else{
    echo "Post Missing";
}
?>
</body>
</html>

```

(11) UPDATE-HOTEL-DETAILS-PAGE:

```

<html>
<head>
<meta name="viewport" content="width=device-width, initial-scale=1">
<link rel="stylesheet" href="Addhoteldetails.css" type="text/css">
</head>
<body>
<?php
//DB conn
    if(isset($_GET['hid'])){
        $Hotel_ID = $_GET['hid'];
        $mysql_hostname = "localhost";
        $mysql_user = "root";
        $mysql_password = "";
        $mysql_database = "hotel_admin";
        $dbc = mysqli_connect($mysql_hostname, $mysql_user, $mysql_password) or die("oops !Could
not connect database");
        mysqli_select_db($dbc,$mysql_database) or die("oops! database not connected");

        $que = "SELECT
Hotel_ID,Hotel_Name,Country,City,Address,Pincode,Contact_No,Email,Facilities,Ratings FROM
hotel_details WHERE Hotel_ID = '$Hotel_ID'";
        $res=mysqli_query($dbc,$que);
        $count=mysqli_num_rows($res);
        if($count!=0){
            $data=mysqli_fetch_array($res);

```

```

        $Hotel_ID=$data['Hotel_ID'];
        $Hotel_Name=$data['Hotel_Name'];
        $Country=$data['Country'];
        $City=$data['City'];
        $Address=$data['Address'];
        $Pincode=$data['Pincode'];
        $Contact_No=$data['Contact_No'];
        $Email=$data['Email'];
        $Facilities=$data['Facilities'];
        $Ratings=$data['Ratings'];

    }

}

?>
<div>
<span>
<a href="HomePage (1).html" class="hm" ><b>Home</b></a>
<a href="Admin_hm.html" class="hm" ><b>Admin Home</b></a>
<div class="login">
    <h2 class="login-header">-----<b>Edit Hotel details</b> ----- </h2>

    <form class="login-container" action="UpdateHotel.php" method="POST">
        <input type="hidden" value="<?php echo$Hotel_ID?>" name="Hotel_ID">
        <p><b>Hotel Name *</b><input type="text" value="<?php echo$Hotel_Name?>"
name="Hotel_Name"></p>
        <p><b>City *</b><input type="text" value="<?php echo$City?>" name="City"></p>
        <p><b>Address *</b><input type="text" value="<?php echo$Address?>" name="Address"></p>
        <p><b>Pincode *</b><input type="text" value="<?php echo$Pincode?>" name="Pincode"></p>
        <p><b>Contact Number *</b><input type="text" value="<?php echo$Contact_No?>"
name="Contact_No"></p>
        <p><b>Email *</b><input type="text" value="<?php echo$Email?>" name="Email"></p>
        <p><b>Ratings *</b><input type="text" value="<?php echo$Ratings?>" name="Ratings"></p>
        <p><input type="submit" name="frmUpdate" value="UPDATE HOTEL"></p><br>

    </form>
</div>
</span>
</div>
</body>
</html>
(PHP-FILE)
<!DOCTYPE html>
<html lang="en">
<head>

```

```

<meta charset="UTF-8">
<meta http-equiv="X-UA-Compatible" content="ie=edge">
<meta name="viewport" content="width=device-width, initial-scale=1">
<link rel="stylesheet" href="Admin_Mod.css" type="text/css">
</head>
<body>
<div>
<span>
<a href="HomePage (1).html" class="hm" ><b>Home</b></a>
<a href="Admin_hm.html" class="hm" ><b>Admin Home</b></a>
<div class="login">
  <h2 class="login-header">-----<b>ALL HOTELS</b> ----- </h2>

  <form class="login-container" action="Admin_Mod.php" method="">
    <table border="2" cellpadding="7">

      <tr>
        <td><b>HOTEL ID</b></td>
        <td><b>HOTEL NAME</b></td>
        <td><b>COUNTRY</b></td>
        <td><b>CITY</b></td>
        <td><b>ADDRESS</b></td>
        <td><b>PINCODE</b></td>
        <td><b>CONTACT NUMBER</b></td>
        <td><b>EMAIL</b></td>
        <td><b>FACILITIES</b></td>
        <td><b>RATINGS</b></td>
      </tr>

<?php
//DB conn
$mysql_hostname = "localhost";
$mysql_user = "root";
$mysql_password = "";
$mysql_database = "hotel_admin";
$dbc = mysqli_connect($mysql_hostname, $mysql_user, $mysql_password) or die("oops !Could
not connect database");
mysqli_select_db($dbc,$mysql_database) or die("opps! database not connected");
$que = "Select * from hotel_details";

$q=mysqli_query($dbc,$que);
while($row = mysqli_fetch_array($q)){
  $hid = $row['Hotel_ID'];
  $hname = $row['Hotel_Name'];

```

```

$country = $row['Country'];
$city = $row['City'];
$address = $row['Address'];
$pincode = $row['Pincode'];
$contact = $row['Contact_No'];
$email = $row['Email'];
$facilities = $row['Facilities'];
$ratings = $row['Ratings'];

?>

<tr>
<td><?php echo $hid; ?></td>
<td><?php echo $hname; ?></td>
<td><?php echo $country; ?></td>
<td><?php echo $city; ?></td>
<td><?php echo $address; ?></td>
<td><?php echo $pincode; ?></td>
<td><?php echo $contact; ?></td>
<td><?php echo $email; ?></td>
<td><?php echo $facilities; ?></td>
<td><?php echo $ratings; ?></td>
<td><p><input type="submit" value="Edit"
onclick="window.open('Admin_Edit.php?hid=<?php echo$hid;?>');"></p></td>
</tr>

<?php
}
?>

</table>

</form>
</div>
</span>
</div>
</body>
</html>

```

(CSS-FILE)

```

body{
background: url(images/AdminBack.jpg);
background-repeat: no-repeat;
background-size: 100% 100%;

```

```

}
.login {
  width: 85%;
  margin: 16px auto;
font-size: 16px;
font-family:arial;
}

@media screen and (max-width:1000px){
.body,
.login.
.login-container
{
width:100%;
text-align:center;
}
img{
margin:auto;
}
}
a.hm
{
background-color: transparent;
color: White;
font-family:arial;
font-size: 16px;
}

a
{
background-color: white;
color: black;
border: 2px solid #1c18de;
padding: 10px 10px;
text-align: right;
text-decoration: none;
display: inline-block;
margin-left: 30;
font-family:arial;
}

a:hover, a:active {
background-color: #1c18de;
}

```

```
/* Reset top and bottom margins from certain elements */
.login-header,
.login p {
    margin-top: 0;
    margin-bottom: 0;
}

.login-header {
    background: #1c18de;
    padding: 20px;
    font-size: 1.4em;
    font-weight: normal;
    text-align: center;
    text-transform: uppercase;
    color: #fff;
}

.login-container {
    background: #ebebeb;
    padding: 12px;
}

/* Every row inside .login-container is defined with p tags */
.login p {
    padding: 12px;
}

.login input {
    box-sizing: border-box;
    display: block;
    width: 100%;
    border-width: 1px;
    border-style: solid;
    padding: 10px;
    outline: 0;
    font-size: 0.95em;
}

.login input[type="email"],.login input[type="text"],
.login input[type="password"] {
    background: #fff;
    border-color: #aba9a2;
    color: #555;
```

```

}

/* Text fields' focus effect */
.login input[type="email"]:focus,
.login input[type="password"]:focus,.login input[type="text"]:focus {
    border-color: #1c18de;
    border-width:2px;
}

.login input[type="submit"] {
    background: #1c18de;
    border-color: transparent;
    color: #fff;
    cursor: pointer;
    align: center;
    width:100%;
}

.login input[type="submit"]:hover {
    background: #17c;
}
s
/* Buttons' focus effect */
.login input[type="submit"]:focus {
    border-color: #05a;
}

```

UPDATE.PHP:

```

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="ie=edge">
</head>
<body>

<?php
//DB conn
    $mysql_hostname = "localhost";
    $mysql_user ="root";
    $mysql_password ="";
    $mysql_database ="hotel_admin";
    $dbc = mysqli_connect($mysql_hostname, $mysql_user, $mysql_password) or die("oops !Could
not connect database");

```



```

mysqli_select_db($dbc,$mysql_database) or die("oops! database not connected");
if(isset($_POST['frmUpdate'])){
    $hid = $_POST['Hotel_ID'];
    $hname = $_POST['Hotel_Name'];
    $city = $_POST['City'];
    $address= $_POST['Address'];
    $pincode = $_POST['Pincode'];
    $contactno = $_POST['Contact_No'];
    $email = $_POST['Email'];
    $ratings = $_POST['Ratings'];

    $uQuery = "UPDATE hotel_details SET Hotel_Name = '$hname', City ='$city',
Address='$address', Pincode='$pincode' ,Contact_No='$contactno', Email='$email', Ratings='$ratings'
WHERE Hotel_ID = '$hid'";

    $res=mysqli_query($dbc,$uQuery);
    if($res){
        echo "<script>alert('Record Updated'); window.location.href =
'Admin_Mod.php';</script>";
    }
    else{
        echo "<script>alert('Record not Updated')</script>";
    }
}

?>
</body>
</html>

```

(12) CONTACT US PAGE:

CONTACT.PHP

```

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="ie=edge">
</head>
<body>

<?php
if(isset($_POST['frmcontact'])){
    $name=$_POST['name'];
    $email=$_POST['email'];
    $message=$_POST['message'];

    //DB conn
    $mysql_hostname = "localhost";
    $mysql_user ="root";
    $mysql_password ="";
    $mysql_database ="hotel_management";
    $dbc = mysqli_connect($mysql_hostname, $mysql_user, $mysql_password) or die("oops !Could not connect

```

```

database");
mysqli_select_db($dbc,$mysql_database) or die("opps! database not connected");
$query = "insert into contact_us (name,email,message)values('$cname','$cemail','$cmessage')";

$query=mysqli_query($dbc,$query);
if($query){
    $message=" Message has been successfully sent.";
    echo "<script>alert('$message'); window.location.href = 'HomePage (1).html';</script>";

}
else{
    echo "Details NOT ADDED!!";
}
}
else{
    echo "Post Missing";
}
?>
</body>
</html>

```

CONTACT.HTML

```

<html>
<head>
<meta name="viewport" content="width=device-width, initial-scale=1">
<link rel="stylesheet" href="mystyle (1).css" type="text/css">
</head>
<body b>
<form class="form" action="contact.php" method="POST">
    <h2>CONTACT US</h2>
    <p type="Name:"><input placeholder="Write your name here.." required name="name"></input></p>
    <p type="Email:"><input placeholder="Let us know how to contact you back.." required
name="email"></input></p>
    <p type="Message:" ><input placeholder="Let us know how to contact you back.." required
name="message" placeholder="Message here!"></p>
    <button type="submit" name="frmcontact" value="MESSAGE ADDED">Send Message</button>
</form>
</body>
</html>

```

(13) SEARCH PAGE:

SEARCH.PHP

```

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="ie=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <link rel="stylesheet" href="Admin_Mod.css" type="text/css">
</head>
<body>

```

```

<div>
<span>
<a href="HomePage (1).html" class="hm" ><b>Home</b></a>
<a href="Admin_hm.html" class="hm" ><b>Admin Home</b></a>
<div class="login">
  <h2 class="login-header">-----<b>ALL HOTELS</b>-----</h2>

  <form class="login-container" action="search.php" method="">
    <table border="2" cellpadding="7">

      <tr>
        <td><b>HOTEL ID</b></td>
        <td><b>HOTEL NAME</b></td>
        <td><b>COUNTRY</b></td>
        <td><b>CITY</b></td>
        <td><b>ADDRESS</b></td>
        <td><b>PINCODE</b></td>
        <td><b>CONTACT NUMBER</b></td>
        <td><b>EMAIL</b></td>
        <td><b>FACILITIES</b></td>
        <td><b>RATINGS</b></td>
      </tr>

<?php
if(isset($_POST['frmsearch'])){
    $searchcity=$_POST['searchhere'];
//DB conn
    $mysql_hostname = "localhost";
    $mysql_user = "root";
    $mysql_password = "";
    $mysql_database = "hotel_management";
    $dbc = mysqli_connect($mysql_hostname, $mysql_user, $mysql_password) or die("oops
!Could not connect database");
    mysqli_select_db($dbc,$mysql_database) or die("oops! database not connected");
    $que = "Select * from hotel_details where City='$searchcity'";

    $q=mysqli_query($dbc,$que);
    while($row = mysqli_fetch_array($q)){
        $hid = $row['Hotel_ID'];
        $hname = $row['Hotel_Name'];
        $country = $row['Country'];
        $city = $row['City'];
        $address = $row['Address'];
        $pincode = $row['Pincode'];
        $contact = $row['Contact_No'];
        $email = $row['Email'];
        $facilities = $row['Facilities'];
        $ratings = $row['Ratings'];

?>

        <tr>

```

```

        <td><?php echo $hid; ?></td>
        <td><?php echo $hname; ?></td>
        <td><?php echo $country; ?></td>
        <td><?php echo $city; ?></td>
        <td><?php echo $address; ?></td>
        <td><?php echo $pincode; ?></td>
        <td><?php echo $contact; ?></td>
        <td><?php echo $email; ?></td>
        <td><?php echo $facilities; ?></td>
        <td><?php echo $ratings; ?></td>
        <td><p><input type="submit" value="Book"
onclick="window.open('book.php?hid=<?php echo$hid;?>');">
        <!--<input type="submit" value="Book"
onclick="window.open('Admin_Edit.php?hid=<?php echo$hid;?>');">--></p></td> </tr>
<?php
    }
?>

</table>

</form>
</div>
</span>
</div>
</body>
</html>

```

SEARCH.HTML

```

<!DOCTYPE html>
<html>
<head>
    <title>search page</title>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <meta name="description" content="Search Page">
    <meta name="keywords" content="HTML,CSS">
    <meta name="author" content="Karan Khayani">
    <style type="text/css">
        body
        {
            padding: 0px;
            margin: 0px;
            font-family: Arial;
            text-decoration: none;
        }
    #header
    {
        background-color: white;
        padding: 10px;
    }

```

```

        overflow: auto;
        display: block;
        position: sticky;
        width: auto;
        box-shadow: 5px 5px 10px rgb(0,0,0,10);
    }
.parent-main
{
    background-color: rgb(233,233,233);
    width: 930px;
    margin-top: 10px;
    margin-left: auto;
    margin-right: auto;
    padding: 20px; height: auto;
    overflow: auto;
    /*border-bottom: 1px solid;
    border-color: rgb(0,0,0,10);
    box-shadow: 5px 5px 10px rgb(0,0,0,10);*/
}
.two-child-divs
{
    width: 400px;
    height: auto;
    margin-left: 30px;
    padding: 10px;
    float: left;
    margin: 0px 10px;
}
.small-imgs
{
    height: 265px;
    width: 400px;
    box-shadow: 5px 5px 10px rgb(0,0,0,10);
}
.left-child-child-div
{
    /*border-right: 2px solid;
    border-color: rgb(3,127,187);*/
    width: 280px;
    /*float: left;*/
    /*background-color: red;*/
}
/* .right-child-child-div
{
    width: 180px;
    float: right;
}*/
.page-headings
{
    /*background-color: pink;*/
    text-align: center;

```

```


        color: rgb(5,38,55);
        font-size: 20px;
        font-family: arial;
        font-weight: bold;
        margin-top: 0px;
    }
    .text-inside
    {
        color: rgb(5,38,55);
        font-size: 17px;
        font-family: arial;
        /*font-weight: bold;*/
        margin-left: 30px;
        /*background-color: blue;*/
    }
    .button
    {
        background-color: #4CAF50; /* Green */
        color: white;
        padding: 15px 32px;
        text-align: center;
        text-decoration: none;
        display: inline-block;
        font-size: 16px;
        margin: 4px 60%;
        cursor: pointer;
    }

    .button1
    {
        background-color: white;
        color: black;
        border: 2px solid #1c18de;
    }
    .button1:hover
    {
        background-color: #1c18de;
    }
    hr
    {
        border-bottom: 1px solid rgb(232,232,232);
        box-shadow: 2px 2px 10px rgb(0,0,0,10);
        margin-right: 10%;
        margin-left: 10%;
        margin-top: 10px;
    }
    @media only screen and (max-width: 600px) {
        parent-div
        {
            width: 400px;

```

[illegible]

[illegible]



HOW IT WORKS



HELP

Browse through our list of variety of rooms available. Still confused [Contact Us](#).



Book Your Room



Come and book your room and make it yours [Book here](#).




Complete your Payments

It is time to relax since you you booked your room in a snap. [Pay here](#).

(DOM-FEATURE)



2)GALLERY:





BEST FACILITIES

Activate Windows
Go to Settings to activate Windows.



ALL RIGHTS RESERVED @



EASY COMFORT

Activate Windows
Go to Settings to activate Windows.



All Rights Reserved @

3)ABOUT-PAGE:

ABOUT US


The Sky Website helps the customer to hire best hotel in best price. its's approx 72+ countries spread across the world. We have many years of experience,extensive conference facilities. We've prefered the art of reviving old,worn down properties,and injecting them with new SKYstyle.

Surprisingly Unordinary

- Wherever you go,stay at a space with a curated experience at a price you won't believe. Best in class efficiency.Zero hassle every time.. Reserve a Room in person at one of our well-desinged spaces or use our app to book in 3 easy steps.

Activate Windows
Go to Settings to activate Windows.

4)CONTACT-PAGE:



CONTACT US


Name:
Write your name here..

Email:
Let us know how to contact you back..

Message:

Activate Windows
Go to Settings to activate Windows.

4)CUSTOMER-LOGIN-PAGE:



5. CUSTOMER-REGISTRATION-PAGE:

Home

SIGN UP

First Name *
FirstName

Last Name *
LastName

Email *
Email ID

Contact No. *
Contact Number

Date of Birth *
mm/dd/yyyy

Gender *
☐ Male ☐ Female ☐ Other

Activate Windows
Go to Settings to activate Windows.



Gender *

☐ Male ☐ Female ☐ Other

Address *

City *


Country *

Pincode *


Password *

Confirm Password *

[Sign Up](#)



Activate Windows
Go to Settings to activate Windows.



City *

Country *

Pincode *


Password *

Confirm Password *


[Sign Up](#)

[Reset](#)


[Return to Login Page](#)



Activate Windows
Go to Settings to activate Windows.



6) ADMIN-LOGIN-PAGE:



7) ADD-HOTELS:



ADD-HOTEL-FORM:

Home

-----ADD HOTEL DETAILS-----

Hotel ID ^

Hotel Name *


Country *

City *

Pincode *

Facilities *

Activate Windows
Go to Settings to activate Windows



Hotel Name *

Country *

City *


Pincode *

Facilities *

Ratings *

[ADD HOTEL](#)

8)DELETE -PAGE:



[Home](#) [Admin Home](#)

DELETE HOTEL
Hotel ID *

[DELETE HOTEL](#)

9)MODIFY-PAGE:

localhost/THP_CS/Admin_Mod.php localhost / 127.0.0.1 / hotel_admin hotels name Google Search

localhost/THP_CS/Admin_Mod.php

Home Admin Home

ALL HOTELS

HOTEL ID	HOTEL NAME	COUNTRY	CITY	ADDRESS	PINCODE	CONTACT NUMBER	EMAIL	FACILITIES	RATINGS	
1	Hotel Star Plaza	India	Vellore	2222 Warden Avenue	632014	0745123694	Hotelplaza@gmail.com	It has complementary breakfast. Fully AC rooms	5	Edit
2	The Leela	India	New Delhi	P-19/A-4 Dilshad Garden	110095	7042855878	leelahotel@gmail.com	It has the best facilities with complementary breakfast and swimming pools	5	Edit
3	Park Plaza	India	New Delhi	2282 street, Dilshad Garden	110095	7042855878	ppHotel@gmail.com	It has no complementary breakfast. Some rooms are non AC	3	Edit
4	Shine Hotel	India	Vellore	34 main street, near VIT university	632014	9563214785	Shinehotel@gmail.com	Fully AC rooms. Parking available. Complementary Breakfast	4	Edit
	Taj Hotel	India	New Delhi	A-4 street, Dilshad Garden	110095	7042855220	Taj@gmail.com	Best Ambience Near to Pacific Mall. Complementary breakfast	4	Edit

15:35 05-05-2020

localhost/THP_CS/Admin_Mod.php localhost / 127.0.0.1 / hotel_admin hotels name Google Search



localhost/THP_CS/Admin_Mod.php

ALL HOTELS


HOTEL ID	HOTEL NAME	COUNTRY	CITY	ADDRESS	PINCODE	CONTACT NUMBER	EMAIL	FACILITIES	RATINGS	
1	Hotel Star Plaza	India	Vellore	2222 Warden Avenue	632014	8745123694	Hotelplaza@gmail.com	It has complementary breakfast. Fully AC rooms	5	Edit
2	The Leela	India	New Delhi	P-19/A-4 Dilshad Garden	110095	7042855878	leelahotel@gmail.com	It has the best facilities with complementary breakfast and swimming pools	5	Edit
3	Park Plaza	India	New Delhi	2282 street, Dilshad Garden	110095	7042855878	ppHotel@gmail.com	It has no complementary breakfast. Some rooms are non AC	3	Edit
4	Shine Hotel	India	Vellore	34 main street, near VIT university	632014	9563214785	Shinehotel@gmail.com	Fully AC rooms. Parking available. Complementary Breakfast	4	Edit
5	Taj Hotel	India	New Delhi	A-4 street, Dilshad Garden	110095	7042855220	Taj@gmail.com	Best Ambience Near to Pacific Mall. Complementary breakfast	4	Edit

15:36 05-05-2020

10) ADMIN EDIT PAGE:



11) PAYMENT-PAGE:

 Welcome, User

Enter Your Details


We will use these details to share your booking information

Pay through:

☐ Debit Card ☐ Credit Card ☐ Cash

Activate Windows
Go to Settings to activate Windows.

12) BOOKING-PAGE:

 Welcome, User


Enter booking details

Please enter the follwing details to complete your booking


Enter number of guests

Enter number of rooms


Enter check-in date




Enter check-out date



Enter check-in time





Enter check-out time



Activate Windows
Go to Settings to activate Windows.

13) SEARCH-PAGE:

 Welcome, User



SKY 49048 Jayanthi Tower

City : Vellore
 Pin code: 632014
 Country: India
 (296 Ratings) . Good

Attached Bathroom	Daily
Housekeeping	
CCTV Cameras	+5 more

Rs. 565 per room per night

Book Now

DATABASE:

+ Options

	Admin_id	admin_username	admin_pssd
<input type="checkbox"/> Edit Copy Delete	1	stutisriva@gmail.com	23454637
<input type="checkbox"/> Edit Copy Delete	2	VASUDEV.GUPTA2019@GMAIL.COM	123098
<input type="checkbox"/> Edit Copy Delete	3	ragini2019@gmail.com	852147

☐ Check all
 With selected:
 ☐ Edit
 ☐ Copy
 ☐ Delete
 ☐ Export

USER TABLE(REGISTRATION-TABLE):

☐ Profiling
 [\[Edit inline\]](#)
[\[Edit\]](#)
[\[Explain SQL\]](#)
[\[Create PHP code\]](#)
[\[Refresh\]](#)

Show all |
 Number of rows: 25 |
 Filter rows: |
 Sort by key: None

	userid	user_fname	user_lname	email	contact_no	date_of_birth	gender	city	country	pincode	password
Copy Delete	1	hdja	hdsuak	sdajajda	3627682	0000-00-00	fdshhs	dfhsjkh	hfdjs	345	fhdsj
Copy Delete	2	stuti	mohan	stutisrivastava171@gmail.com	8764321456	2020-06-26	female	kanpur	DENMARK	208020	1234
Copy Delete	4	shreya	srivastava	stutisrivastava171@gmail.com	9453075969	2020-06-26	female	kanpur	INDIA	208020	1234
Copy Delete	6	RAGINI	mohan	ragini2019@gmail.com	9453075969	2020-06-30	female	kanpur	INDIA	208020	vgubhu8765

☐ Check all
 With selected:
 Edit
 Copy
 Delete
 Export

Show all |
 Number of rows: 25 |
 Filter rows: |
 Sort by key: None























HOTEL TABLE STRUCTURE:

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
1	Hotel_ID	int(5)			No	None		AUTO_INCREMENT	Change Drop More
2	Hotel_Name	varchar(20)	utf8mb4_general_ci		No	None			Change Drop More
3	Country	varchar(10)	utf8mb4_general_ci		No	None			Change Drop More
4	City	varchar(10)	utf8mb4_general_ci		No	None			Change Drop More
5	Address	varchar(80)	utf8mb4_general_ci		No	None			Change Drop More
6	Pincode	int(6)			No	None			Change Drop More
7	Contact_No	varchar(20)	utf8mb4_general_ci		No	None			Change Drop More
8	Email	varchar(20)	utf8mb4_general_ci		No	None			Change Drop More
9	Facilities	varchar(80)	utf8mb4_general_ci		No	None			Change Drop More
10	Ratings	int(2)			No	None			Change Drop More














HOTEL TABLE:

	Hotel_ID	Hotel_Name	Country	City	Address	Pincode	Contact_No	Email	Facilities	Ratings
1	1	Hotel Star Plaza	India	Vellore	2222 Warden Avenue	632014	8745123694	Hotelp plaza@gmail.com	It has complementary breakfast. Fully AC rooms	5
2	2	The Leela	India	New Delhi	P-19/A-4, Dilshad Garden	110095	7042855878	leelahotel@gmail.com	It has the best facilities with complementary breakfast and swimming pools	5
3	3	Park Plaza	India	New Delhi	2282 street, Dilshad Garden	110095	7042855878	ppHotel@gmail.com	It has no complementary breakfast. Some rooms are non AC	3
4	4	Shine Hotel	India	Vellore	34 main street , near VIT university	632014	9563214785	Shinehotel@gmail.com	Fully AC rooms Parking available Complementary Breakfast	4
6	6	Taj Hotel	India	New Delhi	A-4 street, Dilshad Garden	110095	7042855220	Taj@gmail.com	Best Ambience Near to Pacific Mall Complementary breakfast	4
























BOOKING TABLE:

	#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
<input type="checkbox"/>	1	BOOKING_ID 	int(11)			No	None		AUTO_INCREMENT	 Change  Drop  More
<input type="checkbox"/>	2	No_of_guest	int(11)			No	None			 Change  Drop  More
<input type="checkbox"/>	3	No_of_rooms	int(11)			No	None			 Change  Drop  More
<input type="checkbox"/>	4	Check_in_date	date			No	None			 Change  Drop  More
<input type="checkbox"/>	5	Check_out_date	date			No	None			 Change  Drop  More
<input type="checkbox"/>	6	Check_in_time	time			No	None			 Change  Drop  More
<input type="checkbox"/>	7	Check_out_time	time			No	None			 Change  Drop  More

CONTACT US TABLE:

	#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
<input type="checkbox"/>	1	cid 	int(10)			No	None		AUTO_INCREMENT	 Change  Drop  More
<input type="checkbox"/>	2	name	varchar(20)	utf8mb4_general_ci		No	None			 Change  Drop  More
<input type="checkbox"/>	3	email	varchar(20)	utf8mb4_general_ci		No	None			 Change  Drop  More
<input type="checkbox"/>	4	message	varchar(20)	utf8mb4_general_ci		No	None			 Change  Drop  More

PAYMENT TABLE:

	#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
<input type="checkbox"/>	1	payment_id 	int(10)			No	None			 Change  Drop  More
<input type="checkbox"/>	2	user_id 	int(10)			No	None			 Change  Drop  More
<input type="checkbox"/>	3	username 	varchar(20)	utf8mb4_general_ci		No	None			 Change  Drop  More
<input type="checkbox"/>	4	email 	varchar(20)	utf8mb4_general_ci		No	None			 Change  Drop  More
<input type="checkbox"/>	5	contact_no 	int(10)			No	None			 Change  Drop  More
<input type="checkbox"/>	6	pay_through	varchar(10)	utf8mb4_general_ci		No	None			 Change  Drop  More

