## VIM-PLUG-IN bash-support.vim VERSION 5.0ALPHA

## HOT KEYS

Key mappings for Vim and gVim.

http://www.vim.org — Wolfgang Mehner, wolfgang-mehner@web.de

## (i) insert mode, (n) normal mode, (v) visual mode

		<b>H</b> elp
\he	English dictionary	(n,i)
\hb	display the Bash manual	(n,i)
\hh	help (Bash builtins)	(n,i)
\hm	show manual (cmd. line utiliti	es) (n,i)
\hp	help (plug-in)	(n,i)
		<b>B</b> ash
\bps	<b>p</b> arameter <b>s</b> ubstitution (list)	(n, i)
\bsp	special parameters (list)	(n, i)
\ben	environment (list)	(n, i)
\bbu	<b>bu</b> iltins (list)	(n, i)
\bse	set options (list)	(n, i)
\bso	shopts (list)	(n, i)
	C	omments
[n]\cl	end-of-line comment	(n, i, v)
[n]\ <b>c</b> j	adjust end-of-line comments	(n, i, v)
\cs	set end-of-line comment col.	(n)
[n]\CC	$code \rightarrow comment$	(n, i, v)
[n]\CO	uncomment code	(n, i, v)
\cfr	frame comment	(n, i)
\cfu	function description	(n, i)
\ch	file header	(n, i)
\csh	shebang	(n, i)
\cd	date	(n, i)
\ct	date & time	(n, i)

Comments (cont)		
\css	script sections	(n, i)
\ckc	keyword comments	(n, i)
\cma	plug-in macros	(n, i)
\ce	echo "actual line"	(n, i)
\cr	remove echo from actual line	(n, i)
	Sta	tements
\sc	case in esac	(n, i)
\sei	elif then	(n, i)
\sf	for in do done	(n, i, v)
\sfo	for (()) do done	(n, i, v)
\si	if then fi	(n, i, v)
\sie	if then else fi	(n, i, v)
\ss	select in do done	(n, i, v)
\su	until do done	(n, i, v)
\sw	while do done	(n, i, v)
\sfu	function	(n, i, v)
\se	echo -e ""	(n, i, v)
\sp	printf "%s"	(n, i, v)
\sae	array element \${.[.]}	(n, i, v)
\saa	arr. elem.s (all) \${.[@]}	(n, i, v)
\sas	arr. elem.s (1 word) \${.[*]}	(n, i, v)
∖ssa	subarray \${.[@]::}	(n, i, v)
\san	no. of arr. elem.s \${.[@]}	(n, i, v)
\sai	list of indices \${.[*]}	(n, i, v)
		Tests
\ta	arithmetic tests	(n, i)
\tfp	file permissions	(n, i)
\tft	file types	(n, i)
\tfc	file characteristics	(n, i)
\ts	string comparisons	(n, i)
\toe	option is enabled	(n, i)
\tvs	variables has been set	(n, i)
\tfd	file descr. refers to a terminal	(n, i)
\tm	string matches regexp	(n, i)

	IO-Red	lirection
\ior	IO-redirections (list)	(n, i)
\ioh	here-document	(n, i)
	<b>P</b> attern M	latching
pzo	zero or one, ?(   )	(n, i)
pzm	zero or more, *(   )	(n, i)
pom	one or more, +(   )	(n, i)
peo	exactly one, @(   )	(n, i)
pae	anything except, !(   )	(n, i)
ррс	POSIX classes	(n, i)
pbr	\${BASH_REMATCH[03]}	(n, i)
	S	nippets
\nr	read code snippet	(n, i)
\nv	view code snippet	(n, i)
\nw	write code snippet	(n, i, v)
\ne	edit code snippet	(n, i)
\ntl	edit local templates	(n, i)
\ntc	edit custom templates	(n, i)
\ntp	edit personal templates	(n, i)
\ntr	reread the templates	(n, i)
\ntw	template setup wizard	(n, i)
\nts	choose style	(n, i)
		<b>R</b> un
\rr	run script	(n, i, v)
\ra	set script cmd. line arguments	(n, i)
\rba	set interp. cmd. line arguments	(n, i)
\rc	check syntax	(n, i)
\rco	syntax check options	(n, i)
\ro	change output destination	(n, i)
\rd	set "direct run"	(n, i)
\rse	set shell executable	(n, i)
\rx	set xterm size	(n, i)
\re	make script executable/not exec.	(n, i)
\rh	hardcopy buffer	(n, i, v)
\rs	plug-in settings	(n, i)