





Internal Server Error

The server encountered an internal error or misconfiguration and was unable to complete your request.

The server encountered an internal error of miscomigation and was animote to complete your request.

Please contact the server administrator at webmaster@localhost to inform them of the time this error occurred, and the actions you performed just before this error.

More information about this error may be available in the server error log.

Apache/2.4.29 (Ubuntu) Server at moe.stuy.edu Port 80

Please contact the server administrator at wel

















Aim: How we use python to generate web pages?

Internal Server Error

The server encountered an internal error or misconfiguration and was unable to complete your request.

Please contact the server administrator at webmaster@localhost to inform them of the time this error occurred, and the actions you performed just before this error.

More information about this error may be available in the server error log.

Apache/2.4.29 (Ubuntu) Server at moe.stuy.edu Port 80

Internal Server Error - How to fix?

5. The python program runs fine, but does not produce a valid web server response.

This is almost certainly the issue with your simple python file.

In order for apache2 to send a valid response, it must be able to determine the MIME type of the response.

MIME type (also know as content type or media type)

Tells a web browser what kind of file it is loading (i.e. html, plain text, video, audio...)

To ensure that a web browser can understand the output of your python program, include the following line before any other python code:

print('Content-type: text/html\n')

This is a web response header that specifies the MIME type as HTML text.