

Internal Server Error

The server encountered an internal error or misconfiguration and was unable to complete your request.

Please contact the server administrator at webmaster@localhost to inform them of the time this error occurred, and the actions you performed just before this error.

More information about this error may be available in the server error log.

Aim: How we use python to generate web pages?

Internal Server Error

The server encountered an internal error or misconfiguration and was unable to complete your request.

Please contact the server administrator at webmaster@localhost to inform them of the time this error occurred, and the actions you performed just before this error.

More information about this error may be available in the server error log.

Apache/2.4.29 (Ubuntu) Server at moe.stuy.edu Port 80

Internal Server Error

You will see this a lot.

This means that apache2 (the web server) was unable to create & send back a response to the web browser.

There are many reasons this could happen:

1. apache2 doesn't have the correct permissions to run the program.
2. The python program is not configured to run on it's own.
3. The python program has an error when run.
4. The python program takes too long to run (~2 minutes)
5. The python program runs fine, but does not produce a valid web server response.
6. Something else

Aim: How we use python to generate web pages?

Internal Server Error

The server encountered an internal error or misconfiguration and was unable to complete your request.

Please contact the server administrator at webmaster@localhost to inform them of the time this error occurred, and the actions you performed just before this error.

More information about this error may be available in the server error log.

Apache/2.4.29 (Ubuntu) Server at moe.stuy.edu Port 80