

Scheme 3

Stage 3 Full-Text Deep Coding Scheme

Musculoskeletal-focused full-text adjudication and interpretive coding

Purpose

This scheme is the full-text deep coding framework used for Stage 3 candidate reviews, especially musculoskeletal chronic pain reviews. It captures conceptual depth that cannot be resolved reliably at the abstract level: coverage of each BPS domain, pairwise and triadic integration quality, biopsychosocial typology, psychological concepts, theoretical frameworks, conceptual problems, and evidential quotations.

Operational Status

- Workflow position: Stage 3 full-text coding after candidate identification and retrieval triage.
- Operational mode: human-coded template with pilot and reliability subsamples; protocol allows AI assistance for concept mapping, but final adjudication remains human.
- Canonical implementation basis: current full-text template and prose codebook.

Canonical Source Paths

- `src/protocol/codebooks/stage3_codebook.md`
- `src/review_stages/04_extraction/codebooks/stage3_codebook.csv`
- `src/bps_review/extraction/stage3_prep.py`
- `src/review_stages/04_extraction/forms/stage3_fulltext_coding_template.csv`
- `src/review_stages/04_extraction/forms/stage3_pilot_sample.csv`
- `src/review_stages/04_extraction/forms/stage3_reliability_sample.csv`

Core Fields and Controlled Values

`record_id` Internal record identifier.

`full_text_available`
yes; no; partial.

`pain_condition_detail`
Free-text specification of the pain condition studied in the review.

`domain_coverage_bio`
elaborated; mentioned; minimal; absent.

domain_coverage_psych
elaborated; mentioned; minimal; absent.

domain_coverage_social
elaborated; mentioned; minimal; absent.

integration_bio_psych
mechanistic; directional; descriptive; mentioned; none.

integration_psych_social
mechanistic; directional; descriptive; mentioned; none.

integration_bio_social
mechanistic; directional; descriptive; mentioned; none.

integration_triadic
mechanistic; descriptive; partial; none.

integration_mechanism_summary
Concise free-text summary of proposed cross-domain pathways.

overall_balance balanced; psych-dominant; bio-dominant; social-dominant; dyadic; unclear.

bps_typology true_integrative; multifactorial; pseudo_bps; rhetorical_bps; narrow_despite_label; unclear.

concept_definitions_present
yes; partial; no.

psychological_concepts_fulltext
Full-text concept list, normally normalized and semicolon-delimited.

theoretical_frameworks_fulltext
Full-text framework list, normally normalized and semicolon-delimited.

conceptual_problems_fulltext
Conceptual issues such as vague definitions, construct overlap, tokenistic BPS use, missing social analysis, missing biology, mechanistic absence, unclear boundaries, or other.

integration_quotes_or_evidence
Supporting quotations, section references, or evidential anchors from the full text.

coder_id / coder_notes / adjudication_status
Provenance and adjudication tracking fields.

Typology Interpretation Rules

true_integrative Explicit cross-domain causal or mechanistic interaction is central to the review's logic.

multifactorial	Multiple domains are covered meaningfully but mostly in parallel rather than as an integrated explanatory model.
pseudo_bps	BPS language is used, but one or more core domains are thin, absent, or tokenistic.
rhetorical_bps	BPS is used mainly as framing, justification, or rhetorical positioning without substantive analytic integration.
narrow_despite_label	The review claims a BPS framing, but substantive scope is essentially single-domain or severely restricted.

Coding Expectations

- Domain coverage is coded at the level of substantive treatment, not keyword presence alone.
- Pairwise integration codes should reflect whether the review articulates mechanisms, directional influences, descriptive links, or only passing mention.
- Triadic integration should be reserved for genuinely three-domain reasoning rather than serial mention of separate domains.
- The scheme is designed to combine quantitative tallying with qualitative excerpting so that research questions on both distribution and interpretation can be answered from the same coding file.

Reliability Architecture

- Pilot sample: up to 5 records generated through `src/bps_review/extraction/stage3_prep.py`.
- Reliability sample: roughly 20% of candidates, capped operationally in the form-generation logic.
- Reliability fields include independent reviewer ratings for domain coverage, triadic integration, BPS typology, and free-text notes, followed by adjudicated values.

Implementation Notes and Documented Divergences

- The prose Stage 3 codebook includes **partial** and **mentioned** intermediary integration values more explicitly than the CSV codebook; this dossier follows the prose codebook plus the actual form field names because that is the richer operational specification.
- The CSV codebook uses shorter names such as **bio_coverage**; the current generated template uses **domain_coverage_bio**. The template naming is treated here as canonical because it is the actual working form.

Primary Outputs and Forms Using This Scheme

- `src/review_stages/04_extraction/forms/stage3_fulltext_coding_template.csv`
- `src/review_stages/04_extraction/forms/stage3_pilot_sample.csv`
- `src/review_stages/04_extraction/forms/stage3_reliability_sample.csv`
- `src/review_stages/04_extraction/outputs/stage3_candidate_manifest.csv`