BFP TERRAIN RULES (TR)

INTO THE RUBBLE (ITR)



ITR 1. RAILROADS: Boards BFP A and BFP B feature Railroads. All RR (B32) rules apply normally except as modified herein. BFP A T4 is an example of a RR hex.

ITR 1.1 RR MOVEMENT: All Infantry/Vehicular movement is conducted per B32. When both BFP A and BFP B are aligned such that hexrows A are abutted together or hexrows GG are abutted together, the road switches which side of the railroad it is on. This is always considered a Ground Level RR crossing (B32.41). A unit moving along the road is always considered to enter A (GG) 6 of the board being moved on to. A unit moving along the RR is always considered to enter A(GG) 5 of the board being entered. (EX: a unit in BFP A FF5 on the road uses one MF to enter BFP B GG6 and is still on the road; a unit in BFP A FF5 on the RR uses the applicable RR movement costs and is in BFP B GG5 on the RR). Regardless of SBR defined RR, the A/GG RR hexes are always ground level. All hexes numbered 5 are RR and those numbered 6 are roads for offboard movement.





ITR 2.0 RAILROAD STATION/FACTORY: All Factory (O5) rules apply except as modified herein. A RR Station is treated exactly like a Factory (B23.74); the term RR Station/Factory is interchangeable. They are always in effect on boards BFP A/B; each building with ≥ one road or railroad track entering it is a RR Station/Factory. Any building with a Factory Interior Wall (O5.3) on more than one hexside is also a Factory. Railroad tracks that enter a Factory are treated as a Vehicular-Sized Entrance (B23.742; O5.2) and Rooftop Access Point (B23.87); the RR entering a RR Station is always a GLRR, regardless of SBR assigned type. BFP A building U8 is an example of a RR Station.

ITR 2.1 GUNS: Any type of Gun, regardless of size, may set up in any board BFP A/B Factory (and any such 'Factory' overlay). Vehicles towing Guns may only enter through Vehicular sized entrances. A Gun may only enter/exit a non-vehicular sized entrance by Manhandling *[EXC: dm Mortar]*.



ITR 3. STORAGE TANKS: A large round gray structure that looks similar to a building is a Storage Tank. All Storage Tank (O9) rules apply except as amended herein. They are either a 1.5 level or 2.5 level obstacle. Those with a large white circle in the middle are a 2.5 level obstacle. BFP A X7 is an example of a 2.5 level Storage Tank. BFP B X3 is an example of a 1.5 level Storage Tank.



ITR 4. TOWERS: A large round brown structure is a Tower. Hex BFP A K6 is an example of a Tower. All Tower (B34) rules apply except as amended herein. BFP A/B Towers are always one level higher than the base level of the hex except when an SBR states otherwise. The brown Tower depiction itself is a LOS obstacle. The ground level Location (but not inherent terrain) is a level one, +1 Hindrance (two level Hindrance if the Tower is specified at two levels above ground).



ITR 5. WALL HEXSIDE/EmRR: Board BFP B W6-W5 is an example where a RR is adjacent to a wall, and a clarification is necessary when the RR is defined as an EmRR and is thereby treated as a Hillock. The wall

©2010 Bounding Fire Productions, LLC

raises from ground level. A unit with Wall Advantage in W6 can see past W5, and for example, has an LOS to W3.



ITR 6. DEBRIS: All Debris (O1) rules apply normally. Debris overlays are placed in the same manner as other overlays. The Rubbled City overlay (BFP RC-1) also contains Debris hexes (EX: BFP RC1 hex L3 shown if the next image below).

ITR 7. RUBBLED CITY: (A portion is shown below)



The Rubbled City overlay BFP RC-1 is specifically designed for boards 1, 20, 21, 22, 45, 49, and 51. The overlay is always placed on hexes I2-I1 of the above noted boards.

ITR 8. FACTORY: The large overlay BFP F1 (shown below) is always a Factory unless an SBR states otherwise. Any road/RR that runs into a hex of the overlay creates a Vehicle size entrance along the hexside and a Rooftop Access Point in the hex of the building, even if the road/RR does not actually touch the building.



In the image shown above, the BFP F1 Factory Overlay has been placed on BFP A in hexes Z6-Z7. There is a Vehicular-Sized Entrance along the Y6-Z6, Y8-Z7, and AA6-Z6 hexsides; Z6 and Z7 also each contain a Rooftop Access Point.



ITR 9. PARTIALLY RUBBLED BUILDING: Hex RC-1 O3 represents a two-hex, 1.5 level building, one hex of which has been rubbled. Consequently, hex O3 is considered to be a 1.5 level LOS Obstruction, has a Ground and 1st Level and an inherent stairwell.





ITR 10. BUILDING-ROADS: Several hexes contain buildings with roads that parallel a hexside (EX: Overlay RC-1 P1), or straddle the hexside like a Narrow Road but contain terrain other than a building/woods in the ADJACENT hex common with the bypassing road (EX: BFP A L3). For movement purposes, all bypass rules apply normally except as clarifed or amended herein for the hexside with the road. A unit using Bypass along the hexside is always considered to be on the road with LOS traced in the normal fashion (i.e., A4.43 for Infantry/Cavalry, D2.37 for VBM). Units traversing a road hexside via Bypass pay the road movement rate. VBM is allowed regardless of the distance between the obstacle and the hexside. Dashing across/along and Routing along are NA. B31.141-.1411 applies for Roadblocks.

©2010 Bounding Fire Productions, LLC

Beyond the Beachhead 2 (BtB)

BtB 1. BOCAGE: Bocage is depicted on hexsides by a green hedge encased by brown. This brown depiction is part of the Bocage. All Bocage rules (B9) are applicable. Hedges and Walls may also exist on boards with printed Bocage.



The M5 hexside in the example to the right is printed Bocage.

BtB 2. BOCAGE VERTEXES:



Any vertex that connects Bocage with a Hedge and/or Wall and/or Light Bocage (BtB 3) is considered Bocage for LOS/LOF and Concealment Gain/Loss purposes.

The L4/L5/M5 vertex in the image to the left is an example of a Bocage vertex, where it connects with the L4/L5 hedge hexside.

BtB 3. LIGHT BOCAGE: Light Bocage only comes into effect by Special Battle Rule (SBR), and is used to represent Bocage that is more restrictive than a Hedge but not as restrictive as standard Bocage. If a SBR defines Bocage as Light Bocage, all vertexes per BtB 2 are Light Bocage. All rules for Bocage apply except as modified herein.

BtB 3.1 LOS: Light Bocage affects LOS as a ½ Level Obstacle and does not create any blind hexes. LOS along a hexspine exists just like a Wall/Hedge but with Bocage TEM.

BtB 3.2 MOVEMENT: Crossing a Light Bocage hexside costs infantry 1.5 MF + COT of the Location being entered. Only fully-tracked vehicles may cross a Light Bocage hexside *[EXC: any vehicle may cross via a road or Breach (B9.541)]* by expending ¼ MP allotment, FRU + COT of the hex being entered. An AFV crossing a Light Bocage hexside cannot use Reverse-movement or carry Riders, and is subject to Underbelly Hits (D4.3), loss of Schuerzen (D11.2), and Bog Check as it crosses the Light Bocage hexside (D8.2, in the hex being exited) *[EXC to all: if crossing via a road or Breach]*.

BtB 4. HEXSIDE BUILDINGS:



Some hexsides on overlay BFP V-2 contain small buildings. A building that is in two hexes is still a one level building if there are other buildings in those hexes that touch the center dots. Such a building is not an extra Location for Victory Conditions.

BtB 4.1 LOS: LOS is affected normally. If rubble is placed in one of the two hexes, rubble blocks LOS along that hexside normally.

BtB 4.2 MOVEMENT: Bypass movement by any unit is NA along a hexside with a hexside building depiction.

BtB 4.3 SNAP SHOT: Snap Shots (A8.15) are NA to a Hexside Building hexside.

BtB 5. SPECIAL AMMUNITION: SCW/HEAT may be used against a unit claiming Wall Advantage through a Bocage/Light Bocage hexside as if it were a Wall.

BtB 6. OVERLAYS: Overlays BFP V-1, V-3, and H-1 are specially designed for use on boards BFP C, D, E, and F. The number alignment is placed on hexes K2-K1 on any of the boards, and may also be used on some other boards in the system.

Blood and Jungle (B&J)



B&J 1. TERRAIN COUNTERS: Placement of Crag/Orchard/Light Jungle/Dense Jungle counters effects terrain the same as a Rubble counter (B24). The terrain in the hex is replaced by the terrain on the counter (B24.121). Any hexside walls/hedges remain (B24.2) *[EXC: Light and Dense Jungle counters eliminate any hexside walls/hedges (G.9C)]*, and turns Gullies/Streams/Wadis into Combination terrain.

©2010 Bounding Fire Productions, LLC

High Ground 2 (HG)

HG 1. FORDS: Board BFP K hexes L6 and R2 contain printed Fords (B20.8-20.82).

HG 2. OVERLAY BFP C-1: Overlay BFP C-1 is specifically designed for use on board BFP K. To align the overlay, match the hex coordinates of the overlay to those of the board. The overlay may also be used on other boards in the system.

©2010 Bounding Fire Productions, LLC