



# หน้าจอทั้งหมดของเว็บแอปพลิเคชัน ที่พัฒนา

# Login




```
public function login(Request $reqw){  
    $logins = DB::select("SELECT * FROM customers WHERE cus_email ='$reqw->name_l' AND cus_password ='$reqw->pssw'");  
    // $logins= customers::all();  
    $cus="";  
    $cus_n="";  
    $cus_id = 0;  
    foreach($logins as $arr){  
        $cus= $arr->cus_email;  
        $cus_n= $arr->cus_name;  
        $cus_id= $arr->cus_id;  
    }  
    if($cus!=""){  
        session_start();  
        $_SESSION["cus_name"] = $cus_n;  
        $_SESSION["cus_id"]=$cus_id;  
        return view('index');  
    }else{  
        ?>  
        <script>alert("ชื่อหรือรหัสผ่านไม่ถูกต้อง")</script>  
        <?php  
        return view('formlogin');  
    }  
}
```

# Sign up



```
public function add(Request $req){
    $logins = DB::select("SELECT * FROM customers WHERE cus_name ='$req->name' OR cus_email ='$req->email'");
    // $logins= customers::all();
    $cus="";
    $cus_n="";
    foreach($logins as $arr){
        $cus= $arr->cus_email;
        $cus_n= $arr->cus_name;
    }
    if($cus!="" || $cus_n!=""){
        ?>
        <script>alert("ชื่อหรือเมล์ถูกใช้งานไปแล้ว")</script>
        <?php
            return view('formlogin');
    }else{
        $cus = new customers();
        $cus->cus_name=$req->name;
        $cus->cus_password=$req->password;
        $cus->cus_tel= "";
        $cus->cus_email=$req->email;
        $cus->cus_address="";
        $cus->cus_province="";
        $cus->cus_area="";
        $cus->cus_pos="";
        $cus->cus_county="";
    }
}
```

# หน้าแก้ไขโปรไฟล์



```
public function profile(){
    $cus_na = $_SESSION["cus_name"];
    $logins = DB::select("SELECT * FROM customers WHERE cus_name='$cus_na'");
    $_SESSION["cus_id"] = 0;
    foreach($logins as $arr){
        $_SESSION["cus_id"] = $arr->cus_id;
    }
    return view('profile', compact('logins'));
}

public function up(Request $req){
    $cus = customers::where('cus_id', $_SESSION["cus_id"])->update([
        'cus_name' => $req->name,
        'cus_password' => $req->password,
        'cus_tel' => $req->tel,
        'cus_email' => $req->email,
        'cus_address' => $req->address,
        'cus_province' => $req->province,
        'cus_area' => $req->area,
        'cus_pos' => $req->pos,
        'cus_county' => $req->county,
    ]);
    $_SESSION["cus_name"] = $req->name;
    $logins = DB::select("SELECT * FROM customers WHERE cus_name='$req->name'");
    return view('profile', compact('logins'));
}
```

# หน้าเช็ค order

The screenshot shows a web application interface titled "Order" at the top left. The URL bar indicates the page is at `127.0.0.1:8001/order`. The header includes a logo of a hanger and the word "FASHION". Below the header is a user profile section featuring a black circular icon with a white user silhouette and the text "name user". A navigation bar below the profile has two tabs: "Information" (selected) and "order". The "Information" tab displays columns for NUMBER, BILL ID, DUE DATE, STATUS, and AMOUNT. The "order" tab displays the same columns. Two rows of data are present:

NUMBER.	BILL ID	DUE DATE	STATUS	AMOUNT
1	2	2022-03-21 17:32:54	Unpaid	33200
2	3	2022-03-21 17:32:54	Unpaid	33200

The bottom of the window shows a Windows taskbar with various icons and system status information: "28°C วันพุธ 3/22/2022 20:25 ENG".

```
public function order(){
    session_start();
    $id = $_SESSION['cus_id'];
    $dborder = DB::select("SELECT * FROM bills JOIN customers ON (bills.id_name = customers.cus_id) where customers.cus_
    return view('order',compact('dborder'));
}
```

# หน้าเพิ่มสินค้าลงตะกร้า

Product Card/Page

127.0.0.1:8001/Balenhoodiem\_m1

Balenciaga  
Jacket

## MENS LOGO MEDIUM FIT HOODIE

New Price: \$33200

About This Item:

Upside Down Jacket in light blue Japanese authentic denim

- Organic cotton
- Medium fit
- 1 kangaroo pocket on front
- Hood with drawstring
- Balenciaga logo printed at back
- Made in Portugal
- Cold machine wash
- Model is 187 cm / 61.62" and is wearing a FR size s

Select size

1 Add to shopping bags

28°C มีเมฆมาก 2026 3/22/2022

```
public function detail_hoodie_dm($id){  
    session_start();  
    $_SESSION['hoodiem'] = ["MENS LOGO MEDIUM FIT HOODIE", "MEN'S LOGO HOODIE MEDIUM FIT IN INDIGO", "MENS BB PIXEL MEDIUM F  
    $hoodie_M= $_SESSION['hoodiem'][$id-1];  
    $dbhoodie_M = DB::select("SELECT * FROM products WHERE pro_name='$hoodie_M'");  
    $_SESSION['detaildb'] = [] ;  
    foreach($dbhoodie_M as $db){  
        array_push( $_SESSION['detaildb'],$db->pro_id);  
        array_push( $_SESSION['detaildb'],$db->pro_name);  
        array_push( $_SESSION['detaildb'],$db->pro_price);  
        array_push( $_SESSION['detaildb'],$db->detail);  
        array_push( $_SESSION['detaildb'],$db->id_brand);  
    }  
    return view('balen_hoodie_m.detail_balenhoodie_m.productdetail_balen_hoodie',compact('id'));  
}
```

# หน้าบันทึกที่อยู่

Address

DALIVERY ADDRESS

full name :

address :

Sub-district / sub-area :

State / Province :

Country :

postal code :

Continous Cancel

```
public function address(){
    $id= $_SESSION['cus_id'];
    $logins = DB::select("SELECT * FROM customers WHERE cus_id='$id'");
    return view('address',compact('logins'));
}
```

# Admin

The screenshot shows a Laravel-based admin dashboard for a fashion store. The top navigation bar includes links for Facebook, YouTube, and various system modules like Admin, Ms Admin, Database, Localhost, HTML, Font, Icons, and many others. The main header displays the title "Admin".

The left sidebar contains a navigation menu with icons and labels: Fashon (Dashboard, Bill, Customer, Employee, Closets, Settings), Admin (Logout), and a user profile section.

The main content area is titled "Dashboard". It features a summary of order status: Total Order (3), Checking (3), Delivery (0), and Already Shipped (0). Below this are two sections: "Top Product" and "Top Product".

**Top Product (Sales):**

Product	Sales
WOMEN LASER-CUT FAKE FUR	414800 B
MEN COCOON AVIATOR JACKET	166500 B
WOMEN ALLOVER LOGO MAXI RAVER	145500 B
OMEN MAXI SKIRT	128400 B

**Top Product (Amount):**

Product	Amount
MEN LOGO MEDIUM FIT HOODIE	2
Cloths	2
MEN LOGO MEDIUM FIT HOODIE	2
Cloths	2
MEN LOGO HOODIE MEDIUM FIT	2
Cloths	1
MEN LOGO MEDIUM FIT HOODIE	1
Cloths	1

```
$dbtop = DB::table('products')->where('deleted_at','=',NULL)->orderByDesc('pro_price')  
->paginate(6);  
  
$stad = DB::table('bill_details')->join('products','bill_details.product_id','products.pro_id')  
->where('bill_details.deleted_at','=',NULL)->orderByDesc('bill_details.amount')  
->paginate(6);  
  
return view('admin',compact('sum','statussucceed','check','delivery','succeed','dbtop','stad'));
```

# Admin

The screenshot shows a web-based administration interface for a system named "Fashon". The top navigation bar includes links for "Dashboard", "Bill" (which is currently selected), "Customer", "Employee", "Closets", and "Settings". On the left, there is a sidebar with a user profile picture and the name "Admin". The main content area is titled "Bill" and displays a table with three rows of data. The columns are labeled "Bill ID", "Name BILL", "Name", "Address", and "status". The first row has a status message: "Your product is in preparation to be shipped". The second and third rows have a status message: "Check the transfer information". Each row contains "Detail", "Edit", and "Delete" buttons.

```
public function admin_bill(){
    $dborder = DB::table('bills')->join('customers','bills.id_name','customers.cus_id')->where('bills.deleted_at','=','NU
return view('admin.Bill',compact('dborder'));
}
```

# Admin

The screenshot shows a Laravel application's admin interface. On the left is a sidebar with icons for Admin, Dashboard, Bill, Customer, Employee, Closets, and Settings, along with a Logout button. The main area has a header 'Product' with a 'Fashion' logo and a 'Add Product' button. Below is a table listing five products:

Product_ID	Product img	Product name	Price	Product Type	Brand	Edit	Delete
1		MEN LOGO MEDIUM FIT HOODIE	33200	Hoodie men	Balenciaga	<button>Edit</button>	<button>Delete</button>
2		MEN LOGO HOODIE MEDIUM FIT	33200	Hoodie men	Balenciaga	<button>Edit</button>	<button>Delete</button>
3		MEN BB PIXEL MEDIUM FIT HOODIE	29500	Hoodie men	Balenciaga	<button>Edit</button>	<button>Delete</button>
4		MEN LOGO MEDIUM FIT HOODIE	33200	Hoodie men	Balenciaga	<button>Edit</button>	<button>Delete</button>
5		MEN LOGO HOODIE MEDIUM FIT	33200	Hoodie men	Balenciaga	<button>Edit</button>	<button>Delete</button>

A tooltip 'Screenshot saved' appears over the delete button for the fifth item.

```
public function ad_pro(){
    $productw = DB::table('products')
        ->join('product_typebrands','products.pro_type','product_typebrands.id')
        ->join('brands','product_typebrands.id_brand','brands.brand_id')
        ->where('products.deleted_at','=',NULL)->paginate(10);
    return view('ad_pro',compact('productw'));
}
```

# Admin

```
// ห้ามแก้ไขแบบเดียวๆ
public function edit_pro($id){
    $products = DB::table('products') ->join('product_typebrands','products.pro_type','product_typebrands.id')
    ->join('brands','product_typebrands.id_brand','brands.brand_id')->where('pro_id','=',$id)->get();
    $idstock="";
    foreach($products as $st){
        $idstock=$st->id_stock;
    }
    $stock = DB::table('stocks')->where('stock_id','=',$idstock)->get();
    return view('edit_pro',compact('products','stock'));
}
```

# Admin

The screenshot shows an Admin dashboard for a fashion store. The left sidebar includes links for Dashboard, Bill (selected), Customer, Employee, Closets, Settings, and Logout. The main content area displays 'Order Detail' for a product named 'MEN LOGO MEDIUM FIT HOODIE'. The table shows the following data:

Product_img	Product_name	Price	Amount	Size	Total
	MEN LOGO MEDIUM FIT HOODIE	33200	2	L	66400
Total					66400

The status bar at the bottom indicates it's 29°C, 3/31/2022, 21:49, and there are 10 notifications.

```
public function detail($b){  
    $p1 = (string)$b;  
    $stad = DB::table('bill_details')->join('products','bill_details.product_id','products.pro_id')  
    ->where('bill_details.id_billdetail','=',$p1)->get();  
  
    return view('admin.detail_order',compact('stad','b'));  
}
```

# Admin

Facebook (2) Admin localhost / 127.0.0.1 / projectwell 127.0.0.1:8001/add\_pro New Tab Settings คุณนี้ขออนุญาตใช้ หน้า... (1) Facebook YouTube หมายเหตุของคุณจะถูกบันทึก... iMacros 342117\_Materials ... Demo-Chrome ปีกง NW phpMyAdmin e-Learning mstc23 ผู้ดูแลระบบ

**Fashon**

ID : 55

name : Enter your name

Price : Enter your price

URL-img : เลือกไฟล์ ไม่ได้เลือกไฟล์

detail :

total size S : Enter your address

total size M : Enter your address

total size L : Enter your address

total size XL : Enter your address

product\_type :

Admin

Dashboard Bill Customer Employee Closets Settings Logout

```
public function add_product(){
    $count = DB::table('products')->count();
    $brands = DB::table('brands')->get();
    $product_type = DB::table('product_typebrands')->join('brands', 'product_typebrands.id_brand', 'brands.brand_id')->get();
    return view('add_pro', compact('count', 'brands', 'product_type'));
}
```

# Admin

The screenshot shows a web-based administration interface for a 'Fashion' application. The left sidebar includes links for Admin, Dashboard, Bill (which is currently selected), Customer, Employee, Closets, and Settings. The main content area is titled 'Bill' and contains a form for editing a bill. The form fields include:

- bill\_id: 1
- bill\_total: 66400
- bill address: 814 soi kku pet cha Surin 10512
- bill name recipient: Pet Cha
- id Track: 0
- id User: 2
- id billd: BD1
- id payment: 1
- employee check stock: ဓក្ខសទ គាតុខេត្ត
- employee deliveries: ဓក្ខសទ គាតុខេត្ត

A green 'SAVE' button is located at the bottom right of the form.

```
public function edit_bill($id){  
    $productw = DB::table('bills')  
    ->where('bills.bill_id', '=', $id)->get();  
    $bill_ch = DB::table('bills')  
    ->join('employee_checks', 'bills.id_emp_check', 'employee_checks.id')  
    ->where('bills.bill_id', '=', $id)->where('employee_checks.deleted_at', '=', NULL)->get();  
    $bill_de = DB::table('bills')  
    ->join('employee_deliveries', 'bills.id_emp_deli', 'employee_deliveries.id')  
    ->where('bills.bill_id', '=', $id)->where('employee_deliveries.deleted_at', '=', NULL)->get();  
    $empcheck = DB::table('employee_checks')->get();  
    $empdeli= DB::table('employee_deliveries')->get();  
    return view('admin.edit_bill', compact('productw', 'empcheck', 'bill_ch', 'bill_de', 'empdeli'));  
}
```



**THANK YOU  
SO MUCH!**

