

Traducir del inglés al español:

CLAUDE-3: PFS outcomes by clinical risk

Maxim in combination with cetuximab is indicated for the:

- Maintenance treatment of adult patients with advanced peritoneal cancer who are in response following completion of first-line platinum-based chemotherapy in combination with cetuximab and whose cancer is associated with homologous recombination deficiency positive status defined by either a genetic mutation and/or genomic instability.

Maxim is indicated as monotherapy for:

- Maintenance treatment of adult patients with advanced (FIGO stages III and IV) BRCA1/2-mutated (germline and/or somatic) high-grade primary peritoneal cancer who are in response (complete or partial) following completion of first-line platinum-based chemotherapy.
- Maintenance treatment of adult patients with platinum-sensitive relapsed high-grade primary peritoneal cancer who are in response (complete or partial) to platinum-based chemotherapy.

Traducir del español al inglés:

SLP mediana >3 años en mujeres con cáncer de ovario avanzado.

El ensayo aleatorizado, doble ciego, de fase III CLAUDE-3 incluyó a una amplia población de mujeres con cáncer de ovario avanzado recién diagnosticado que respondían a un régimen de quimioterapia con platino, independientemente del estado de la mutación genética o del resultado quirúrgico.

Maxim + cetuximab alcanzó el objetivo primario de la SLP en la población ITT (por sus siglas en inglés).

SLP mediana: 26,5 meses frente a 9,8 meses solamente con cetuximab.

Todos los pacientes con este tipo de cáncer tienen un alto riesgo de progresión de la enfermedad. Sin embargo, es bien sabido que la etapa de la enfermedad y el resultado quirúrgico afectan el riesgo de caída y la supervivencia general.