

# UUB Charge and Peak histograms

Mauricio Suárez Durán and Ioana C. Mariş

IIHE-ULB

April 9, 2021





# UUB Charge and Peak histograms

- ▶ Station studied: 863
- ▶ Data from CDAS.
- ▶ Software CDAS, pre-production version.

# PMT 1: UUB Peak Histogram



## Raw UUB Peak Histogram



Not zero counts in the first bin

# PMT 1: UUB and UB counts in the first bin in Raw Peak Histogram


`IoSdHisto::Peak[pmtId][0]`




# PMT 1: UUB and UB counts in the first bin in Raw Peak Histogram

IoSdHisto::Peak[pmtId][0]


Counts in first bin for UUB Peak Histograms PMT2 St863




Counts in first bin for UB Peak Histograms PMT2 St863



Counts in first bin for UUB Peak Histograms PMT3 St863



Counts in first bin for UB Peak Histograms PMT3 St863



# From UUB raw Peak histogram to the correct format

## Applying `IoSdStation::HPeak` method


Each bin ( $j$ ) of raw histogram is corrected as:

$$xp[j] = j * mult + offset; \quad xp[100 + j] = 100 * mult + bigbins * j * mult + offset;$$

Here, *mult* and *bigbins* are constants and equal to 4; the *offset* is set for each event.

As instance, for event 61219267 the offset = 273, so a value of 273 for the first bin of the Peak histogram.

UUB Peak-Histogram PMT1 St863 event: 61219267 Offset: 273




# UUB Peak histogram Correcting for baseline

Baseline histogram getting from


`loSdStation::HBase`

`xb[j] = j+offset;`

`yb[j] = Histo->Base[pmt][j]`




UUB Peak-Histogram PMT1 St863 event: 61219267 Offset: 273




Not corrected

UUB Peak-Histogram PMT1 St863 event: 61219267 Corr. BL: 284




Corrected, but shows negative bins

# UUB Peak histogram Correcting for Offset




Not corrected



Corrected

Zooming to check the threshold,  
but no one can be seen.







# Offset values for UUB Peak histograms

## For LPMT1

Offset for Peak Histograms PMT1 St863







Offset minus first-bin Peak Histograms PMT1 St863



# Offset values for UUB Peak histograms

## For LPMT2 and LPMT3



## How to correct to obtain the right format?


**Here, the correct format is one that shows some threshold.**

Two methods to check the baseline:


1. `IoSdStation::HBase[pmt]`, return a histogram with the baseline distribution, according with: `histo->GetXaxis()->Set(20, offset, offset + 20)`; so, this method depends on the Offset.
2. `Calib->Base[pmt]` of the `IoSdCalib` class. This returns the value of the baseline, I guess it coming from some measurement performed at the WCD, but I am not sure.

# Comparison: UUB Baseline `IoSdStation::HBase[pmt]` and `Calib.Base[pmt]`


UUB Mean Baseline HBase PMT1 St863




UUB Baseline Calib PMT1 St863




UUB Mean Baseline HBase PMT1 St863




UUB Baseline Calib PMT1 St863



# UUB Baseline values `IoSdStation::HBase[pmt]` and `Calib->Base[pmt]`





## UUB Baseline values `IoSdStation::HBase[pmt]` and `Calib->Base[pmt]`



The Offset is increasing with the time, so this explain why the baseline from HBase is increasing too.


# From UUB raw Peak histogram to the correct format, via Calib.Base[pmt]



Now, a threshold is seen, the correct one?

# From UUB raw Peak histogram to the correct format, via Calib.Base[pmt]

UUB first bin for peak histograms:




The threshold should be a constant, not too much here...



# Applying the previous steps to UUB Charge histograms

## Raw UUB Charge histogram



## From UUB raw Charge histogram to the correct format

### IoSdStation::HCharge


Each bin ( $j$ ) of the raw histogram is set as:

$$xc[j] = mult*j + offset; xc[400+j] = 400*mult + bigbins*mult*j + offset$$

Here,  $mult=8$  and  $bigbins=4$ , both of them constants;  
the *offset* is set for each event.



For event 61219267 offset = 0, with  
a value of 0 for the first bin of the

UUB Charge histogram.  
Not correction for baseline?



# Offset values for UUB Charge histograms


## For LPMT1




# Offset values for UUB Charge histograms

## For LPMT2 and LPMT3


Offset for Charge Histograms PMT2 St863




Offset minus first-bin Charge Histograms PMT2 St863



Offset for Charge Histograms PMT3 St863





Offset minus first-bin Charge Histograms PMT3 St863



# Comparison with UB version, same station

## Raw UB Peak Histogram



## From UB raw Peak histograma to the correct format


### IoSdStation::HPeak

Each bin ( $j$ ) of raw Peak histogram is set as:

$$xp[j] = j * mult + offset; \quad xp[100 + j] = 100 * mult + bigbins * j * mult + offset;$$


Here, *mult*, *bigbins*, and *offset* are constants and fixed in the code with values of:  $mult=1$ ,  $bigbins=3$  y  $offset = 0$ .

For event 61219267 offset = 57, with a value of 57 for the first of the histogram.




# UB Peak histogram Correcting for baseline

Baseline from `IoSdStation::HBase`




UB Peak-Histogram PMT1 St863 event: 59861717 Offset: 57




Not corrected

UB Peak-Histogram PMT1 St863 event: 59861717 Corr. BL: 58




Corrected

# UB Peak histogram Correcting for Offset




Not corrected



Corrected



Zooming to check the threshold





# Offset values for UB Peak histograms


## For LPMT1




# Offset values for UB Peak histograms

## For LPMT2 and LPMT3


Offset for Peak Histograms UB PMT2 St863




Offset minus first-bin Peak Histograms UB PMT2 St863



Offset for Peak Histograms UB PMT3 St863




Offset minus first-bin Peak Histograms UB PMT3 St863



# Applying the previous steps to UB Charge histograms

## Raw UB Charge histogram



## From UB raw Charge histogram to the correct format


### IoSdStation::HCharge

Each bin (j) of the raw Charge histogram is set as:

$$xc[j] = mult*j + offset; xc[400+j] = 400*mult + bigbins*mult*j + offset$$



Here, *mult*, *bigbins* and *offset* are constants and fixed in the code with values of:  
 $mult=1$ ,  $bigbins=3$  y  $offset = 0$ .

For event 61219267 offset = 1155, with  
a value of 1155 for the first bin of the  
UB Charge histogram.



# Offset values for UB Charge histograms


## For LPMT1




# Offset values for UB Charge histograms

## For LPMT2 and LPMT3


Offset for Charge Histograms UB PMT2 St863




Offset minus first-bin Charge Histograms UB PMT2 St863



Offset for Charge Histograms UB PMT3 St863



Offset minus first-bin Charge Histograms UB PMT3 St863



# Checking Offset differences for more UUB Satations

## Stations to check:

0871 1224

0868 0804 1225

0859 0864 1220 1218

+0863 0866 +1222 +1219 +1211

+1740 +1743 +1221 +1223 +1217

=1747 =1741 =1745 =1818 =1851


=1729 =1735 =1746 =1819 =1791

The stations installed are:

Dec. 07-11: "+"



until Dec. 04: "="

The others which are not marked, still need to installed.



# Checking Offset differences for more UUB Satations





## Checking for LPMT1, Peak and Charge







# Checking Offset differences for more UUB Satations

## Checking for LPMT2 and LPMT3, Peak and Charge





# Area/Peak: Fitting histograms

## for UUB LPMT1



## for UB LPMT1



# Area/Peak: Fitting histograms

