

```
dependencies resolved.
Nothing to do.
Complete!
[ec2-user@ip-172-~]$ sudo dnf install -y git
Last metadata expiration check: 0:00:48 ago on Wed Sep 30 05:57:12 2026.
Dependencies resolved.
=====
Package                Arch      Version                               Repository      Size
=====
Installing:
git                    x86_64    2.50.1-1.amzn2023.0.1               amazonlinux     53 k
Installing dependencies:
git-core              x86_64    2.50.1-1.amzn2023.0.1               amazonlinux     4.9 M
git-core-doc          noarch    2.50.1-1.amzn2023.0.1               amazonlinux     2.8 M
perl-Error            noarch    1:0.17030-2.amzn2023.0.1            amazonlinux     42 k
perl-File-Find        noarch    1.37-477.amzn2023.0.9               amazonlinux     26 k
perl-Git              noarch    2.50.1-1.amzn2023.0.1               amazonlinux     41 k
perl-TermReadKey      x86_64    2.38-9.amzn2023.0.3                 amazonlinux     36 k
perl-lib              x86_64    0.65-477.amzn2023.0.9               amazonlinux     15 k
=====
Transaction Summary
=====
Install 8 Packages
```

```
[ec2-user@ip-172-~]$ sudo systemctl start docker
[ec2-user@ip-172-~]$ sudo systemctl enable docker
Created symlink /etc/systemd/system/multi-user.target.wants/docker.service → /usr/lib/systemd/system/docker.service.
[ec2-user@ip-172-~]$ sudo systemctl status docker
● docker.service - Docker Application Container Engine
   Loaded: loaded (/usr/lib/systemd/system/docker.service; enabled; preset: d
   Active: active (running) since Wed 2026-09-30 05:59:08 UTC; 21s ago
   TriggeredBy: ● docker.socket
     Docs: https://docs.docker.com
    Main PID: 29141 (dockerd)
      Tasks: 9
     Memory: 28.5M
        CPU: 326ms
    CGroup: /system.slice/docker.service
            └─29141 /usr/bin/dockerd -H fd:// --containerd=/run/containerd/con>
```

```
[ec2-user@ip-172-~]$ sudo mkdir -p /usr/local/lib/docker/cli-plugins
[ec2-user@ip-172-~]$ sudo curl -SL https://github.com/docker/compose/releases/latest/download/docker-compose-linux-x86_64 -o /usr/local/lib/docker/cli-plugins/docker-compose
% Total % Received % Xferd Average Speed Time Time Time Current
          Dload Upload Total Spent Left Speed
0 0 0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 0 0 0 0 0 0 0
100 30.83M 100 30.83M 0 0 102.4M 0 0 0
[ec2-user@ip-172-~]$ sudo chmod +x /usr/local/lib/docker/cli-plugins/docker-compose
[ec2-user@ip-172-~]$ docker compose version
Docker Compose version v5.5.1
[ec2-user@ip-172-~]$
```

```

[ec2-user@ip-172-31-10-10 ~]$ mkdir -p ~/
[ec2-user@ip-172-31-10-10 ~]$ cd ~/
[ec2-user@ip-172-31-10-10 ~]$ pwd
/home/ec2-user/
[ec2-user@ip-172-31-10-10 ~]$ git clone https://github.com/
Cloning into 'frontend'...
Username for 'https://github.com':
Password for 'https://github.com':
remote: Enumerating objects: 100% (436/436), done.
remote: Counting objects: 100% (436/436), done.
remote: Compressing objects: 100% (239/239), done.
remote: Total 436 (delta 209), reused 358 (delta 163), pack-reused 0 (from 0)
Receiving objects: 100% (436/436), 9.38 MiB | 18.80 MiB/s, done.
Resolving deltas: 100% (209/209), done.
[ec2-user@ip-172-31-10-10 ~]$ cd ~/
[ec2-user@ip-172-31-10-10 frontend]$ ls -la
total 156
drwxr-xr-x. 5 ec2-user ec2-user 16384 Sep 30 06:25 .
drwxr-xr-x. 3 ec2-user ec2-user   22 Sep 30 06:21 ..
drwxr-xr-x. 7 ec2-user ec2-user  147 Sep 30 06:25 .git
-rw-r--r--. 1 ec2-user ec2-user   42 Sep 30 06:25 .gitignore
-rw-r--r--. 1 ec2-user ec2-user  245 Sep 30 06:25 .oxlinttrc.json
-rw-r--r--. 1 ec2-user ec2-user   843 Sep 30 06:25 Dockerfile
-rw-r--r--. 1 ec2-user ec2-user  1278 Sep 30 06:25 README.md
-rw-r--r--. 1 ec2-user ec2-user   353 Sep 30 06:25 check.cjs
-rw-r--r--. 1 ec2-user ec2-user   892 Sep 30 06:25 check2.cjs
-rw-r--r--. 1 ec2-user ec2-user  1724 Sep 30 06:25 index.html
-rw-r--r--. 1 ec2-user ec2-user  7016 Sep 30 06:25 package-lock.json
-rw-r--r--. 1 ec2-user ec2-user   931 Sep 30 06:25 package.json
drwxr-xr-x. 2 ec2-user ec2-user   190 Sep 30 06:25 public
-rw-r--r--. 1 ec2-user ec2-user  1578 Sep 30 06:25 replace.cjs
-rw-r--r--. 1 ec2-user ec2-user  1229 Sep 30 06:25 replace_css.cjs
-rw-r--r--. 1 ec2-user ec2-user  1445 Sep 30 06:25 replace_env.cjs
-rw-r--r--. 1 ec2-user ec2-user  1770 Sep 30 06:25 replace_env.js
-rw-r--r--. 1 ec2-user ec2-user   961 Sep 30 06:25 resize-logo.ps1
drwxr-xr-x. 6 ec2-user ec2-user   136 Sep 30 06:25 src
-rw-r--r--. 1 ec2-user ec2-user   655 Sep 30 06:25 tsconfig.app.json
-rw-r--r--. 1 ec2-user ec2-user   119 Sep 30 06:25 tsconfig.json
-rw-r--r--. 1 ec2-user ec2-user   558 Sep 30 06:25 tsconfig.node.json
-rw-r--r--. 1 ec2-user ec2-user   161 Sep 30 06:25 vite.config.ts
[ec2-user@ip-172-31-10-10 frontend]$

```

```

[ec2-user@ip-172-
v22.23.2          frontend]$ node -v
v22.23.2
[ec2-user@ip-172-
10.9.8            frontend]$ npm -v
10.9.8
[ec2-user@ip-172-
                    frontend]$ npm install

added 85 packages, and audited 86 packages in 10s

25 packages are looking for funding
  run `npm fund` for details

4 vulnerabilities (1 moderate, 3 high)

To address all issues, run:
  npm audit fix

Run `npm audit` for details.

npm notice
npm notice New major version of npm available! 10.9.8 -> 11.1.0
npm notice Changelog: https://github.com/npm/cli/releases/tag/v12.1.0
npm notice To update run: npm install -g npm@12.1.0
npm notice
[ec2-user@ip-172-
                    frontend]$ npm run build

> frontend@0.0.0 build
> tsc -b & vite build

vite v6.1.5 building client environment for production...
✓ 614 modules transformed.
computing gzip size...
dist/index.html                1.82 kB | gzip:   0.63 kB
dist/assets/index-BhnoQ1G8.css 102.75 kB | gzip:  14.00 kB
dist/assets/index-BsJm1671.js  876.79 kB | gzip: 260.87 kB

✓ built in 1.03s
[plugin builtin:vite-reporter]
(!) Some chunks are larger than 500 kB after minification. Consider:
- Using dynamic import() to code-split the application
- Use build.rollupOptions.output.codeSplitting to improve chunking: https://rollup.rs/reference/OutputOptions.codeSplitting
- Adjust chunk size limit for this warning via build.chunkSizeWarningLimit.
[ec2-user@ip-172-
                    frontend]$

```

[illegible]

```
[ec2-user@ip-172-31-1-10 ~]$ cd /home/ec2-user/
```

```

[ec2-user@ip-172-31-4-152 ~]$ docker images | grep -i frontend
ec2-user@ip-172-31-4-152 ~$ docker run -d \
--name z-frontend \
-p 3008:3008 \
z-frontend
511f3c455e971768c56282a8f5a145a4de95b35d5ae2b4a1
[ec2-user@ip-172-31-4-152 ~]$ docker ps
CONTAINER ID        IMAGE               COMMAND                  CREATED      STATUS      PORTS
518d1              z-frontend         "docker-entrypoint.s..." 12 seconds ago Up 12 seconds 0.0.0.0:3008->3008/tcp, :::3008->3008/tcp
[ec2-user@ip-172-31-4-152 ~]$

```

```

ec2-user@ip-172-31-4-152 ~$ git clone https://github.com/DigitBackend
Cloning into 'backend'...
Username for 'https://github.com':
Password for 'https://github.com':
remote: Enumerating objects: 118, done.
remote: Counting objects: 100% (118/118), done.
remote: Compressing objects: 100% (83/83), done.
remote: Total 118 (delta 59), reused 62 (delta 33), pack-reused 0 (from 0)
Receiving objects: 100% (118/118), 72.89 KiB | 4.86 MiB/s, done.
Resolving deltas: 100% (59/59), done.
[ec2-user@ip-172-31-4-152 ~]$ cd ~/backend
ls -la
total 156
drwxr-xr-x. 4 ec2-user ec2-user 16384 Sep 30 07:48 .
drwxr-xr-x. 4 ec2-user ec2-user 37 Sep 30 07:47 ..
drwxr-xr-x. 7 ec2-user ec2-user 147 Sep 30 07:48 .git
-rw-r--r--. 1 ec2-user ec2-user 33 Sep 30 07:48 .gitignore
-rw-r--r--. 1 ec2-user ec2-user 150 Sep 30 07:48 Dockerfile
-rw-r--r--. 1 ec2-user ec2-user 4326 Sep 30 07:48 db.ts
-rw-r--r--. 1 ec2-user ec2-user 1511 Sep 30 07:48 migrate-collections.ts
-rw-r--r--. 1 ec2-user ec2-user 556 Sep 30 07:48 migrate-subcategory.js
-rw-r--r--. 1 ec2-user ec2-user 83529 Sep 30 07:48 package-lock.json
-rw-r--r--. 1 ec2-user ec2-user 769 Sep 30 07:48 package.json
drwxr-xr-x. 2 ec2-user ec2-user 16384 Sep 30 07:48 routes
-rw-r--r--. 1 ec2-user ec2-user 6534 Sep 30 07:48 schema.sql
-rw-r--r--. 1 ec2-user ec2-user 2606 Sep 30 07:48 server.ts
[ec2-user@ip-172-31-4-152 ~]$

```

```

[ec2-user@ip-172-31-4-152 ~]$ docker network ls
NETWORK ID          NAME                DRIVER              SCOPE
8e4                bridge             bridge             local
b9d                host               host               local
0ea                none              null              local
[ec2-user@ip-172-31-4-152 ~]$ docker network create --network 0049adf2f5d21231b5642f9df6b0f57b01020fa5d :174
[ec2-user@ip-172-31-4-152 ~]$ docker images
REPOSITORY          TAG                 IMAGE ID            CREATED             SIZE
ec2-user@ip-172-31-4-152 ~$ docker volume create --postgres-data
[ec2-user@ip-172-31-4-152 ~]$ docker run -d --name postgres --network postgres-data --network -e POSTGRES_DB=postgres -e POSTGRES_USER=postgres -e POSTGRES_PASSWORD=postgres
Unable to pull 'postgres:15' locally
15: Pulling from library/postgres
162b3da7: Pull complete
1b2b75ae: Pull complete
101c03f7: Pull complete
1e7c234f: Pull complete
1b99a33a: Pull complete
1d497deb: Pull complete
12aaec0a: Pull complete
1ff090e8: Pull complete
140fb214: Pull complete
17c0cd7d: Pull complete
12bdna52: Pull complete
1b8e5e6e: Pull complete
17f15943: Pull complete
170d9ealc085: Pull complete
Digest: sha256:724292da1f2e50bdcfc3302ce75bbba7f4a6076701b508cc795fc
Status: Downloaded newer image for postgres:15
59003c3e41e1b54c9 1b6c5de905c049f2a943aad88f0ff486ca03804
[ec2-user@ip-172-31-4-152 ~]$

```

```

[ec2-user@ip-172-... ~]$ cd /backends
[ec2-user@ip-172-... ~]$ docker build -t backend .
[*] Building 6.0s (11/11) FINISHED
--> [internal] load build definition from Dockerfile
--> == transferring dockerfile: 248B
--> [internal] load metadata for docker.io/library/node:12-alpine
--> [internal] load .dockerignore
--> == transferring context: 7B
--> [1/4] FROM docker.io/library/node:12-alpine@sha256:0a7198dfc70f5aa3707fd1ab4e4ba93d465043ff159f8e1a6d1f0a62bc04402
--> [internal] load build context
--> == transferring context: 249.52MB
--> CACHED [1/4] WORKDIR /app
--> [2/4] COPY package*.json ./
--> [3/4] RUN npm install
--> [4/4] CMD node -- -p /app/uploads
--> exporting to image
--> exporting layers
--> writing image sha256:aef23414 *****T9TS9PZ3CQaa71B7AC53Cc40B42B12E45777eb435a
--> == naming to docker.io/library/backend
[ec2-user@ip-172-... ~]$ docker run -d --name backend --network --env-file .env -p : -v : -uploads:/app/uploads -backend
[ec2-user@ip-172-... ~]$ docker ps
CONTAINER ID   IMAGE          COMMAND                  CREATED        STATUS      PORTS                    NAMES
1854e         backend       "docker-entrypoint.s..." 17 seconds ago Up 17 seconds    8/tcp, :::5008->5008/tcp   backend
841el         frontend     "docker-entrypoint.s..." 16 minutes ago Up 16 minutes    8/tcp, :::3008->3008/tcp   postgres
2afontend     backend       "docker-entrypoint.s..." About an hour ago Up About an hour    8/tcp, :::3008->3008/tcp   frontend
[ec2-user@ip-172-... ~]$ docker logs backend
> backend81.0.0 dev
> tsx watch server.ts

@ injected env (0) from .env // tip: □ override existing { override: true }
@ injected env (0) from .env // tip: □ secrets for agents [www.dotenvx.com]
@ injected env (0) from .env // tip: □ auth for agents [www.vestauth.com]
Server is running on port 5008
Successfully connected to PostgreSQL database!
Initializing database tables...
All tables verified/created successfully.
Default home content inserted.
[ec2-user@ip-172-... ~]$ curl -i http://localhost:5008/api/home-content
HTTP/1.1 200 OK
X-Powered-By: Express
Access-Control-Allow-Origin: *
Content-Type: application/json; charset=utf-8
Content-Length: 897
ETag: W/"3377-kH5glpWCM5m0lkueR8heAuv5oC"
```

[illegible]