# Rajalakshmi Engineering College

Name: Subashri .S 1

Email: 240801336@rajalakshmi.edu.in

Roll no: 240801336 Phone: 9080419390

Branch: REC

Department: I ECE AF

Batch: 2028

Degree: B.E - ECE



## NeoColab\_REC\_CS23231\_DATA STRUCTURES

REC\_DS using C\_Week 2\_COD\_Question 3

Attempt : 1
Total Mark : 10
Marks Obtained : 10

Section 1: Coding

### 1. Problem Statement

Bob is tasked with developing a company's employee record management system. The system needs to maintain a list of employee records using a doubly linked list. Each employee is represented by a unique integer ID.

Help Bob to complete a program that adds employee records at the front, traverses the list, and prints the same for each addition of employees to the list.

## **Input Format**

The first line of input consists of an integer N, representing the number of employees.

The second line consists of N space-separated integers, representing the employee IDs.

## **Output Format**

For each employee ID, the program prints "Node Inserted" followed by the current state of the doubly linked list in the next line, with the data values of each node separated by spaces.

Refer to the sample output for formatting specifications.

### Sample Test Case

```
Input: 4
    101 102 103 104
    Output: Node Inserted
101
   Node Inserted
    102 101
    Node Inserted
    103 102 101
    Node Inserted
    104 103 102 101
    Answer
    #include <iostream>
    using namespace std;
    struct node {
int info;
      struct node* prev, * next;
    };
    struct node* start = NULL;
    #include<stdlib.h>
    void traverse() {
      return;
    void traverse(struct node*head){
    while(head!=NULL){
        printf("%d",head->info);
```

```
head=head->next;
}
printf("\n");
}
                                                                                240801336
    void insertAtFront(int data) {
       struct node*newnode = (struct node*) malloc(sizeof(struct node));
       newnode->info= data;
       newnode->next = NULL;
       newnode->prev = NULL;
       static struct node*head = NULL;
head = newnode;
}
else {
         newnode->next = head;
         head->prev=newnode;
         head = newnode;
       }
       printf("Node Inserted\n");
       traverse(head);
     int main() {
       int n, data;
                                                                                240801336
       cin >> n:
      for (int i = 0; i < n; ++i) {
         cin >> data;
         insertAtFront(data);
         traverse();
       return 0;
    }
```

Status: Correct Marks: 10/10

240801334

240801336