

```

students = [
    {"name": "arun", "marks": [80, 75, 90]},
    {"name": "meena", "marks": [23, 45, 33]},
    {"name": "raj", "marks": [88, 80, 95]}
]

students.append({"name": "ajay", "marks": [67, 80, 77]})

print(students)

for student in students:
    total = sum(student["marks"])
    average = total / len(student["marks"])

    print(student["name"])
    print("total", total)
    print("average", average)

    if average >= 85:
        print("Topper", student["name"])
    elif average > 60:
        print("Pass")
    else:
        print("Fail")

search = input("enter: ")
for i in students:
    if i["name"] == search:
        print("found", i)
        break
    else:
        print("not found")

remove = input("enter student to be removed: ")
for i in students:
    if i["name"] == remove:
        students.remove(i)
        print("after removing", students)
        break

students.sort(key=lambda x: sum(x["marks"]) / len(x["marks"]))
print("after sorting:", students)

for n in students:
    avg = sum(n["marks"]) / len(n["marks"])
    if avg >= 50:
        print(n["name"], avg, "passed students")
print("count:", len(students))

newname = input("Enter student name: ")

for s in students:
    if s["name"] == newname:
        print("already exited")

```

```
        break
    else:
        print("not exited")
```

```
[{'name': 'arun', 'marks': [80, 75, 90]}, {'name': 'meena', 'marks': [23,
arun
total 245
average 81.66666666666667
Pass
meena
total 101
average 33.666666666666664
Fail
raj
total 263
average 87.66666666666667
Topper raj
ajay
total 224
average 74.66666666666667
Pass
enter: meena
not found
found {'name': 'meena', 'marks': [23, 45, 33]}
enter student to be removed: ajay
after removing [{'name': 'arun', 'marks': [80, 75, 90]}, {'name': 'meena'
after sorting: [{'name': 'meena', 'marks': [23, 45, 33]}, {'name': 'arun'
arun 81.66666666666667 passed students
raj 87.66666666666667 passed students
count: 3
Enter student name: 
```

