
1. Survival (foraging, 90 s)
fraction of episodes survived
0.0
0.2
0.4
0.6
0.8
1.0
0.23
(n=30)
0.70
(n=30)
0.83
(n=30)
0.83
(n=30)
0.77
(n=30)
Random
Reflex
(nociceptive)
Reflex
(thermotactic)
Motivational
reflex
Sensitizing
reflex
2. Anticipatory avoidance
encounters left before nociceptor > 0.5
0.0
0.2
0.4
0.6
0.8
1.0
0.34
(n=27)
0.25
(n=30)
1.00
(n=26)
0.97
(n=26)
0.55
(n=30)
Random
Reflex
(nociceptive)
Reflex
(thermotactic)
Motivational
reflex
Sensitizing
reflex
3. Motivational trade-off
crossing rate at E=0.08 minus at E=0.9
0.0
−0.2
−0.4
−0.6
−0.8
+0.00
(n=60)
+0.00
(n=60)
+0.00
(n=60)
-0.47
(n=60)
-0.47
(n=60)
Random
Reflex
(nociceptive)
Reflex
(thermotactic)
Motivational
reflex
Sensitizing
reflex
4. Sensitization
peak °C per encounter, after − before first harm
15
10
5
0
−5
+9.95
(n=14)
+8.77
(n=14)
n/a
n/a
-3.16
(n=10)
Random
Reflex
(nociceptive)
Reflex
(thermotactic)
Motivational
reflex
Sensitizing
reflex