



SQL - DDL Assignment

Task 1 : Create Table

Create the following table and write the queries for the following:

```
CREATE TABLE employees (  
    emp_id INT PRIMARY KEY,  
    first_name VARCHAR(50),  
    last_name VARCHAR(50),  
    department VARCHAR(50),  
    salary DECIMAL(10,2),  
    city VARCHAR(50),  
    email VARCHAR(100)  
);
```

INSERT INTO employees (emp_id, first_name, last_name, department, salary, city, email)
VALUES

(1, 'Priya', 'Sharma', 'Sales', 72000, 'New York', 'priya.sharma@company.com'),
(2, 'Rohan', 'Verma', 'IT', 95000, 'San Francisco', 'rohan.verma@company.com'),
(3, 'Ananya', 'Gupta', 'HR', 58000, 'Chicago', 'ananya.gupta@company.com'),
(4, 'Meera', 'Iyer', 'Finance', 88000, 'Boston', 'meera.iyer@company.com'),
(5, 'Ishaan', 'Khanna', 'IT', 105000, 'New York', 'ishaan.khanna@company.com'),
(6, 'Neha', 'Singh', 'Sales', 67000, 'Newark', 'neha.singh@company.com'),
(7, 'Kabir', 'Bhatia', 'Marketing', 64000, 'New Orleans', 'kabir.bhatia@company.com'),
(8, 'Heena', 'Andrews', 'Finance', 99000, 'Chicago', 'heena.andrews@company.com'),
(9, 'Vikram', 'Sethi', 'IT', 78000, 'New York', 'vikram.sethi@company.com'),
(10, 'Jia', 'Kapoor', 'Sales', 73000, 'San Jose', 'jia.kapoor@company.com'),
(11, 'Nikhil', 'Arora', 'IT', 120000, 'New York', 'nikhil.arora@company.com'),
(12, 'Rhea', 'Mukherjee', 'HR', 61000, 'Nashville', 'rhea.mukherjee@company.com'),
(13, 'Aarav', 'Nair', 'Marketing', 70000, 'Newark', 'aarav.nair@company.com'),
(14, 'Noah', 'Thompson', 'Finance', 83000, 'New Orleans',
'noah.thompson@company.com'),
(15, 'Olivia', 'Garcia', 'IT', 91000, 'Chicago', 'olivia.garcia@company.com'),
(16, 'Pooja', 'Jain', 'Sales', 68000, 'New York', 'pooja.jain@company.com'),
(17, 'Quinn', 'Robinson', 'Finance', 102000, 'Boston', 'quinn.robinson@company.com'),
(18, 'Samaira', 'Jain', 'HR', 59000, 'San Francisco', 'samaira.jain@company.com'),
(19, 'Zain', 'Hussain', 'Marketing', 75000, 'Chicago', 'zain.hussain@company.com'),
(20, 'Tina', 'Lewis', 'IT', 87000, 'New York', tina.lewis@company.com);

Questions :

- 1. Display each employee's full name in uppercase as a single column named EMPLOYEE_NAME.**
- 2. Show all employees' email IDs in lowercase with the domain "@company.com" replaced by "@myorg.com".**
- 3. Display the first 3 letters of each employee's first name along with the reversed last name.**
- 4. List all employees sorted by the length of their first name (shortest to longest). If lengths are equal, sort by first name alphabetically.**
- 5. Find all employees whose city name starts with the letter "n" (case-insensitive).**
- 6. Find how many distinct departments exist in the company.**
- 7. Show the average salary for each department, ordered by average salary descending.**
- 8. Display total salary by department, but only include departments whose total salary exceeds 200000.**
- 9. Return the top 3 highest-paid employees and, in a separate query, the bottom 3 lowest-paid employees.**
- 10. For each department, display DEPARTMENT (in uppercase), number of employees, minimum salary, maximum salary, and average salary; include only departments with more than 3 employees and an average salary below 90000. Order by average salary descending and return only the first 5 rows.**