Data Dictionary

Two CSV logs with one shared schema. They are used for synthetic data (`data/synthetic/`), blank templates (`data/templates/`), and real de-identified data (`data/real/`, **git-ignored, never commit**).

No PHI in these files: no names, DOB, addresses, phone numbers, or free-text clinical detail. `patient_id` is a study code (e.g., `P001`). The linking key stays at the clinic.

`screening_log.csv` — one row per adult visit

Field	Type	Allowed values	Notes
`visit_id`	text	unique, e.g. `V0001`	
`patient_id`	text	e.g. `P001`	Study code
`visit_date`	date	`YYYY-MM-DD`	Convert to `week` before data leaves the clinic
`week`	int	1..N	Project week (week 1 = first baseline week)
`phase`	text	`baseline`, `pdsa1`, `pdsa2`, `pdsa3`, `sustain`	
`excluded`	Y/N	`Y`, `N`	Y = medical/unable; removed from denominators
`exclusion_reason`	text	blank, `medical_unstable`, `unable_to_participate`	Required if `excluded = Y`
`screen_status`	text	`complete`, `partial`, `declined`, `not_screened`, `not_due`	`not_due` = complete screen within prior 90 days
`screener_role`	text	`MA`, `RN`, `CHW`, `clinician`, `volunteer`, blank	Blank if not screened
`language`	text	`en`, `es`, `other`	
`minutes`	int	blank or ≥ 0	Time to administer (balancing B2)
`housing_status`	text	`steady`, `at_risk`, `unstable`, blank	Q1
`sleep_location`	text	`unsheltered`, `vehicle`, `shelter`, `doubled_up`, `motel`, `own_place`, `other`, blank	Q1a
`housing_quality_pos`	text	`Y`, `N`, `NA`, blank	Q2; `NA` if no steady place
`food_pos`	text	`Y`, `N`, blank	Q3–4
`transport_pos`	text	`Y`, `N`, blank	Q5
`utilities_pos`	text	`Y`, `N`, `NA`, blank	Q6; `NA` if no steady place
`safety_pos`	text	`Y`, `N`, `deferred`, blank	Q7–10 sum ≥ 11
`literacy_pos`	text	`Y`, `N`, blank	Q11 (clinical response, not a referral)

Field	Type	Allowed values	Notes
id_docs_pos	text	Y, N, blank	Q12
notes	text	short, **no PHI**	e.g. baseline: food asked only

Domain fields are filled when screen_status is complete or partial. During baseline, partial records which domains happened to be asked.

referral_log.csv — one row per domain referral offered

Field	Type	Allowed values	Notes
referral_id	text	unique, e.g. R0001	
visit_id	text	must exist in screening log	
patient_id	text		
referral_date	date	YYYY-MM-DD	
domain	text	housing, food, transportation, utilities, safety, id_docs	Housing quality → housing
accepted	Y/N	Y, N	N = offered, patient declined
referral_type	text	warm_handoff, direct_referral, information_only	
resource	text	short name from the resource directory	e.g. WFCM, CSP
followup_date	date	blank or YYYY-MM-DD	
followup_status	text	pending, connected, not_connected, unable_to_reach, declined_followup	

Every row is an *offered* referral. “Offered for every actionable positive domain” (P2) is checked by matching domains to the visit’s positive screen fields.

Derived variables (computed in analysis/analyze.py)

- housing_pos = housing_status ∈ {at_risk, unstable}
- due = no complete screen for that patient in the 90 days before visit_date
- up_to_date = complete at this visit, or a complete screen within the prior 90 days
- actionable_positive_domains = positive among housing (status or quality), food, transportation, utilities, safety, id_docs