

台北南港展覽館2館
TAIPEI NANGANG EXHIBITION CENTER, HALL 2

七樓平面圖
7th Floor Plan

星光會議中心
Skylight Convention Center

貨品出入口尺寸 Exhibit Entrance: 1.5×2.1m (H)

701會議室 Conference Room 701: 3,880m²
- 室內高度 Ceiling Hight: 9m
- 樓地板載重 Floor Load: 1,200kg/m²

星光長廊 Sky Gallery: 2,796m²
- 室內高度 Ceiling Hight: 10.2-17.7m
- 樓地板載重 Floor Load: 750kg/m²

702/703會議室 Conference Room 702/703
- 室內高度 Ceiling Hight: 2.7m

- ▷ 消防栓（含火警綜合盤）Fire Hydrant
- ▶ 火警綜合盤 Fire Alarm Panel
- ▶ 滅火器 Fire Extinguisher
- 自動體外心臟電擊去顫器 AED
- ◀ 出入口 Entrance
- 飲水機 Water Dispenser
- 600"銀幕 Screen
- 360"銀幕 Screen + 16,000流明投影機 Projector
- 180"銀幕 Screen + 8,000流明投影機 Projector
- 無障礙廁所 Accessible Restroom
- 1 安全梯 Staira
- N1 出入口 Entrance / Exit

1、火警盤、滅火器、消防栓、電箱、灑水開關、CO/CO2偵測器及避難方向指示燈皆不得封閉。
Fire alarm panel, fire extinguisher, fire hydrant, power breaker, sprinkler switch, CO/CO2 sensor and all related signage in the hall should not be covered.

2、實際位置依現場為準。
Location of devices and facilities should be confirmed on site.

※本圖為示意圖，僅供參考。
This floor plan is for reference only, dimensions and composition are subject to change.

※活動主辦單位所自行規劃之攤位、舞台設計、裝潢圖，請先送外貿協會核定。
Event organizer must submit floor plan (including design of booth and stage) to TAITRA for prior consent.

2026.09版