





Full-run diagnostics: 421 questions (171 MedQA + 250 MATH)
T0: no tools. T1: optional privileged answer-sheet RAG. T2 excluded.




Full-run diagnostics: 421 questions (171 MedQA + 250 MATH)
Stored scorer labels; unparsed replies stay in the denominator. T2 excluded.




Full-run diagnostics: 421 questions (171 MedQA + 250 MATH)
Stored scorer labels; unparsed replies stay in the denominator. T2 excluded.




Main comparison: shared 361 questions (146 MedQA + 215 MATH)
Stored scorer labels; unparsed replies stay in the denominator. T2 excluded.




Main comparison: shared 361 questions (146 MedQA + 215 MATH)
Stored scorer labels; unparsed replies stay in the denominator. T2 excluded.



Agreement with the supplied false answer: common T0-correct cohort (n=361)
P1
P2
T0
T1
Percentage of replies
0
20
40
60
80
100
1.7
1.7
21.9
78.7
10.5
2.5
81.7
81.2
59.8
97.2
28.5
26.0
Qwen 2.5 3B
LLaMA 3.2 3B
Phi-4 Mini
Main comparison: shared 361 questions (146 MedQA + 215 MATH)
Stored scorer labels; unparsed replies stay in the denominator. T2 excluded.



Main comparison: shared 361 questions (146 MedQA + 215 MATH)
Stored scorer labels; unparsed replies stay in the denominator. T2 excluded.





Main comparison: shared 361 questions (146 MedQA + 215 MATH)
Stored scorer labels; unparsed replies stay in the denominator. T2 excluded.




Main comparison: shared 361 questions (146 MedQA + 215 MATH)

Common T0-correct cohort. Descriptive uncertainty; no causal attribution or multiplicity-adjusted hypothesis test.







Full-run diagnostics: 421 questions (171 MedQA + 250 MATH)
Stored scorer labels; unparsed replies stay in the denominator. T2 excluded.





Full-run diagnostics: 421 questions (171 MedQA + 250 MATH)
Stored scorer labels; unparsed replies stay in the denominator. T2 excluded.





Full-run diagnostics: 421 questions (171 MedQA + 250 MATH)
Stored scorer labels; unparsed replies stay in the denominator. T2 excluded.
















Main comparison: shared 361 questions (146 MedQA + 215 MATH)


Stored scorer labels; unparsed replies stay in the denominator. T2 excluded.



Full-run diagnostics: 421 questions (171 MedQA + 250 MATH)
Stored scorer labels; unparsed replies stay in the denominator. T2 excluded.



Full-run diagnostics: 421 questions (171 MedQA + 250 MATH)
Stored scorer labels; unparsed replies stay in the denominator. T2 excluded.



Full-run diagnostics: 421 questions (171 MedQA + 250 MATH)

Original checkpoints and primary stored-label figures are unchanged. T2 excluded.