Rajalakshmi Engineering College

Name: Subhalakshmi M

Email: 240701539@rajalakshmi.edu.in

Roll no: 240701539 Phone: 6379032776

Branch: REC

Department: I CSE FE

Batch: 2028

Degree: B.E - CSE



NeoColab_REC_CS23231_DATA STRUCTURES

REC_DS using C_Week 3_COD_Question 5

Attempt : 1 Total Mark : 10 Marks Obtained : 10

Section 1: Coding

1. Problem Statement

Milton is a diligent clerk at a school who has been assigned the task of managing class schedules. The school has various sections, and Milton needs to keep track of the class schedules for each section using a stack-based system.

He uses a program that allows him to push, pop, and display class schedules for each section. Milton's program uses a stack data structure, and each class schedule is represented as a character. Help him write a program using a linked list.

Input Format

The input consists of integers corresponding to the operation that needs to be performed:

Choice 1: Push the character onto the stack. If the choice is 1, the following input is a space-separated character, representing the class schedule to be pushed onto the stack.

Choice 2: Pop class schedule from the stack

Choice 3: Display the class schedules in the stack.

Choice 4: Exit the program.

Output Format

The output displays messages according to the choice and the status of the stack:

- If the choice is 1, push the given class schedule to the stack and display the following: "Adding Section: [class schedule]"
- If the choice is 2, pop the class schedule from the stack and display the following: "Removing Section: [class schedule]"
- If the choice is 2, and if the stack is empty without any class schedules, print "Stack is empty. Cannot pop."
- If the choice is 3, print the class schedules in the stack in the following: "Enrolled Sections: " followed by the class schedules separated by space.
- If the choice is 3, and there are no class schedules in the stack, print "Stack is empty"
- If the choice is 4, exit the program and display the following: "Exiting the program"
 - If any other choice is entered, print "Invalid choice"

Refer to the sample output for the exact format.

Sample Test Case

Input: 1 d

1 h 3

2

04070

```
Output: Adding Section: d
Adding Section: h
Enrolls
    Removing Section: h
     Enrolled Sections: d
     Exiting program
     Answer
     #include <stdio.h>
     #include <stdlib.h>
    struct Node {
     char data;
       struct Node* next;
     struct Node* top = NULL;
    void push(char value) {
       struct Node* newNode = (struct Node*)malloc(sizeof(struct Node));
       if (!newNode) return; // Memory allocation check
       newNode->data = value;
       newNode->next = top;
       top = newNode;
       printf("Adding Section: %c\n", value);
     void pop() {
       if (top == NULL) {
         printf("Stack is empty. Cannot pop.\n");
         return;
       }
       struct Node* temp = top;
       printf("Removing Section: %c\n", top->data);
free(temp);
                                                     240701539
       top = top->next;
```

```
240701539
void displayStack() {
  if (top == NULL) {
    printf("Stack is empty\n");
    return;
  }
  printf("Enrolled Sections: ");
  struct Node* current = top;
  while (current != NULL) {
    printf("%c", current->data);
    if (current->next != NULL) {
       printf(" ");
    current = current->next;
  printf("\n");
int main() {
  int choice;
  char value;
  do {
    scanf("%d", &choice);
    switch (choice) {
       case 1:
         scanf(" %c", &value);
         push(value);
         break;
       case 2:
         pop();
         break;
       case 3:
         displayStack();
         break;
       case 4:
         printf("Exiting program\n");
         break;
       default:
         printf("Invalid choice\n");
  } while (choice != 4);
```

return 0; Marks : 10/10 Status : Correct