UID EXPERIMENT 9

AIM:

The aim is to design an Event Registration Form that validates email, phone number, and number of tickets using HTML, CSS, and JavaScript with Validator.js, and displays error messages effectively.

PROCEDURE:

Step 1: Create HTML Form

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Event Registration Form</title>
<link rel="stylesheet" href="style.css">
</head>
<body>

<div class="container">
<form id="myForm">
<h2>Event Registration Form</h2>

<label>Full Name:</label>
<input type="text" id="name" placeholder="Enter your full name">

<label>Email:</label>
<input type="email" id="email" placeholder="Enter your email">
<span id="emailError" class="error"></span>

<label>Phone Number:</label>
<input type="text" id="phone" placeholder="Enter phone number">
<span id="phoneError" class="error"></span>

<label>Select Event:</label>
<select id="event">
<option>Tech Conference</option>
<option>Workshop</option>
```

```
<option>Hackathon</option>
</select>

<label>Number of Tickets:</label>
<input type="number" id="tickets" placeholder="Enter number of tickets">
<span id="ticketError" class="error"></span>

<button type="submit">Register</button>
</form>
</div>

<script src="https://cdnjs.cloudflare.com/ajax/libs/validator/13.6.0/validator.min.js"></script>
<script src="script.js"></script>

</body>
</html>
```

Step 2: Styling (CSS)

```
body {
font-family: Arial, sans-serif;
background: #f2f2f2;
display: flex;
justify-content: center;
align-items: center;
height: 100vh;
margin: 0;
}

.container {
background: white;
padding: 30px;
border-radius: 10px;
width: 450px;
box-shadow: 0 0 15px rgba(0,0,0,0.1);
}

h2 {
text-align: center;
color: #1565c0;
}

form {
display: flex;
flex-direction: column;
}
```

```
label {
margin-top: 10px;
font-weight: bold;
}

input, select {
padding: 10px;
margin-top: 5px;
border: 1px solid #ccc;
border-radius: 5px;
}

button {
margin-top: 20px;
padding: 12px;
background: #d81b60;
color: white;
border: none;
border-radius: 5px;
font-weight: bold;
cursor: pointer;
}

button:hover {
background: #ad1457;
}

.error {
color: red;
font-size: 0.8em;
}
```

Step 3: JavaScript Validation

```
document.getElementById("myForm").addEventListener("submit", function(e) {
e.preventDefault();

let email = document.getElementById("email").value;
let phone = document.getElementById("phone").value;
let tickets = document.getElementById("tickets").value;

let emailError = document.getElementById("emailError");
let phoneError = document.getElementById("phoneError");
let ticketError = document.getElementById("ticketError");

emailError.textContent = "";
phoneError.textContent = "";
```

```
ticketError.textContent = "";

if (!validator.isEmail(email)) {
emailError.textContent = "Please enter a valid email";
}

if (!validator.isMobilePhone(phone, 'any')) {
phoneError.textContent = "Please enter a valid phone number";
}

if (tickets <= 0) {
ticketError.textContent = "Enter valid number of tickets";
}

if (
validator.isEmail(email) &&
validator.isMobilePhone(phone, 'any') &&
tickets > 0
) {
alert("Registration Successful!");
}
});
```

OUTPUT:

For Valid Input:

- Accepts correct email, phone number, and ticket count
- Displays success alert: Registration Successful!



For Invalid Email:

- Shows: Please enter a valid email



For Invalid Phone:

- Shows: Please enter a valid phone number



For Invalid Number of Tickets:

- Shows: Enter valid number of tickets



RESULT:

Thus, an Event Registration Form validation system using HTML, CSS, and JavaScript with Validator.js was successfully implemented. The system validates user input efficiently and displays appropriate error messages for invalid entries.