

UNIVERSITY OF CHITTAGONG

DEPARTMENT OF COMPUTER SCIENCE & ENGINEERING

Program: **B.Sc.** (Engineering)

Session: 2022–2023

4th Semester

Lab_task_01

Course Title: DataBase Systems Lab

Course Code: CSE-414

Submitted To

Dr. Rudra Pratap Deb Nath

Associate Professor

Department of Computer Science & Engineering

University of Chittagong

Submitted By

Subha Shesgin

ID: 23701036

Department of Computer Science & Engineering

Date of Submission: 27 May, 2025

Contents

CHAPTER 1	2
Part 1	2
Part 2	3
CHAPTER 2	6
CHAPTER 3	14
CHAPTER 4	19

Oracle Database 11g: SQL Fundamentals I

(SQL Practice Exercises)

CHAPTER 1

Practice 1 (Part 1)

1. The following SELECT statement executes successfully:

```
SELECT last_name, job_id, salary AS Sal
FROM employees;
```

Answer: True.

2. The following SELECT statement executes successfully:

```
SELECT *
FROM job_grades;
```

Answer: True

3. There are four coding errors in the following statement. Can you identify them?

```
SELECT employee_id,
       last_name
       sal x 12 ANNUAL SALARY
FROM employees;
```

Answer:

- Column 'sal' does not exist in the employees table.
- 'x' should be replaced with '*'.
- Alias with spaces must be enclosed in double quotes.
- Comma is missing after last_name.

(Part 2)

4. Your first task is to determine the structure of the DEPARTMENTS table and its contents.

Answer :

DESCRIBE departments		
Name	Null	Type

DEPARTMENT_ID	NOT NULL	NUMBER(4)
DEPARTMENT_NAME	NOT NULL	VARCHAR2(30)
MANAGER_ID		NUMBER(6)
LOCATION_ID		NUMBER(4)
4 rows selected		

	DEPARTMENT_ID	DEPARTMENT_NAME	MANAGER_ID	LOCATION_ID
1	10	Administration	200	1700
2	20	Marketing	201	1800
3	50	Shipping	124	1500
4	60	IT	103	1400
5	80	Sales	149	2500
6	90	Executive	100	1700
7	110	Accounting	205	1700
8	190	Contracting	(null)	1700

query:

```
DESCRIBE departments;
SELECT * FROM departments;
```

5. The HR department wants a query to display the last name, job ID, hire date, and employee ID for each employee, with the employee ID appearing first. Provide an alias STARTDATE for the HIRE_DATE column. Save your SQL statement to a file named lab_01.05.sql so that you can dispatch this file to the HR department.

Answer :

DESCRIBE employees		
Name	Null	Type

EMPLOYEE_ID	NOT NULL	NUMBER(6)
FIRST_NAME		VARCHAR2(20)
LAST_NAME	NOT NULL	VARCHAR2(25)
EMAIL	NOT NULL	VARCHAR2(25)
PHONE_NUMBER		VARCHAR2(20)
HIRE_DATE	NOT NULL	DATE
JOB_ID	NOT NULL	VARCHAR2(10)
SALARY		NUMBER(8,2)
COMMISSION_PCT		NUMBER(2,2)
MANAGER_ID		NUMBER(6)
DEPARTMENT_ID		NUMBER(4)
11 rows selected		

query:

```
DESCRIBE employees;
```

6. Test your query in the lab_01_05.sql file to ensure that it runs correctly.

Note: After you have executed the query, make sure that you do not enter your next query in the same worksheet. Open a new worksheet.

Answer :

	EMPLOYEE_ID	LAST_NAME	JOB_ID	STARTDATE
1	100	King	AD_PRES	17-JUN-87
2	101	Kochhar	AD_VP	21-SEP-89
3	102	De Haan	AD_VP	13-JAN-93
4	103	Hunold	IT_PROG	03-JAN-90
5	104	Ernst	IT_PROG	21-MAY-91
6	107	Lorentz	IT_PROG	07-FEB-99
7	124	Mourgos	ST_MAN	16-NOV-99
8	141	Rajs	ST_CLERK	17-OCT-95
9	142	Davies	ST_CLERK	29-JAN-97
10	143	Matos	ST_CLERK	15-MAR-98
...				
19	205	Higgins	AC_MGR	07-JUN-94
20	206	Gietz	AC_ACCOUNT	07-JUN-94

query:

```
SELECT employee_id,
       last_name,
       job_id,
       hire_date startdate
FROM employees;
```

7. The HR department wants a query to display all unique job IDs from the EMPLOYEES table.

Answer :

	JOB_ID
1	AC_ACCOUNT
2	AC_MGR
3	AD_ASST
4	AD_PRES
5	AD_VP
6	IT_PROG
7	MK_MAN
8	MK_REP
9	SA_MAN
10	SA_REP
11	ST_CLERK
12	ST_MAN

query:

```
SELECT DISTINCT job_id
FROM employees;
```

8. The HR department wants more descriptive column headings for its report on employees. Copy the statement from lab_01.05.sql to a new SQL Worksheet. Name the column headings Emp #, Employee, Job, and Hire Date, respectively. Then run your query again.

Answer :

	Emp #	Employee	Job	Hire Date
1	100	King	AD_PRES	17-JUN-87
2	101	Kochhar	AD_VP	21-SEP-89
3	102	De Haan	AD_VP	13-JAN-93
4	103	Hunold	IT_PROG	03-JAN-90
5	104	Ernst	IT_PROG	21-MAY-91
6	107	Lorentz	IT_PROG	07-FEB-99
7	124	Mourgos	ST_MAN	16-NOV-99
8	141	Rajs	ST_CLERK	17-OCT-95
9	142	Davies	ST_CLERK	29-JAN-97
10	143	Matos	ST_CLERK	15-MAR-98
...				
19	205	Higgins	AC_MGR	07-JUN-94
20	206	Gietz	AC_ACCOUNT	07-JUN-94

query:

```
SELECT employee_id "Emp #",
       last_name    "Employee",
       job_id       "Job",
       hire_date    "Hire Date"
FROM employees;
```

9. The HR department has requested a report of all employees and their job IDs. Display the last name concatenated with the job ID (separated by a comma and space) and name the column Employee and Title.

Answer :

	Employee and Title
1	Abel, SA_REP
2	Davies, ST_CLERK
3	De Haan, AD_VP
4	Ernst, IT_PROG
5	Fay, MK_REP
6	Gietz, AC_ACCOUNT
7	Grant, SA_REP
8	Hartstein, MK_MAN
9	Higgins, AC_MGR
10	Hunold, IT_PROG
...	
19	Whalen, AD_ASST
20	Zlotkey, SA_MAN

query :

```
SELECT last_name || ', ' || job_id "Employee and Title"
FROM employees;
```

10. To familiarize yourself with the data in the EMPLOYEES table, create a query to display all the data from that table. Separate each column output by a comma. Name the column title THE_OUTPUT.

Answer :

	THE_OUTPUT
1	100,Steven,King,SKING,515.123.4567,AD_PRES,,17-JUN-87,24000,,90
2	101,Neena,Kochhar,NKOCHHAR,515.123.4568,AD_VP,100,21-SEP-89,17000,,90
3	102,Lex,De Haan,LDEHAAN,515.123.4569,AD_VP,100,13-JAN-93,17000,,90
4	103,Alexander,Hunold,AHUNOLD,590.423.4567,IT_PROG,102,03-JAN-90,9000,,60
5	104,Bruce,Ernst,BERNST,590.423.4568,IT_PROG,103,21-MAY-91,6000,,60
6	107,Diana,Lorentz,DLORENTZ,590.423.5567,IT_PROG,103,07-FEB-99,4200,,60
7	124,Kevin,Mourgos,KMORGOS,650.123.5234,ST_MAN,100,16-NOV-99,5800,,50
8	141,Trenna,Rajs,TRAJIS,650.121.8009,ST_CLERK,124,17-OCT-95,3500,,50
9	142,Curtis,Davies,CDAVIES,650.121.2994,ST_CLERK,124,29-JAN-97,3100,,50
10	143,Randall,Matos,RMATOS,650.121.2874,ST_CLERK,124,15-MAR-98,2600,,50
...	
19	205,Shelley,Higgins,SHIGGINS,515.123.8080,AC_MGR,101,07-JUN-94,12000,,110
20	206,William,Gietz,WGIETZ,515.123.8181,AC_ACCOUNT,205,07-JUN-94,8300,,110

query :



```
SELECT employee_id || ', ' ||
       first_name || ', ' ||
       last_name || ', ' ||
       email || ', ' ||
       phone_number || ', ' ||
       job_id || ', ' ||
       manager_id || ', ' ||
       hire_date || ', ' ||
       commission_pct || ', ' ||
       department_id the_output
FROM employees;
```

CHAPTER 2

Practice 2

1. Because of budget issues, the HR department needs a report that displays the last name and salary of employees who earn more than \$12,000. Save your SQL statement as a file named lab_02_01.sql. Run your query.

Answer:

	 LAST_NAME	 SALARY
1	King	24000
2	Kochhar	17000
3	De Haan	17000
4	Hartstein	13000

query:

```
SELECT last_name, salary
FROM employees
WHERE salary > 12000;
```

- Open a new SQL Worksheet. Create a report that displays the last name and department number for employee number 176. Run the query.

Answer:



	 LAST_NAME	 DEPARTMENT_ID
1	Taylor	80

query:

```
SELECT last_name, department_id
FROM employees
WHERE employee_id = 176;
```

- The HR department needs to find high-salary and low-salary employees. Modify lab_02_01.sql to display the last name and salary for any employee whose salary is not in the range of \$5,000 to \$12,000. Save your SQL statement as lab_02_03.sql.

Answer:



	 LAST_NAME	 SALARY
1	King	24000
2	Kochhar	17000
3	De Haan	17000
4	Lorentz	4200
5	Rajs	3500
6	Davies	3100
7	Matos	2600
8	Vargas	2500
9	Whalen	4400
10	Hartstein	13000

query :

```
SELECT last_name, salary
FROM employees
WHERE salary NOT BETWEEN 5000 AND 12000;
```

4. Create a report to display the last name, job ID, and hire date for employees with the last names of Matos and Taylor. Order the query in ascending order by the hire date.

Answer :



	 LAST_NAME	 JOB_ID	HIRE_DATE
1	Matos	ST_CLERK	15-MAR-98
2	Taylor	SA_REP	24-MAR-98

query:

```
SELECT last_name, job_id, hire_date
FROM employees
WHERE last_name IN ('Matos', 'Taylor')
ORDER BY hire_date;
```

5. Display the last name and department ID of all employees in departments 20 or 50 in ascending alphabetical order by name.

Answer :

	 LAST_NAME	 DEPARTMENT_ID
1	Davies	50
2	Fay	20
3	Hartstein	20
4	Matos	50
5	Mourgos	50
6	Rajs	50
7	Vargas	50

query:

```
SELECT last_name, department_id
FROM employees
WHERE department_id IN (20, 50)
ORDER BY last_name;
```

6. Modify lab_02_03.sql to display the last name and salary of employees who earn between \$5,000 and \$12,000, and are in department 20 or 50. Label the columns Employee and Monthly Salary, respectively. Resave lab_02_03.sql as lab_02_06.sql. Run the statement in lab_02_06.sql.

Answer :

	A Z Employee	A Z Monthly Salary
1	Fay	6000
2	Mourgos	5800

query:

```
SELECT last_name "Employee", salary "Monthly Salary"
FROM employees
WHERE salary BETWEEN 5000 AND 12000
AND department_id IN (20, 50)
ORDER BY last_name;
```

7. The HR department needs a report that displays the last name and hire date for all employees who were hired in 1994.

Answer :

	A Z LAST_NAME	HIRE_DATE
1	Higgins	07-JUN-94
2	Gietz	07-JUN-94

query:

```
SELECT last_name, hire_date
FROM employees
WHERE hire_date LIKE '94%';
```

8. Create a report to display the last name and job title of all employees who do not have a manager.

Answer :

	A Z LAST_NAME	A Z JOB_ID
1	King	AD_PRE

query:

```

SELECT last_name, job_id
FROM employees
WHERE manager_id IS NULL;

```

9. Create a report to display the last name, salary, and commission of all employees who earn commissions. Sort data in descending order of salary and commissions. Use the column's numeric position in the ORDER BY clause.

Answer :

	LAST_NAME	SALARY	COMMISSION_PCT
1	Abel	11000	0.3
2	Zlotkey	10500	0.2
3	Taylor	8600	0.2
4	Grant	7000	0.15

query:

```

SELECT last_name, salary, commission_pct
FROM employees
WHERE commission_pct IS NOT NULL
ORDER BY 2 DESC, 3 DESC;

```

10. Members of the HR department want to have more flexibility with the queries that you are writing. They would like a report that displays the last name and salary of employees who earn more than an amount that the user specifies after a prompt. Save this query to a file named lab_02_10.sql. If you enter 12000 when prompted, the report displays the following results:

Answer :

	LAST_NAME	SALARY
1	King	24000
2	Kochhar	17000
3	De Haan	17000
4	Hartstein	13000

query:

```

SELECT last_name, salary
FROM employees
WHERE salary > &salary;

```

11. The HR department wants to run reports based on a manager. Create a query that prompts the user for a manager ID and generates the employee ID, last name,

salary, and department for that manager's employees. The HR department wants the ability to sort the report on a selected column. You can test the data with the following values:

Answer :

manager_id = 103, sorted by last_name:

	EMPLOYEE_ID	LAST_NAME	SALARY	DEPARTMENT_ID
1	104	Ernst	6000	60
2	107	Lorentz	4200	60

query :

```
SELECT employee_id,  
       last_name,  
       salary,  
       department_id  
FROM employees  
WHERE manager_id = 103  
ORDER BY last_name;
```

manager_id = 201, sorted by salary:

	EMPLOYEE_ID	LAST_NAME	SALARY	DEPARTMENT_ID
1	202	Fay	6000	20

query :

```
SELECT employee_id,  
       last_name,  
       salary,  
       department_id  
FROM employees  
WHERE manager_id = 201  
ORDER BY salary;
```


manager_id = 124, sorted by employee_id:

	EMPLOYEE_ID	LAST_NAME	SALARY	DEPARTMENT_ID
1	141	Rajs	3500	50
2	142	Davies	3100	50
3	143	Matos	2600	50
4	144	Vargas	2500	50

```
SELECT employee_id,  
       last_name,  
       salary,  
       department_id  
FROM employees  
WHERE manager_id = 124  
ORDER BY employee_id;
```

12. Display all employee last names in which the third letter of the name is “a.”

Answer:




	A Z	LAST_NAME
1		Grant
2		Whalen

query:

```
SELECT last_name  
FROM employees  
WHERE last_name LIKE '__a%';
```

13. Display the last names of all employees who have both an “a” and an “e” in their last name.

Answer :



	A Z	LAST_NAME
1		Davies
2		De Haan
3		Hartstein
4		Whalen

query :

```
SELECT last_name  
FROM employees  
WHERE last_name LIKE '%a%' AND last_name LIKE '%e%';
```

14. Display the last name, job, and salary for all employees whose jobs are either those of a sales representative or of a stock clerk, and whose salaries are not equal to \$2,500, \$3,500, or \$7,000.

Answer :

	LAST_NAME	JOB_ID	SALARY
1	Abel	SA_REP	11000
2	Taylor	SA_REP	8600
3	Davies	ST_CLERK	3100
4	Matos	ST_CLERK	2600

query :

```
SELECT last_name, job_id, salary
FROM employees
WHERE job_id IN ('SA_REP', 'ST_CLERK')
AND salary NOT IN (2500, 3500, 7000);
```

15. Modify lab_02_06.sql to display the last name, salary, and commission for all employees whose commission is 20%. Resave lab_02_06.sql as lab_02_15.sql. Rerun the statement in lab_02_15.sql.

Answer :

	Employee	Monthly Salary	COMMISSION_PCT
1	Zlotkey	10500	0.2
2	Taylor	8600	0.2

query:

```
SELECT last_name "Employee",
       salary "Monthly Salary",
       commission_pct
FROM employees
WHERE commission_pct = .2;
```

CHAPTER 3

Practice 3

Topics:

- Date and numeric functions

1. Question

Write a query to display the system date. Label the column as Date.

Note: If your database is remotely located in a different time zone, the output will be the date for the operating system on which the database resides.



Date
1 31-MAY-07

Answer

```
SELECT sysdate "Date"  
FROM dual;
```

2. Question

The HR department needs a report to display the employee number, last name, salary, and salary increased by 15.5%. Save your SQL statement in a file named lab_03_02.sql.

Answer

```
SELECT employee_id,  
       last_name,  
       salary,  
       round(salary * 1.155) "New Salary"  
FROM employees;
```

3. Question

Run your query in the lab_03_02.sql file.

Answer

	A Z	EMPLOYEE_ID	A Z	LAST_NAME	A Z	SALARY	A Z	New Salary
1		100		King		24000		27720
2		101		Kochhar		17000		19635
3		102		De Haan		17000		19635
4		103		Hunold		9000		10395
5		104		Ernst		6000		6930
6		107		Lorentz		4200		4851
7		124		Mourgos		5800		6699
8		141		Rajs		3500		4043
9		142		Davies		3100		3581
10		143		Matos		2600		3003
...								
19		205		Higgins		12000		13860
20		206		Gietz		8300		9587

4. Question

Modify your query lab_03_02.sql to add a column that subtracts the old salary from the new salary. Label the column Increase. Save the contents of the file as lab_03_04.sql. Run the revised query.

Answer

```
SELECT employee_id,
       last_name,
       salary,
       round(salary * 1.155) "New Salary",
       round(salary * 1.155) - salary "Increase"
FROM employees;
```

5. Question

Write a query that displays the last name (with the first letter in uppercase and all the other letters in lowercase) and the length of the last name for all employees whose name starts with the letters “J,” “A,” or “M.” Give each column an appropriate label. Sort the results by the employees’ last names.

	A Z	Name	A Z	Length
1		Abel		4
2		Matos		5
3		Mourgos		7

Rewrite the query so that the user is prompted to enter a letter that the last name starts with. For example, if the user enters “H” (capitalized) when prompted for a

letter, then the output should show all employees whose last name starts with the letter "H."

	A Z	Name	A Z	Length
1		Hartstein		9
2		Higgins		7
3		Hunold		6

Modify the query such that the case of the entered letter does not affect the output. The entered letter must be capitalized before being processed by the SELECT query.

Enter Substitution Variable ✖

START_LETTER:

	A Z	Name	A Z	Length
1		Hartstein		9
2		Higgins		7
3		Hunold		6

Answer

```
SELECT initcap(last_name) "Name",  
       length(last_name) "Length"  
FROM employees  
WHERE last_name LIKE 'J%' OR last_name LIKE 'A%' OR last_name LIKE 'M%'  
ORDER BY last_name;
```

6. Question

The HR department wants to find the duration of employment for each employee. For each employee, display the last name and calculate the number of months

between today and the date on which the employee was hired. Label the column as MONTHS_WORKED. Order your results by the number of months employed. Round the number of months up to the closest whole number. **Note:** Because this query depends on the date when it was executed, the values in the MONTHS_WORKED column will differ for you.

Answer

```
SELECT last_name,
       round(months_between(sysdate, hire_date)) months_worked
FROM employees
ORDER BY months_worked;
```

	LAST_NAME	MONTHS_WORKED
1	Zlotkey	88
2	Mourgos	90
3	Grant	96
4	Lorentz	100
5	Vargas	107
6	Taylor	110
7	Matos	111
8	Fay	117
9	Davies	124
10	Abel	133
11	Hartstein	135
12	Rajs	139
13	Higgins	156
14	Gietz	156
15	De Haan	173
16	Ernst	192
17	Hunold	209
18	Kochhar	212
19	Whalen	236
20	King	239

7. Question

Create a query to display the last name and salary for all employees. Format the salary to be 15 characters long, left-padded with the \$ symbol. Label the column as SALARY.

Answer

	A Z LAST_NAME	A Z SALARY
1	King	\$\$\$\$\$\$\$\$\$24000
2	Kochhar	\$\$\$\$\$\$\$\$\$17000
...		
20	Gietz	\$\$\$\$\$\$\$\$\$8300

Query:

```
SELECT last_name,
       lpad(salary, 15, '$') salary
FROM employees;
```

8. Question

Create a query that displays the first eight characters of the employees' lastnames and indicates the amounts of their salaries with asterisks. Each asterisk signifies a thousand dollars. Sort the data in descending order of salary. Label the column as EMPLOYEES_AND_THEIR_SALARIES.

Answer

	A Z EMPLOYEES_AND_THEIR_SALARIES
1	King *****
2	Kochhar *****
3	De Haan *****
4	Hartstei *****
5	Higgins *****
...	
19	Matos **
20	Vargas **

Query

```
SELECT substr(last_name, 1, 8) || rpad(' ', round(salary/1000) + 1, '*')
       employees_and_their_salaries
FROM employees
ORDER BY salary DESC;
```

9. Question

Create a query to display the last name and the number of weeks employed for all employees in department 90. Label the number of weeks column as TENURE. Truncate the number of weeks value to 0 decimal places. Show the records in descending order of the employee's tenure.

Note: The TENURE value will differ as it depends on the date on which you run the query.

Answer :

	LAST_NAME	TENURE
1	King	1041
2	Kochhar	923
3	De Haan	750

query :

```
SELECT last_name,  
       trunc((sysdate - hire_date) / 7) tenure  
FROM employees  
WHERE department_id = 90  
ORDER BY tenure DESC;
```

CHAPTER 4

Practice 4

Topics:

- TO_CHAR, TO_DATE, DECODE, CASE

1. Create a report that produces the following for each employee:

<employee last name> earns <salary> monthly but wants <3 times salary.>. Label the column Dream Salaries.

Answer:

	Dream Salaries
1	King earns \$24,000.00 monthly but wants \$72,000.00.
2	Kochhar earns \$17,000.00 monthly but wants \$51,000.00.
3	De Haan earns \$17,000.00 monthly but wants \$51,000.00.
4	Hunold earns \$9,000.00 monthly but wants \$27,000.00.
5	Ernst earns \$6,000.00 monthly but wants \$18,000.00.
...	
19	Higgins earns \$12,000.00 monthly but wants \$36,000.00.
20	Gietz earns \$8,300.00 monthly but wants \$24,900.00.

query :

```
SELECT last_name || ' earns $' || to_char(salary, 'FM99,999.00') ||
       ' monthly but wants $' || to_char(salary * 3, 'FM99,999.00') "Dream Salaries"
FROM employees;
```

2. Display each employee's last name, hire date, and salary review date, which is the first Monday after six months of service. Label the column REVIEW. Format the dates to appear in the format similar to "Monday, the Thirty-First of July, 2000."

Answer :


	LAST_NAME	HIRE_DATE	REVIEW
1	King	17-JUN-87	Monday, the Twenty-First of December, 1987
2	Kochhar	21-SEP-89	Monday, the Twenty-Sixth of March, 1990
3	De Haan	13-JAN-93	Monday, the Nineteenth of July, 1993
4	Hunold	03-JAN-90	Monday, the Ninth of July, 1990
5	Ernst	21-MAY-91	Monday, the Twenty-Fifth of November, 1991
...			
19	Higgins	07-JUN-94	Monday, the Twelfth of December, 1994
20	Gietz	07-JUN-94	Monday, the Twelfth of December, 1994

query :

```
SELECT last_name,
       hire_date,
       to_char(next_day(add_months(hire_date, 6), 1),
              'FMDAY, "the" DDSPTH "of" MONTH, YYYY') review
FROM employees;
```

3. Display the last name, hire date, and day of the week on which the employee started. Label the column DAY. Order the results by the day of the week, starting with Monday.

Answer :



	 LAST_NAME	HIRE_DATE	 DAY
1	Grant	24-MAY-99	MONDAY
2	Gietz	07-JUN-94	TUESDAY
3	Taylor	24-MAR-98	TUESDAY
4	Higgins	07-JUN-94	TUESDAY
5	Rajs	17-OCT-95	TUESDAY
...			
19	Lorentz	07-FEB-99	SUNDAY
20	Fay	17-AUG-97	SUNDAY

query :

```
SELECT last_name,
       hire_date,
       to_char(hire_date, 'FMDAY') day
FROM employees
ORDER BY to_char(hire_date, 'D');
```

4. Create a query that displays the employees' last names and commission amounts. If an employee does not earn commission, show "No Commission." Label the column COMM.

Answer :

	 LAST_NAME	 COMM
1	King	No Commission
2	Kochhar	No Commission
3	De Haan	No Commission
4	Hunold	No Commission
5	Ernst	No Commission
6	Lorentz	No Commission
...		
12	Zlotkey	.2
13	Abel	.3
14	Taylor	.2
15	Grant	.15
16	Whalen	No Commission
17	Hartstein	No Commission
18	Fay	No Commission
19	Higgins	No Commission
20	Gietz	No Commission

query:

```
SELECT last_name,
       nvl(to_char(commission_pct), 'No Commission') comm
FROM employees;
```

5. **Question** Using the DECODE function, write a query that displays the grade of all employees based on the value of the column JOB_ID, using the following data:

Job	Grade
AD_PRES	A
ST_MAN	B
IT_PROG	C
SA_REP	D
ST_CLERK	E
None of the above	0

Answer :




	JOB_ID	GRADE
1	AC_ACCOUNT	0
2	AC_MGR	0
3	AD_ASST	0
4	AD_PRES	A
5	AD_VP	0
18	ST_CLERK	E
19	ST_CLERK	E
20	ST_MAN	B

query :

```
SELECT job_id,
       decode(job_id,
              'AD_PRES', 'A',
              'ST_MAN', 'B',
              'IT_PROG', 'C',
              'SA_REP', 'D',
              'ST_CLERL', 'E', 0) grade
FROM employees;
```

6. Question

Rewrite the statement in the preceding exercise using the CASE syntax.

	 JOB_ID	 GRADE
1	AC_ACCOUNT	0
2	AC_MGR	0
3	AD_ASST	0
4	AD_PREP	A
5	AD_VP	0
		
18	ST_CLERK	E
19	ST_CLERK	E
20	ST_MAN	B

query:

```
SELECT job_id,  
       CASE job_id  
         WHEN 'AD_PREP' THEN 'A'  
         WHEN 'ST_MAN' THEN 'B'  
         WHEN 'IT_PROG' THEN 'C'  
         WHEN 'SA_REP' THEN 'D'  
         WHEN 'ST_CLERK' THEN 'E'  
         ELSE '0'  
       END grade  
FROM employees;
```