

28-02-2026

Agenda:

pandas

Git

→ 4 group of students

Group-1 Group-2 Group-3 Group-4

N1

N4

N5

N6

→ Dataset

N2

↓
attribute

↓
attribute

↓
attribute

N3

↓
attributes

each of the students has their own attributes,
that is they belong together.

→ defines the similarity of their attributes

(All total students)

→ attributes → group

if I pass each person's attributes

↓
attributes

ML-model
(learn based on 6 student)

→
1
2
3
4

My ML model should tell me that they belongs to which group

this is called as

→ Classification

ML doesn't understand text, then how we can say that those attributes belongs to a particular group.
so it converted to numbers

(1, 1, 1)

Group-1

1

Group-2

→ ML →

2

Group-3

3

Group-4

4

} encoding

Group →

categories (numerical)

"A"

"B"

"C"

"D"

→ character / string → pandas → D → A

A . . . 2

D
C
B
A

16

strings doesn't hold the sequence but number does.

"Two" > "first" : True

String $\rightarrow$ converted $\rightarrow$ dtype $\rightarrow$ to handle order
 $\downarrow$
 logic

	event	date	ticket_id	price
→ context		2028-02-02	—	—
	—	—	—	—
	—	—	—	—
	conference	—	—	—

Data analysis $\rightarrow$ conclusion $\rightarrow$

rows → date → 2026-02-02

```

graph TD
    string --> year
    string --> month
    string --> day
    string --> weekday

```

row) $\rightarrow$ 02-02-2026 $\leftrightarrow$ 28-02-2026


→
str

Jan-1 → new year


→ today Jan-30



New year — today → -

holi — today → +



Git :- Tools to manage code






⇒ Gitbash is linux like terminal on windows.

→ Git:

- manage code by creating checkpoints, version
- separate code by branches



create a repo & github
online: repo → github
github

D1:

local → git
code

↑ git init

→ git add .

→ git commit -m "abc"

→ git branch -M main

1st time thing

→ git remote add origin
url of the repo

→ git push -u origin main

D2:

git clone url-of-repo

D2: → uploaded files using github UI → .txt → github → online

github online

f1

f2

local repo

f1

→ git pull origin branch-name

↓
main

D1 →

D2 →
main →

→ 9 pm
a.pj
b.pj
↓
6 pm

log off

↓

log in

git pull

project-1

study-1

pandas
numpy

.venv

.py

pandas

.venv

.py