

Keyboard Shortcuts Cheat Sheet

Claude Code · GitHub Copilot · IntelliJ IDEA Community Edition · Visual Studio Code

Windows

Colour edition

Default keymaps

Compiled June 2026 · default bindings shown · all four tools can be fully remapped in their settings.

How to read keys:

Ctrl + **Shift** + **P** press together

Ctrl + **K**

Ctrl + **S** press in sequence

/explain typed in a box

↑ ↓ ← → arrows · ` backtick

Claude Code

Agentic coding in the terminal — Windows defaults (works in most terminals/IDEs)

NOTE Bindings shown are for the Claude Code terminal app. On Windows the model picker, thinking, and fast-mode toggles use the Alt key (some docs label this "meta"). On older Node/terminals without VT mode, mode-cycle may be Meta+M instead of Shift+Tab. Run /terminal-setup so Shift+Enter inserts newlines, and /keybindings to remap anything. The Claude.ai web & desktop apps have a separate in-app shortcut menu.

Input prefixes (type at the start of the prompt)

Bash mode — run a shell command; its output enters context	!
Open the slash-command menu	/
Reference a file or directory path	@
Run the prompt as a background task	&

Session & generation

Interrupt Claude mid-response	Esc
Clear input / open rewind & checkpoint menu (double-tap)	Esc Esc
Cancel current input; press twice to exit	Ctrl + C
Exit Claude Code	Ctrl + D
Reverse-search your prompt history	Ctrl + R
Previous / next prompt in history	↑ ↓
Suspend to the shell (type fg to resume)	Ctrl + Z

Prompt input & editing

Submit the message	Enter
Insert a newline without submitting	\ + Enter
Accept an autocomplete suggestion	Tab
Open the prompt in your external \$EDITOR	Ctrl + G
Stash the current prompt (Ctrl+C discards it)	Ctrl + S
Undo the last input action	Ctrl + Shift + -
Paste an image (Ctrl+V on macOS/Linux)	Alt + V
Show the help / shortcuts menu	?

Modes, model & view

Cycle mode: default → auto-accept edits → plan	Shift + Tab
Open the model picker (switch model)	Alt + P
Toggle extended thinking	Alt + T
Toggle fast mode	Alt + O
Toggle the verbose transcript view	Ctrl + O
Toggle the todo / task list	Ctrl + T

Background tasks & agents

Send the currently running task to the background	Ctrl + B
Kill all background agents	Ctrl + X Ctrl + K

Core slash commands

List all available commands	<code>/help</code>
Generate a starter CLAUDE.md from your codebase	<code>/init</code>
Clear history, start fresh (/reset, /new)	<code>/clear</code>
Summarize the conversation to free up context	<code>/compact</code>
Roll conversation and/or code back to a checkpoint	<code>/rewind</code>
View or switch the active model	<code>/model</code>
Show token usage and spend for the session	<code>/cost</code>
Show plan limits and rate-limit status	<code>/usage</code>
Visualize what is loaded into the context window	<code>/context</code>
View or edit CLAUDE.md files in scope	<code>/memory</code>
View or change which tools require approval	<code>/permissions</code>

More slash commands & setup

Open configuration / settings (/settings)	<code>/config</code>
Drop straight into Plan Mode	<code>/plan</code>
Open an interactive diff of uncommitted changes	<code>/diff</code>
Copy the last response to the clipboard	<code>/copy</code>
Save the conversation to a file or clipboard	<code>/export</code>
Manage MCP server connections	<code>/mcp</code>
List, create, or edit subagents	<code>/agents</code>
List current todo items	<code>/todos</code>
Toggle vim editing mode in the prompt	<code>/vim</code>
Install the Shift+Enter newline binding for your terminal	<code>/terminal-setup</code>
Create / open keybindings.json to remap shortcuts	<code>/keybindings</code>
Reopen a previous session (/continue)	<code>/resume</code>
Diagnose install / environment issues	<code>/doctor</code>
Quit the CLI (/quit)	<code>/exit</code>

GitHub Copilot

Default bindings in VS Code (Windows), plus JetBrains/IntelliJ inline keys

NOTE Any Copilot key can be remapped in VS Code via File ► Preferences ► Keyboard Shortcuts (search "Copilot"). Slash commands, @-participants and #-context are typed into the chat box — they are not bound to keys. Ask / Edit / Agent modes are chosen from the dropdown in the Chat view. In JetBrains, the GitHub Copilot Chat tool window opens from the right-hand tool-window bar.

Inline suggestions — VS Code

Accept an inline suggestion	Tab
Accept the next word only	Ctrl + →
Dismiss an inline suggestion	Esc
Show next inline suggestion	Alt +]
Show previous inline suggestion	Alt + [
Trigger an inline suggestion manually	Alt + \
Open completions in a separate pane	Ctrl + Enter
Toggle Copilot on / off	<i>not bound by default</i>

Chat slash commands (typed in the chat box)

Explain the selected code or file	/explain
Propose a fix for problems in the selection	/fix
Generate tests for the selection	/tests
Add documentation comments	/doc
Scaffold a new project / file	/new
Propose a fix for failing tests	/fixTestFailure
Clear the chat session	/clear
List commands, participants & variables	/help

Chat — VS Code

Open the Chat view (side panel)	Ctrl + Alt + I
Open Inline Chat in the editor	Ctrl + I
Start a new chat session (in Chat view)	Ctrl + N
Send and prepend @workspace (in chat)	Ctrl + Enter
Show slash commands (in chat)	/
Add context (files, symbols...) (in chat)	#

Participants & context (typed in the chat box)

Scope the request to your whole workspace	@workspace
Ask about VS Code itself	@vscode
Run / explain terminal commands	@terminal
Reference a specific file	#file
Reference the current editor selection	#selection
Reference the indexed codebase	#codebase

Inline suggestions — JetBrains / IntelliJ

Accept an inline suggestion	Tab
Dismiss an inline suggestion	Esc
Show next inline suggestion	Alt +]
Show previous inline suggestion	Alt + [
Trigger an inline suggestion manually	Alt + \
Open Copilot suggestions in a separate pane	Alt + Enter

Using a Claude model in GitHub Copilot — which Claude Code commands work?

Claude Code's slash commands belong to the Claude Code app, not to the Claude model. Choosing a Claude model in Copilot does NOT import them — Copilot runs its own commands regardless of which model is selected. Any overlap is coincidental naming.

≈ Name overlap — Copilot Chat (VS Code / GitHub)

/clear **/help** **/new**

≈ Name overlap — Copilot CLI (defaults to Claude Sonnet)

/model **/clear** **/mcp** **/add-dir** **/login** **/help**

✗ Claude Code only — NOT available in Copilot

/init **/compact** **/rewind** **/context** **/memory** **/cost** **/usage** **/terminal-setup** **/keybindings** **/todos** **/vim** **/permissions**

Exception: VS Code can run Anthropic's Claude agent as a third-party agent (billed through your Copilot subscription). That mode runs Claude's own harness, so you get Claude's full slash-command set — type **/** in the chat box to list them.

IntelliJ IDEA — Community Edition

Default Windows / Linux keymap

NOTE A few bindings shift between IDE versions — e.g. the Commit window is Alt+0 in 2020.3+, and folding uses the numpad +/- keys. Confirm yours via Help ► Keyboard Shortcuts PDF or Settings ► Keymap.

General

Search Everywhere	Double Shift
Find Action	Ctrl + Shift + A
Show intention actions & quick-fixes	Alt + Enter
Open Settings	Ctrl + Alt + S
Project Structure	Ctrl + Alt + Shift + S
Recent Files	Ctrl + E
Recent Locations	Ctrl + Shift + E
Switcher (recent tabs / tool windows)	Ctrl + Tab
Quick switch scheme (theme, keymap...)	Ctrl + `
Context info (current method / tag)	Alt + Q

Code completion & editing

Basic completion	Ctrl + Space
Type-matching completion	Ctrl + Shift + Space
Complete current statement	Ctrl + Shift + Enter
Parameter info	Ctrl + P
Quick documentation	Ctrl + Q
Quick definition (peek)	Ctrl + Shift + I
Generate code (constructor, getters...)	Alt + Insert
Override / Implement methods	Ctrl + O Ctrl + I
Surround with...	Ctrl + Alt + T
Reformat code	Ctrl + Alt + L
Optimize imports	Ctrl + Alt + O
Auto-indent line(s)	Ctrl + Alt + I

Line & selection

Comment / uncomment line	Ctrl + /
Comment / uncomment block	Ctrl + Shift + /
Duplicate line or selection	Ctrl + D
Delete line	Ctrl + Y
Join lines	Ctrl + Shift + J
Toggle case of selection	Ctrl + Shift + U
Move line up / down	Shift + Alt + ↑ Shift + Alt + ↓
Move statement up / down	Ctrl + Shift + ↑ Ctrl + Shift + ↓
Extend / shrink selection	Ctrl + W Ctrl + Shift + W
Add caret above / below	Ctrl Ctrl + ↑ Ctrl Ctrl + ↓
Select / unselect next occurrence	Alt + J Shift + Alt + J
Select all occurrences	Ctrl + Shift + Alt + J
Column selection mode (toggle)	Alt + Shift + Insert
Paste from clipboard history	Ctrl + Shift + V

Navigation

Go to Class	Ctrl + N
Go to File	Ctrl + Shift + N
Go to Symbol	Ctrl + Alt + Shift + N
Go to Line:Column	Ctrl + G
Go to Declaration	Ctrl + B
Go to Implementation(s)	Ctrl + Alt + B
Go to Type Declaration	Ctrl + Shift + B
Go to Super-method / class	Ctrl + U
File Structure popup	Ctrl + F12
Find Usages	Alt + F7
Highlight usages in file	Ctrl + Shift + F7
Type / Call hierarchy	Ctrl + H Ctrl + Alt + H
Next / previous highlighted error	F2 Shift + F2
Navigate back / forward	Ctrl + Alt + ← Ctrl + Alt + →
Go to last edit location	Ctrl + Shift + Backspace
Toggle / show bookmarks	F11 Shift + F11

Search & replace

Find	Ctrl + F
Replace	Ctrl + R
Find in Files	Ctrl + Shift + F
Replace in Files	Ctrl + Shift + R
Find next / previous	F3 Shift + F3

Code folding & view

Expand / collapse current region	Ctrl + + + + Ctrl + -
Expand all / collapse all	Ctrl + Shift + + + + Ctrl + Shift + -
Toggle full screen	Ctrl + Shift + F12 (windows) / View menu

Refactoring

Rename	Shift + F6
Refactor This (menu)	Ctrl + Alt + Shift + T
Extract Variable	Ctrl + Alt + V
Extract Method	Ctrl + Alt + M
Extract Field	Ctrl + Alt + F
Extract Constant	Ctrl + Alt + C
Extract Parameter	Ctrl + Alt + P
Inline	Ctrl + Alt + N
Move / Copy	F6 F5
Safe Delete	Alt + Delete
Change Signature	Ctrl + F6

Run, debug & build

Run	Shift + F10
Debug	Shift + F9
Run context configuration	Ctrl + Shift + F10
Step Over / Into / Out	F8 F7 Shift + F8
Smart Step Into	Shift + F7
Run to Cursor	Alt + F9
Evaluate Expression	Alt + F8
Resume Program	F9
Toggle / View Breakpoints	Ctrl + F8 Ctrl + Shift + F8
Stop	Ctrl + F2
Build Project	Ctrl + F9
Compile selected	Ctrl + Shift + F9

Version control & tool windows

Commit	Ctrl + K
Update project (pull)	Ctrl + T
Push	Ctrl + Shift + K
VCS operations popup	Alt + `
Project tool window	Alt + 1
Version Control window	Alt + 9
Run / Debug windows	Alt + 4 Alt + 5
Terminal	Alt + F12
Hide active tool window	Shift + Esc
Hide / restore all tool windows	Ctrl + Shift + F12
Close active editor tab	Ctrl + F4

Visual Studio Code

Default Windows keyboard shortcuts

NOTE Open the full, searchable list with **Ctrl+K Ctrl+S**, or the printable reference via **Help ► Keyboard Shortcuts Reference**. GitHub Copilot shortcuts are listed in the Copilot section above.

General

Command Palette	Ctrl + Shift + P F1
Quick Open / Go to File	Ctrl + P
New Window	Ctrl + Shift + N
Close Window	Ctrl + Shift + W
User Settings	Ctrl + ,
Keyboard Shortcuts	Ctrl + K Ctrl + S

Basic editing

Cut / copy line (no selection)	Ctrl + X Ctrl + C
Move line up / down	Alt + ↑ Alt + ↓
Copy line up / down	Shift + Alt + ↑ Shift + Alt + ↓
Delete line	Ctrl + Shift + K
Insert line below / above	Ctrl + Enter Ctrl + Shift + Enter
Jump to matching bracket	Ctrl + Shift + \
Indent / outdent line	Ctrl + J Ctrl + I
Go to line start / end	Home End
Go to file start / end	Ctrl + Home Ctrl + End
Toggle line comment	Ctrl + /
Toggle block comment	Shift + Alt + A
Toggle word wrap	Alt + Z

Multi-cursor & selection

Insert cursor (mouse)	Alt + Click
Insert cursor above / below	Ctrl + Alt + ↑ Ctrl + Alt + ↓
Undo last cursor operation	Ctrl + U
Insert cursor at selected line ends	Shift + Alt + I
Select current line	Ctrl + L
Add next occurrence to selection	Ctrl + D
Select all occurrences of word	Ctrl + Shift + L
Select all find matches	Alt + Enter
Column (box) selection	Shift + Alt + drag
Expand / shrink selection	Shift + Alt + → Shift + Alt + ←

Search & replace

Find	Ctrl + F
Replace	Ctrl + H
Find next / previous	F3 Shift + F3
Find in Files	Ctrl + Shift + F
Replace in Files	Ctrl + Shift + H
In Find: case / word / regex	Alt + C Alt + W Alt + R

Navigation

Go to Symbol in File	Ctrl + Shift + O
Go to Symbol in Workspace	Ctrl + T
Go to Line	Ctrl + G
Go to Definition	F12
Peek Definition	Alt + F12
Go to References	Shift + F12
Go back / forward	Alt + ← Alt + →
Next / previous problem	F8 Shift + F8
Quick Fix	Ctrl + .
Rename Symbol	F2

Code folding

Fold / unfold region	Ctrl + Shift + I Ctrl + Shift + J
Fold all / unfold all	Ctrl + K Ctrl + 0 Ctrl + K Ctrl + J
Show hover	Ctrl + K Ctrl + I

Editor management

Split editor	Ctrl + \
Focus editor group 1 / 2 / 3	Ctrl + 1 Ctrl + 2 Ctrl + 3
Close editor	Ctrl + W
Close all editors	Ctrl + K Ctrl + W
Reopen closed editor	Ctrl + Shift + T
Keep / pin editor open	Ctrl + K Enter
Cycle open editors	Ctrl + Tab

File management

New File	Ctrl	+	N					
Open File	Ctrl	+	O					
Save / Save As	Ctrl	+	S	Ctrl	+	Shift	+	S
Save All	Ctrl	+	K	S				
Close file	Ctrl	+	F4					

View & display

Toggle Full Screen				F11		
Toggle Zen Mode	Ctrl	+	K	Z		
Zoom in / out	Ctrl	+	=	Ctrl	+	-
Toggle Sidebar				Ctrl	+	B
Toggle Panel				Ctrl	+	J
Show Explorer	Ctrl	+	Shift	+	E	
Show Search	Ctrl	+	Shift	+	F	
Show Source Control	Ctrl	+	Shift	+	G	
Show Run & Debug	Ctrl	+	Shift	+	D	
Show Extensions	Ctrl	+	Shift	+	X	
Show Problems	Ctrl	+	Shift	+	M	

Terminal & IntelliSense

Toggle integrated terminal	Ctrl	+	`			
Create new terminal	Ctrl	+	Shift	+	`	
Split terminal	Ctrl	+	Shift	+	5	
Trigger suggestion (IntelliSense)	Ctrl	+	Space			
Trigger parameter hints	Ctrl	+	Shift	+	Space	
Format document	Shift	+	Alt	+	F	
Format selection	Ctrl	+	K	Ctrl	+	F

Debugging

Start / Continue					F5			
Stop / Restart	Shift	+	F5	Ctrl	+	Shift	+	F5
Step Over / Into / Out	F10		F11	Shift		+	F11	
Toggle Breakpoint					F9			

Sources: Anthropic Claude Code keybindings docs & cheatsheet · GitHub Copilot & VS Code official docs · JetBrains default keymap. Shortcuts vary by version and custom keymaps.