TCGA-COAD

Differential expression analysis report

RUN SUMMARY

Samples analysed	Tumour samples	Normal samples	Genes tested	Significant genes
514	**473**	**41**	**54,199**	**14,556**

ANALYSIS CRITERIA


Significant genes: FDR < 0.05 and |log2FC| > 1 | Contrast: tumour versus normal


GO enrichment completed **False**

INTERPRETATION

Results are exploratory and require independent biological validation.
Adjusted p-values use the DESeq2 multiple-testing framework.

Study cohort






Top genes ranked by adjusted p-value

Gene	log2 fold change	p-value	adjusted p-value
ENSG00000062038	5.96	0.00e+00	0.00e+00
ENSG00000167767	6.76	8.19e-294	2.22e-289
ENSG00000175832	5.30	2.30e-267	4.15e-263
ENSG00000164379	6.22	4.30e-220	5.83e-216
ENSG00000164283	5.74	1.90e-219	2.06e-215
ENSG00000159263	8.04	2.07e-199	1.87e-195
ENSG00000163347	4.79	1.22e-189	9.41e-186
ENSG00000103888	5.21	1.45e-184	9.82e-181
ENSG00000120254	2.37	4.46e-178	2.68e-174
ENSG00000129474	2.98	2.01e-177	1.09e-173
ENSG00000105989	5.45	1.44e-166	7.12e-163
ENSG00000105464	4.84	1.51e-161	6.81e-158
ENSG00000181577	4.88	1.57e-154	6.53e-151
ENSG00000142959	-5.93	2.56e-138	9.91e-135
ENSG00000169764	-2.19	1.98e-137	7.16e-134

Volcano plot



Top significant genes heatmap

