

- b Write a short note on iron and sodium in the human body, including health issues resulting from both deficiency and excess, as well as possible remedies.

OR

- (i) Suggest possible chelation therapies for the removal of toxicity of copper and plutonium. In each case write down the structural formula of the chelating agent to be used in therapy.

2024, November

2. Na

1. canks **4** K elp mucsce toutac
2. helps to yegute **amat** oh water n
Cnd arTound cells.
3. ennthal ton impulsive tramsmgsin
4. 4nann **ta te** ammwouMt h **boodue**
Saurue:- table sal ,PYoTnzd oods.

betticue isease
Adeise's disease
ypuatremia (low Br)
Shroke's Cramps

hypervatemia (high BP)

-D Important cece

ï¿½Fucthous

Keycampern ob henoglobecoch
lcaus ygen Tovn ngs-to rest
Hhe bo4.

2) helps celle to gueYate euegy row
Mutr aMts.

-eal mmmune ten

Fon cllrew, F etal on bya
dovel pmnt

Dis2ase -ue todecieu

1. i70A- dalfeieney Anemi
2. Faigue, tweatnes ~~p~~ale <kim

Eeoive probleen

4. havoeowatois bran diobatea)
2. hemo sideosg Important ï¿½ï¿½e

1/2) on cu toicity venovale

Nag Ca(etta), 2,3dimencaptopropam-1-ot
(BAL) ean be Used

H-

BAL

Fon Plutoim renova

Ca-Dta

N

N

1/2) important 1/2

Answer 0.24 and any one from 03 and 04

2. () What are the prerequisites a chelating drug needs to fulfil for being used in chelation therapy?

(b) Explain how does British anti-Lewisite (BAL) effectively remove 'As' from living systems. Give some disadvantages of BAL and give structure of a better chelating agent for removal of 'As'.

(c) What diseases are likely to occur for the deficiency of Na and Ca in the body and what would happen if excess of them accumulate in the body?

[3+4+2]

3. (a) What are the basic requirements of radioactive elements in radiodiagnosis?

6) Give an example of radiodiagnosis for imaging brain tumour.

(c) Cis-platin shows anti-cancer activity while trans-platin is highly toxic - Justify.

(3+2+3]

2024 April

2(a) Criteria for chelating drug
7 in my assignment

6) Process of removal of As from the body
Systemic

Reactions

HSch

-euz

As-R t

-SH

Leucine enzyme

complexed state (see)

+R-As

HOe

-1.1% important in the

BAL Can renoNe Hhe ewyy me bond ansenic
 comOuds ta lestonue th aH He uawe
 and As-BAL Complea is gureted hroug

Dis advantagsi

1. Tts aquas s is wnstable with rospect
 to ae aloudatow,
2. I was bechenabu ddon amd sig
 rsitatou
3. Thas o local'aMAshuesia syeguu Ted
 Smetimes i ma lead to ps tausiaw
 and voml thng.

Bete igud -dmsa

HO

H .

S -i:1/2 Important i:1/2

Deen

Nab hypumatema Addisom'e diseoase,
uyponatrenia,sfocken's
eTamps

ca- contracts stone w Abnormalites n b one
galbladdei and csichet, asteoporosis), bleed
elotng Anusclecau hracio
calem a.

3 (a)assignment

(6) EAample rodiodiaquosis horu
qmg brawn tumorT

Asigmnk