

Welcome to Python MCQS

Subhan Kaladi

1. What will `print(name[0:3])` output if `name = "subhan"`?

- A) sub
 - B) subh
 - C) ban
 - D) ugh
-

2. What does `print(name[3:-1])` display for `name = "subhan"`?

- A) ha
 - B) han
 - C) bha
 - D) bh
-

3. What will `print(str1.endswith("ld"))` return if `str1 = "hello World subhan"`?

- A) True
 - B) False
 - C) Error
 - D) None
-

4. What will `print(str1.startswith("he"))` return if `str1 = "hello World subhan"`?

- A) True
 - B) False
 - C) None
 - D) `SyntaxError`
-

5. What does `str1.lower()` do if `str1 = "hello World subhan"`?

- A) Converts string to title case
 - B) Converts string to uppercase
 - C) Converts string to lowercase
 - D) Returns same string
-

6. What does `str1.upper()` do if `str1 = "hello World subhan"`?

- A) Converts string to lowercase
 - B) Converts string to uppercase
 - C) Capitalizes only the first character
 - D) Title case
-

7. Output of `str1.title()` if `str1 = "hello World subhan"`?

- A) HELLO WORLD SUBHAN
 - B) Hello world subhan
 - C) Hello World Subhan
 - D) hello world subhan
-

8. What does `str1.capitalize()` do if `str1 = "hello World subhan"`?

- A) Capitalizes first letter only
 - B) Capitalizes all letters
 - C) Title cases all words
 - D) Converts to lowercase
-

9. What is output of `str2.replace("subhan", "kaladi")` if `str2` is `"hello world subhan"`?

- A) hello kaladi world
 - B) hello world kaladi
 - C) hello world subhan
 - D) Error
-

10. What will `print(str3.find("K"))` return if `str3 = "Subhan Kaladi"`?

- A) 7
 - B) 8
 - C) -1
 - D) 6
-

11. What will `print(str3.find("M"))` return if `str3 = "Subhan Kaladi"`?

- A) 1
 - B) 0
 - C) -1
 - D) 2
-

12. What will `print(str3.count("Kaladi"))` return if `str3 = "Subhan Kaladi"`?

- A) 0
 - B) 1
 - C) 2
 - D) -1
-

13. What is the result of `print(str4.split(" "))` if `str4 = "Subhan Kaladi"`?

- A) SubhanKaladi
 - B) ['Subhan', 'Kaladi']
 - C) Subhan Kaladi
 - D) Error
-

14. What does `len(first_name)` return if `first_name = input("Enter your first name: ")`?

- A) Number of digits in name
 - B) Total characters in input
 - C) Capitalized name
 - D) Name in reverse
-

15. Output of find_later.count("a") where find_later = "subhan \$ kaladi \$"?

- A) 2
 - B) 3
 - C) 4
 - D) 5
-

16. Which of the following is a valid string data type in Python?

- A) "123"
 - B) 123
 - C) True
 - D) None
-

17. What will happen if you try to add an integer and a string without type casting?

- A) It will concatenate
 - B) It will print 0
 - C) It will throw an error
 - D) It will convert automatically
-

18. What function is used to convert a string "2" into an integer?

- A) float("2")
 - B) str("2")
 - C) int("2")
 - D) input("2")
-

19. Which of the following is not part of Python's character set for strings?

- A) Letters
 - B) Digits
 - C) Emojis
 - D) Car engine codes
-

20. Which of the following is a valid Python identifier?

- A. 1variable
 - B. my_variable
 - C. @variable
 - D. #myVar
-

21. What data type does input() return?

- A) int
 - B) str
 - C) bool
 - D) float
-

22. What is the index of "K" in "Subhan Kaladi"?

- A) 0
 - B) 6
 - C) 7
 - D) 8
-

23. Which method is used to find a character's index?

- A) locate()
 - B) search()
 - C) find()
 - D) split()
-

24. Which method counts how many times a substring appears?

- A) total()
 - B) count()
 - C) length()
 - D) repeat()
-

25. Which method converts all characters to capital letters?

- A) lower()
- B) title()
- C) capitalize()
- D) upper()

Thank You

Correct Answers List

1. **A**
2. **A**
3. **B**
4. **A**
5. **C**
6. **B**
7. **C**
8. **A**
9. **B**
10. **A**
11. **C**
12. **B**
13. **B**
14. **B**
15. **B**
16. **A**
17. **C**
18. **C**
19. **D**
20. **B**
21. **B**
22. **C**
23. **C**
24. **B**
25. **D**