

S.No.	Question	Option A	Option B	Option C	Option D	Correct Answer
1	What will the following code output? let x = 10; if (x > 5) { x = 15; } console.log(x);	10	12	15	8	B
2	Which DOM method is used to get the document object?	document.get	document.get	document.get	document.get	B
3	What does the event.preventDefault() method do?	Stops the default action	Stops bubbling	Deletes the event	Refreshes the page	A
4	What is the output of the following code? console.log(2 + 3 * 4);	2	3	4	1	B
5	Which HTML element is used to define a section header?	<h6>	<h1>	<heading>	<title>	B
6	Which CSS property is used to set the text color?	font-color	text-color	color	foreground	C
7	What does the CSS property visibility: hidden do?	Turns element invisible	Hides the element	Makes text hidden	Creates a transparent element	A
8	What is the output of the following code? console.log([1, 2, 3].length);	array	object	undefined	string	B
9	Which JavaScript method is used to remove the last element from an array?	pop()	push()	shift()	slice()	B
10	What does the document.getElementById() method return?	All elements with the specified ID	The first element with the specified ID	Only IDs	A string	B
11	What is the purpose of the CSS property animation-duration?	Set image source	Improve accessibility	Add animation	Create a box shadow	B
12	What will the following code output? console.log(5 * 3);	5	23	Error		B
13	Which CSS property is used to set the padding of an element?	margin	padding	border	opacity	B
14	What is the output of the following code? console.log(true & false);	true	false	1	0	B
15	Which HTML element is used to create a link?	<a>	<link>	<href>	<url>	A
16	What does the document.querySelector() method return?	Removes the first element	Adds the class	Changes the text	Deletes the element	B
17	What does the document.body.appendChild() method do?	A single value	A state value	A DOM node	A CSS rule	B
18	What is the output of the following code? console.log('hello' === 'HELLO');	hello	HELLO	Hello	Error	B
19	Which HTML element is used to create a placeholder text?	hint	placeholder	label	value	B
20	What does the CSS property box-shadow do?	Includes padding	Makes the element hidden	Removes border	Adds shadow	A
21	What does the JavaScript method localStorage.setItem() do?	Tracking a user	Creating a session	Hashing password	Connecting to a database	A
22	Which JavaScript method is used to parse a JSON string?	JSON.string	JSON.parse	Object.json	parseJSON()	B
23	What is the output of the following code? console.log(2 + 3 * 4);	2	1	0	3	B
24	Which CSS property is used to set the padding of an element?	padding	margin	gap	font-size	B
25	What does the CSS property opacity: 0.5 do?	Makes it semi-transparent	Makes it hidden	Makes it red	Changes its color	A
26	What is the output of the following code? const [a, b] = [1, 2]; console.log(a);	10	20	undefined	Error	B
27	Which React hook is used to manage state?	state	props	ref	hook	B
28	What does the document.getElementsByTagName() method return?	An element	An element	All boxes or elements	A box tag	B
29	What is the output of the following code? console.log(2 * 3 + 4);	2	5	10	20	B
30	What does the CSS property pointer-events: none do?	Makes the element clickable	Makes it hidden	Changes its color	Prevents focus	A
31	What is the purpose of the CSS property background-image?	Memoizes data	Stores DOM elements	Creates CSS rules	Loads images	A
32	Which HTML element is used to create a line break?	 	<lb>	<break>	<newline>	A
33	What is the output of the following code? console.log(3 * 4 + 5);	3	52	Error		A
34	What does the CSS property text-align: center do?	Aligns items	Changes font	Adds margin	Creates a gradient	A
35	Which JavaScript keyword is used to declare a variable?	var	let	define	static	B
36	What does the CSS property text-decoration: underline do?	Shows character	Hides type	Accepts only one value	Makes the text underlined	B
37	What is the output of the following code? console.log(true & false);	true	false	undefined	Error	B
38	What is the purpose of the CSS property background-color?	Styling each element	Helping React	Connecting to a database	Creating hover effects	B
39	Which CSS property is used to set the border radius of an element?	border-radius	corner-style	radius-box	curve-border	A

40	What does	Finds an ex	Creates a n	Deletes a d	Styles a div	B
41	What is the console.log	false	true	undefined	Error	B
42	Which HTML	<p>	<para>	<text>	<section>	A
43	What does	Move elem	Hide the el	Make it fix	Create a gri	A
44	What is the console.log	2	3	4	1	B
45	Which React	useState()	useRef()	useEffect()	useMemo()	B
46	What does	Makes it cli	Prevents in	Adds a bor	Submits the	B
47	What is the let x = 1; x+	1	2	3	0	B
48	Which CSS	font-weight	font-style	font-variant	font-size	A
49	What does	Shows cont	Hides over	Adds a scro	Changes co	B
50	What is the console.log	object	function	undefined	string	B
51	Which HTML			<list>		B
52	What does	The element	The whole	The first bu	The browse	A
53	Which CSS	px	rem	vh	%	B
54	What is the console.log	1	0	undefined	Error	B
55	What does	Side effects	CSS animat	Password h	SQL queries	A
56	Which HTML	text	email	password	tel	B
57	What is the console.log	true	false	Error	undefined	A
58	What does	Removes th	Makes it tra	Moves it le	Adds paddi	A
59	Which React	<Header />	Header() or	{Header}	render Hea	A
60	What does	Maximum r	Maximum v	Maximum r	Maximum f	A
61	What is the console.log	32	6	Error		B
62	What does	Centers tex	Makes text	Changes te	Moves text	A
63	Which array	filter()	map()	push()	pop()	B
64	What does	Prevents ec	Hides the fi	Makes it re	Submits au	A
65	What is the console.log	6	8	9	5	B
66	Which CSS	gap	margin	padding	space	A
67	What does	State	A database	A cookie	A route par	A
68	Which HTML	<nav>	<section>	<footer>	<article>	A
69	What is the console.log	hel	ell	llo	hello	B
70	What does	Forces item	Hides extra	Makes item	Adds borde	A
71	Which React	useState()	useCallback	useRef()	useEffect()	B
72	What is the console.log	false	true	undefined	Error	B
73	Which HTML	<button>	<click>	<btn>	<input-butt	A
74	What does	Stacking or	Text size	Image qual	Line spacin	A
75	What is the console.log	10	55	Error		B
76	What does	Where the	The color o	The form w	The type of	A
77	Which React	children	state	ref	key	A
78	What does	Text cannot	Shows a ha	Hides the c	Adds an ou	B
79	What is the console.log	ab	a-b	a,b	Error	B
80	Which HTML				<item>	A
81	What does	Centering h	Making tex	Adding sha	Changing li	A

82	What is the console.log	true	false	Error	undefined	A
83	What does	Wraps elem	Creates a r	Creates a st	Adds CSS cl	A
84	Which CSS	font-size	text-weight	font-border	letter-size	A
85	What is the console.log	string	text	object	undefined	A
86	Which HTM	<main>	<body>	<div>	<section>	A
87	What does	Sets the cu	Changes fo	Makes the	Adds a plac	A
88	Which Reac	useEffect()	useState()	useRef()	useCallback	A
89	What is the console.log	1	2	3	0	A
90	What does	Centers iter	Centers tex	Adds margi	Creates col	A
91	Which HTM		<image>	<src>	<pic>	A
92	What does	Makes it m	Makes it op	Changes th	Auto-fills th	A
93	What is the console.log	5	72	Error		A
94	What does	Hides the e	Removes th	Makes it bc	Changes fo	A
95	Which Reac	map() with	forEach() o	filter() only	useRef() on	A
96	What is the console.log	abc	ABC	Abc	Error	A
97	What does	The kind of	The CSS cla	The page ti	The image s	A
98	Which CSS	border-radi	corner-radi	round-bord	radius	A
99	What does	JSX	A SQL quer	A JWT toke	A file path	A
100	What is the console.log	x	y	z	undefined	A
101	Which tag i	<a>	<link>	<href>	<nav>	A
102	Which HTM	<h1>	<h6>	<heading>	<head>	A
103	What does	Hyper Text	Home Tool	Hyperlinks	Hyper Tool	A
104	Choose the		<important		<i>	A
105	Choose the	<i>	<italic>		<emp>	C
106	Which char	/	<	*	^	A
107	How can yc			<dl>	<list>	A
108	How can yc			<dl>	<list>	A
109	Which HTM	alt	title	src	longdesc	A
110	Which HTM	<title>	<meta>	<head>	<header>	A
111	Which attri	required	validate	placeholder	formvalidat	A
112	Which input	range	slider	controls	search	A
113	Which HTM	<header>	<section>	<top>	<head>	A
114	Which HTM	<meter>	<gauge>	<measure>	<range>	A
115	In HTML, w	Content asi	A navigatio	The ASCII c	A sidebar	A
116	Which HTM	<nav>	<navigate>	<navigation	<links>	A
117	Which HTM	<footer>	<bottom>	<section>	<end>	A
118	What is the	<body style	<background	<body bg='	<body color	A
119	Choose the	<td style='t	<td align='l	<td valign='	<td leftalig	A
120	What is the	<select>	<list>	<input type	<input type	A
121	What is the	<textarea>	<input type	<input type	<text>	A
122	Which HTM	<dd>	<dt>	<dl>	<desc>	A
123	What does	Draw graph	Display dat	Create drag	Manipulate	A
124	Which HTM	style	class	font	styles	A
125	Which is th	 	<lb>	<break>	<newline>	A
126	What does	Cascading S	Colorful Sty	Creative Sty	Computer S	A
127	Where in a	In the <hea	In the <bod	At the end	Anywhere	A
128	Which HTM	<style>	<css>	<script>	<link>	A
129	Which is th	body {color	{body;color	{body:color	body:color-	A

130	How do you	<code>/* this is a c</code>	<code>// this is a c</code>	<code>// this is a c</code>	<code>' this is a co</code>	A
131	Which prop	<code>background</code>	<code>color</code>	<code>bgcolor</code>	<code>background</code>	A
132	How do you	<code>h1 {backgrou</code>	<code>h1.all {back</code>	<code>all.h1 {back</code>	<code>h1 {bgcolor</code>	A
133	Which CSS	<code>color</code>	<code>text-color</code>	<code>fgcolor</code>	<code>font-color</code>	A
134	Which CSS	<code>font-size</code>	<code>text-style</code>	<code>text-size</code>	<code>font-style</code>	A
135	What is the	<code>p {font-weig</code>	<code><p style='fo</code>	<code>p {text-size:</code>	<code>p {font:bold</code>	A
136	How do you	<code>a {text-deco</code>	<code>a {text-deco</code>	<code>a {underlin</code>	<code>a {decoratio</code>	A
137	How do you	<code>text-transfo</code>	<code>text-transfo</code>	<code>text-style:c</code>	<code>transform:c</code>	A
138	Which prop	<code>font-family</code>	<code>font-weight</code>	<code>font-style</code>	<code>font-type</code>	A
139	How do you	<code>font-weight</code>	<code>style:bold;</code>	<code>font:bold;</code>	<code>text:bold;</code>	A
140	How do you	<code>border-wid</code>	<code>border-wid</code>	<code>border-wid</code>	<code>border-wid</code>	A
141	Which prop	<code>margin-left</code>	<code>padding-lef</code>	<code>indent</code>	<code>margin</code>	A
142	When using	No	Yes	Depends on	Only in px	A
143	How do you	<code>list-style-ty</code>	<code>list-type: sq</code>	<code>list: square;</code>	<code>list-style: sq</code>	A
144	How do you	<code>#demo</code>	<code>.demo</code>	<code>demo</code>	<code>*demo</code>	A
145	How do you	<code>.test</code>	<code>#test</code>	<code>test</code>	<code>*test</code>	A
146	How do you	<code>div p</code>	<code>div + p</code>	<code>div ~ p</code>	<code>div.p</code>	A
147	How do you	Separate ea	Separate ea	Separate ea	Separate ea	A
148	What is the	<code>static</code>	<code>relative</code>	<code>fixed</code>	<code>absolute</code>	A
149	Which CSS	<code>z-index</code>	<code>overlap</code>	<code>stack</code>	<code>position</code>	A
150	What does	Hides the e	Hides the e	Makes it tra	Deletes it fr	A
151	Inside whic	<code><script></code>	<code><javascript:</code>	<code><js></code>	<code><scripting></code>	A
152	Where is th	Both the <h	The <body>	The <head>	The <footer	A
153	What is the	<code><script src=</code>	<code><script href</code>	<code><script nam</code>	<code><link src='x</code>	A
154	The externa	False	True	Depends on	Only if usin	A
155	How do you	<code>alert('Hello</code>	<code>msg('Hello</code>	<code>msgBox('He</code>	<code>alertBox('H</code>	A
156	How do you	<code>function my</code>	<code>function:m</code>	<code>function = r</code>	<code>create myF</code>	A
157	How do you	<code>myFunction</code>	<code>call myFunc</code>	<code>call function</code>	<code>myFunction</code>	A
158	How to writ	<code>if (i == 5)</code>	<code>if i = 5 then</code>	<code>if i == 5 the</code>	<code>if i = 5</code>	A
159	How to writ	<code>if (i != 5)</code>	<code>if i <> 5</code>	<code>if (i <> 5)</code>	<code>if i != 5 the</code>	A
160	How does a	<code>while (i <=</code>	<code>while i = 1 t</code>	<code>while (i <=</code>	<code>while (i = 0)</code>	A
161	How does a	<code>for (i = 0; i</code>	<code>for (i <= 5; i</code>	<code>for (i = 0; i</code>	<code>for i = 1 to</code>	A
162	How can yo	<code>//This is a c</code>	<code>'This is a co</code>	<code><!--This is a</code>	<code>*This is a co</code>	A
163	How to inse	<code>/*This com</code>	<code>//This com</code>	<code><!--This cor</code>	<code>#This com</code>	A
164	What is the	<code>var colors =</code>	<code>var colors =</code>	<code>var colors =</code>	<code>var colors =</code>	A
165	How do you	<code>Math.round</code>	<code>rnd(7.25)</code>	<code>Math.rnd(7</code>	<code>round(7.25)</code>	A
166	How do you	<code>Math.max(x</code>	<code>Math.ceil(x</code>	<code>top(x, y)</code>	<code>ceil(x, y)</code>	A
167	What is the	<code>w2 = windo</code>	<code>w2 = windo</code>	<code>w2 = windo</code>	<code>w2 = windo</code>	A
168	JavaScript i	False	True	Yes but sim	Yes for web	A
169	How can yo	<code>navigator.a</code>	<code>browser.na</code>	<code>client.navN</code>	<code>window.bro</code>	A
170	Which ever	<code>onclick</code>	<code>onchange</code>	<code>onmousecl</code>	<code>onmouseov</code>	A
171	How do you	<code>var carNam</code>	<code>v carName;</code>	<code>variable car</code>	<code>car carNam</code>	A
172	Which oper	<code>0</code>	<code>*</code>	<code>X</code>	<code>-</code>	A
173	What will t	<code>true</code>	<code>false</code>	<code>NaN</code>	<code>undefined</code>	A
174	Is JavaScript	Yes	No	Only in stri	Only variab	A
175	Which keyw	<code>let</code>	<code>var</code>	<code>set</code>	<code>const (only</code>	A
176	What is Rea	A JavaScript	A framewo	A database	A CSS prepr	A
177	Who develo	Facebook	Google	Microsoft	Twitter	A
178	What is JSX	A syntax ex	A new prog	A database	A CSS frame	A
179	How do you	Props	State	Context	Hooks	A
180	What is a st	An internal	External da	A CSS style	A database	A
181	Which hoo	<code>useState</code>	<code>useEffect</code>	<code>useContext</code>	<code>useReduce</code>	A
182	What is the	To perform	To manage	To style cor	To handle e	A
183	How do you	Using terna	Using if-els	Using a swi	You cannot	A

184	What is a key?	A unique identifier	The index of an array	A secret password	A component	A
185	Why are keys important?	They help React find the element to update	They style the element	They define the element's behavior	They secure the element	A
186	What is a reusable component?	A reusable function	A function that returns a component	A database	A CSS style	A
187	How do you use props?	onClick={myFunction}	onclick='myFunction'	on-click={myFunction}	onClick={myFunction}	A
188	What is the difference between a component and a library?	A lightweight component	The actual component	A database	A backend service	A
189	Why is the virtual DOM important?	It minimizes the number of updates to the browser	It uses hardware acceleration	It runs on a GPU	It bypasses the browser	A
190	What is Redux?	Navigating the state	Managing state	Fetching data	Styling components	A
191	How do you install a package?	npm create-react-app	npm install	create-react-app	react new	A
192	What is the difference between a component and a library?	The component	The state of the component	The JSX	The CSS module	A
193	How do you import a component?	import MyComponent from 'my-library'	import { MyComponent } from 'my-library'	import MyComponent from 'my-library'	include MyComponent	A
194	What is a fragment?	A way to group elements	A broken component	A piece of state	A database	A
195	How do you use a fragment?	<>...</> or <Fragment>...</Fragment>	<fragment>...</fragment>	<group>...</group>	<wrapper>...</wrapper>	A
196	What is Context?	Passing data down the component tree	Managing state	Fetching data	Styling components	A
197	Which hooks are used for state management?	useState, useContext	useState, useReducer	useEffect, useReducer	useReducer, useReducer	A
198	What is a hook?	A function that returns a component	A component	A stateful component	A functional component	A
199	What does create-react-app do?	Starts the development server	Builds the application	Installs dependencies	Runs tests	A
200	How do you use useState?	const [count, setCount] = useState(0)	count = count + 1	setCount = count + 1	updateCount = count + 1	A