



Microservices with Spring Boot

Creating Microservices for **Account**



```
1 package com.cognizant.account.model;
2
3 public class Account { no usages
4
5     private String number; 3 usages
6     private String type; 3 usages
7     private double balance; 3 usages
8
9     public Account() { no usages
10    }
11
12    public Account(String number, String type, double balance) { no usages
13        this.number = number;
14        this.type = type;
15        this.balance = balance;
16    }
17
18    public String getNumber() { no usages
19        return number;
20    }
21
22    public void setNumber(String number) { no usages
23        this.number = number;
24    }
25
26    public String getType() { no usages
27        return type;
28    }
29 }
```



```




v account C:\Users\ADMIN\Downloads\account\account
  > .idea
  > .mvn
  v src
    v main
      v java
        v com.cognizant.account
          v controller
            AccountController
          > model
            AccountApplication
```

```
AccountApplication.java Account.java AccountController.java x
1 package com.cognizant.account.controller;
2
3 import com.cognizant.account.model.Account;
4 import org.springframework.http.HttpStatus;
5 import org.springframework.web.bind.annotation.*;
6 import org.springframework.web.server.ResponseStatusException;
7
8 import java.util.List;
9
10 @RestController
11 @RequestMapping("/accounts")
12 public class AccountController {
13
14     private final List<Account> accounts = List.of( 1 usage
15         e1: new Account( number: "1001", type: "Savings", balance: 25000),
16         e2: new Account( number: "1002", type: "Current", balance: 80000),
17         e3: new Account( number: "1003", type: "Salary", balance: 45000),
18         e4: new Account( number: "1004", type: "Savings", balance: 120000)
19     );
20
21     @GetMapping("/{number}")
22     public Account getAccount(@PathVariable String number) {
23
24         return accounts.stream() Stream<Account>
25             .filter( Account predicate: account -> account.getNumber().equals(number))
26             .findFirst() Optional<Account>
27             .orElseThrow( exceptionSupplier: () ->
28                 new ResponseStatusException(HttpStatus.NOT_FOUND, "Account not found"));
29     }
30 }
```

```
localhost:8080/accounts/1003
Comprehensive Dat... Dynamic Programm...
Pretty-print [x]
{
  "number": "1003",
  "type": "Salary",
  "balance": 45000
}
```

```
localhost:8080/accounts/1001
Comprehensive Dat... Dynamic Programm...
Pretty-print [x]
{
  "number": "1001",
  "type": "Savings",
  "balance": 25000
}
```

Creating Microservices for **Loan**



```
LoanController.java x  LoanApplication.java  application.properties  Loan.java

1  package com.cognizant.loan.controller;
2
3  import com.cognizant.loan.model.Loan;
4  import org.springframework.web.bind.annotation.*;
5
6  @RestController
7  @RequestMapping("/loans")
8  public class LoanController {
9
10     @GetMapping("/{number}")
11     public Loan getLoan(@PathVariable String number) {
12
13         return new Loan(number, type: "car", loan: 400000, emi: 3258, tenure: 18);
14     }
15 }
```

```
localhost:8085/loans/9500CC

Comprehensive Dat...  Dynamic Programm...  (3) Data structures...

Pretty-print ☒

{
  "number": "9500CC",
  "type": "car",
  "loan": 400000,
  "emi": 3258,
  "tenure": 18
}
```