


Hands on 1

Create a Spring Web Project using Maven



Spring Core – Load SimpleDateFormat from Spring Configuration XML

DATE-FORMAT.XML

```
<?xml version="1.0" encoding="UTF-8"?>
<beans xmlns="http://www.springframework.org/schema/beans"
       xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
       xsi:schemaLocation="http://www.springframework.org/schema/beans
       https://www.springframework.org/schema/beans/spring-beans.xsd">

    <bean id="dateFormat" class="java.text.SimpleDateFormat">
        <constructor-arg value="dd/MM/yyyy"/>
    </bean>

</beans>
```

Add the displayDate()

```
public static void displayDate() {

    ApplicationContext context = new ClassPathXmlApplicationContext("date-format.xml");

    SimpleDateFormat format = context.getBean("dateFormat", SimpleDateFormat.class);

    try {

        Date date = format.parse("31/12/2018");
```

```

        System.out.println(date);
    } catch (Exception e) {
        e.printStackTrace();
    }
}

```

Spring Core - Incorporate Logging

```

public class SpringLearnApplication {
    private static final Logger LOGGER =
        LoggerFactory.getLogger(SpringLearnApplication.class);
    public static void displayDate() {
        LOGGER.info("START");
        ApplicationContext context =
            new ClassPathXmlApplicationContext("date-format.xml");
        SimpleDateFormat format =
            context.getBean("dateFormat", SimpleDateFormat.class);
        try {
            Date date = format.parse("31/12/2018");
            LOGGER.debug("Date : {}", date);
        } catch (Exception e) {
            LOGGER.error("Exception occurred", e);
        }
        LOGGER.info("END");
    }
    public static void main(String[] args) {
        SpringApplication.run(SpringLearnApplication.class, args);
        displayDate();
    }
}

```

```

260709|17:09:48.691|restartedMain    | INFO|.s.SpringLearnApplication|    logStarted|Started SpringLearnApplication in 1.826 se
260709|17:09:48.694|restartedMain    | INFO|.s.SpringLearnApplication|    displayDate|START
260709|17:09:48.796|restartedMain    | DEBUG|.s.SpringLearnApplication|    displayDate|Date : Mon Dec 31 00:00:00 IST 2018
260709|17:09:48.797|restartedMain    | INFO|.s.SpringLearnApplication|    displayDate|END

```

Add displayCountry() & create a country class with name and countrycode

```
public static void displayCountry() {  
  
    LOGGER.info("START");  
  
    ApplicationContext context =  
        new ClassPathXmlApplicationContext("country.xml");  
    Country country = context.getBean("country", Country.class);  
    LOGGER.debug("Country : {}", country);  
    LOGGER.info("END");  
}
```

country.xml

```
<?xml version="1.0" encoding="UTF-8"?>  
<beans xmlns="http://www.springframework.org/schema/beans"  
    xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"  
    xsi:schemaLocation="http://www.springframework.org/schema/beans  
        http://www.springframework.org/schema/beans/spring-beans.xsd">  
  
    <bean id="country" class="com.cognizant.spring_learn.Country">  
        <property name="code" value="IN"/>  
        <property name="name" value="India"/>  
    </bean>  
  
</beans>
```

```
260709|17:15:31.218|restartedMain | INFO|.s.SpringLearnApplication| displayDate|START  
260709|17:15:31.329|restartedMain | DEBUG|.s.SpringLearnApplication| displayDate|Date : Mon Dec 31 00:00:00 IST 2018  
260709|17:15:31.330|restartedMain | INFO|.s.SpringLearnApplication| displayDate|END  
260709|17:15:31.331|restartedMain | INFO|.s.SpringLearnApplication| displayCountry|START  
260709|17:15:31.385|restartedMain | DEBUG|c.c.spring_learn.Country | <init>|Inside Country Constructor.  
260709|17:15:31.386|restartedMain | DEBUG|c.c.spring_learn.Country | setCode|Inside setCode()  
260709|17:15:31.386|restartedMain | DEBUG|c.c.spring_learn.Country | setName|Inside setName()  
260709|17:15:31.387|restartedMain | DEBUG|.s.SpringLearnApplication| displayCountry|Country : Country{code='IN', name='India'}  
260709|17:15:31.387|restartedMain | INFO|.s.SpringLearnApplication| displayCountry|END
```