

\times

20 Interview Questions on Linear Regression and Logistic Regression





1. What are the data challenges during model development?

- · Observational data missing values and outliers
- · Mixed measurement scale nominal, ordinal, interval and ratio
- · High dimensionality large number of predictors
- · Rare target event imbalanced dataset

2. What are the analytical challenges during model development?

- · Non linearity relationship between X and Y is non-linear. Hence difficult to model
- · Model selection selected the most accurate model but it may be an overfit

3. What are the difference between linear regression and logistic?

- · Outcome
- o <u>Linear regression</u> conditional mean of response is between –inf and +inf
- o Logistic regression conditional mean of response is between 0 and 1

- · Relationship
- o Linear regression linear relationship between independent and dependent variable
- o Logistic regression linear relationship between independent and logodds of dependent variable
- · Error
- o Linear regression normal random error
- o <u>Logistic regression</u> does not have random normal error but binomial error (P * (1-P))
- · Method of estimation
- o Linear regression method of ordinary least square (OLS)
- o Logistic regression method of maximum likelihood estimation (MLe)

4. What is stepwise selection method?

· Forward — Starts with zero variables. If a variable is added then it stays in the model even if it becomes insignificant later.

- · Backward Starts with all the variables. If a variable is eliminated then it cannot be included in the model.
- · Stepwise Includes aspects of forward and backward selection methods. It terminates when no variable can be added or removed from the model.

5. What are the assumptions of linear regression?

- · Linearity of independent and dependent variable
- · Errors should be normally distributed with mean of zero
- · Errors have equal variance
- · Errors are independent

6. How do you penalize the model for extra variables?

- · Information value (AIC, BIC and SBS) Each matrix has a different penalty for additional variables and tries to minimize the unexplained variance. Smallest information value is preferred.
- · Adjusted R-Sq R-Sq increased when more variables are added and Adj R-Sq takes into account the additional variables. Larger Adj R-Sq is preferred

7. What is the method of maximum likelihood?

· Estimated parameters that are most likely

```
· Logit (p) = b0 + b1 x1 + b2 x2 + ... + bn xn
```

- · Where, Logit (p) = LN(p / (1-p))
- · If x1 is changed by 1 unit then change in odds is $(e^b1) 1$

8. What does odds-ratio signify?

- · The odds-ratio (OR) are always between 0 and infinity
- \cdot If OR = 1, then there is no association
- \cdot OR > 1, group in numerator has higher event
- · OR < 1, group in denominator has higher event

9. How do you decide the cut-off for the output of logistic regression?

- · Accuracy cut-off such that the accuracy is maximum. Confusion matrix is used here, true negative (actual = 0 and predicted = 0), false negative (actual = 1 and predicted = 0), false positive (actual = 0 and predicted = 1), true positive (actual = 1 and predicted = 1).
- · Business cut-off such that the profit is maximum

10. What are the key matrices used to check the performance of logistic regression?

- · C statistics it represents the concordance of the model. It is the probability that an observation having event is more than the probability that an observation having non-event.
- · Accuracy (True positive + True negative) / Total cases
- · Error Rate (False positive + False negative) / Total cases
- · Sensitivity True positive / Total actual positive
- · Specificity True negative / Total actual negative
- · Positive pred value True positive / Total predicted positive
- · Negative pred value True negative / Total predicted negative
- · KS it measures the distance between cumulative good and cumulative bad. The maximum distance is KS.
- · AUCROC measures the performance of the model across all cut-offs. Sensitivity is on the y-axis and 1-specificty is on the x-axis
- · Gain chart positive prediction rate is on y-axis and percentage of cases allocated to event is on x-axis

11. How do you handling missing values?

- · The goal of missing value imputation is to retain all original data and score new cases
- · Numerical variable impute with mean or median and create a missing value indicator
- · Categorical variable impute with a new label
- · Regression imputation does not involve target variable and can be used when two or more variables are highly correlated. However, it may lead to over-fitting, increase computation time and increased scoring efforts
- · Cluster imputation it is condition on other variables. The cluster mean is used to replace the missing data point

12. What is multi-colinearity?

- · Co-linearity is the relationship between two variables. Multi-colinearity is the relationship between more than two variables.
- · Variance inflation factor is used to identify presence of multi-colinearity. When multiple variables try to explain the variance it leads to inflated standard errors hence unstable model

13. How do you remove variable redundancy?

- · Correlation matrix and variance inflation factor
- · Variable clustering can be used and from each cluster one variable is selected such that the variable has high correlation with own cluster variables and low correlation with other cluster variables

14. What is an influential observation?

- · An influential observation has large effect on some part of the model
- · An outlier is an unusual data point
- To check for influential outliers, the data should be checked for errors and adequate modeling technique should be used.

15. What is the issue of high dimensionality?

- · When a categorical variable has high number of labels, it leads to quasi complete separation
- · It can affect the convergence of the model and can lead to incorrect decisions
- · Solution collapsing categories based on reduction in chi-square

16. What is the issue of non-linear relationship in logistic regression?

- \cdot Scatter plot is used. Logit (LN (p/(1-p))) on the y-axis and mean value of x (bins) on x-axis
- · Use of polynomial models
- · Use of a flexible multivariate function estimator

17. What is interaction?

- · When two or more categorical variables are combined together
- · If we have 3 categorical variables A, B and C
- · Interactions are A*B, B*C, C*A and A*B*C

18. What is joint sampling and separate sampling?

- · Joint sampling is done when there are equal number of events and nonevents. Not appropriate for imbalanced data
- \cdot Separate sampling is done for imbalanced data. For rare event, all observations are kept when target = 1 and only few observations are kept when target = 0.

19. How do you correct for oversampling?

· Intercept needs to be corrected using an offset

$$\cdot$$
 Offset = LN((p0 * P1) / (p1 * P0))

- · Where, p0 is the proportion of non-event in population and p1 is the proportion of event in population
- · P0 is the proportion of non-event in sample and P1 is the proportion of event in sample
- · Over-sampling does not impact AUROC, sensitivity and specificity
- · Over-sampling impacts the gain and lift charts

20. How do you correct for imbalanced data?

· Adjust the samples with weights

$$\cdot$$
 0 — n * p(0)

$$\cdot 1 - n * p(1)$$

· If
$$y = 1$$
, then weight = $p(1) / P(1)$

· If
$$y = 0$$
, then weight = $p(0) / P(1)$



Published in Analytics Vidhya




70K Followers · Last published Oct 15, 2024

Analytics Vidhya is a community of Generative AI and Data Science professionals. We are building the next-gen data science ecosystem https://www.analyticsvidhya.com




Written by RG





https://www.linkedin.com/in/f2005636/

More from RG and Analytics Vidhya





RG

In Analytics Vidhya by Hannan Satopay

Credit Risk Model using Regression and XGBoost

The Ultimate Markdown Guide (for **Jupyter Notebook)**

An in-depth guide for Markdown syntax usage for Jupyter Notebook

Apr 21 👋 21

Nov 18, 2019 **3** 2.4K **1** 13



In Analytics Vidhya by Leland Roberts

Tableau is a Business Intelligence tool used to analyze data visually. Using Tableau, users...

In Analytics Vidhya by RG

Understanding the Mel Spectrogram

(and Other Topics in Signal Processing)

Mar 6, 2020 **3** 2.2K **2** 27

Jan 7, 2020 👋 27

Quick Notes on Tableau


See all from RG


See all from Analytics Vidhya

Recommended from Medium













FREQUENTLY ASKED HYPOTHESIS TESTING **QUESTIONS FOR DATA** SCIENTIST INTERVIEWS



Amit Yadav

Top 11 Linear Regression Interview Questions (With Answers)

If you think you need to spend \$2,000 on a 120-day program to become a data scientist...



→ Jul 21 3 5





Wikash Singh

Frequently Asked Hypothesis Testing Questions for Data...

If you are preparing for a data science or statistical modelling role, brushing up on yo...





Medium











LIJLJ



Predictive Modeling w/ **Python**

20 stories - 1695 saves



Coding & Development

11 stories · 923 saves




Practical Guides to Machine Learning

10 stories - 2062 saves



ChatGPT prompts

50 stories · 2305 saves



In Towards Data Science by Haden Pelletier

Every Step of the Machine Learning Life Cycle Simply Explained

A comprehensive guide to the ML life cycle with examples in Python

► 5d ago 🐿 297 🗨 3 💢 🕶




In GDG Babcock Dataverse by Anjolaoluwa Ajayi

5 Free Ways to Get Data for Your Data Science and ML Projects

With Examples

Nov1 **№** 158 **Q** 1




Rishabh Singh

Logistic Regression

Logistic Regression is one of the most fundamental algorithms in Machine Learnin...

Oct 8 🔌 143 🗨 1



Dosinarayanaraghavendra

LINEAR REGRESSION in a nut shell

Linear Regression is first algorithm in Machine Learning its main aim is to get the...

Oct 11 🔌 3

See more recommendations

Help Status About Careers Press Blog Privacy Terms Text to speech Teams