



Probability – Aptitude Questions and Answers

Last Updated : 04 Dec, 2024

Are you preparing for a job interview or an entrance exam, or want to improve your quantitative skills? If so, then it is important to have a good understanding of probability and how it works.

In this article, we will discuss the most common probability question types commonly asked on quantitative aptitude tests.

Prerequisites:

- [Probability in Maths](#)
- [Tricks To Solve Probability Questions](#)

Aptitude Questions on Probability

Question 1: Three unbiased coins are tossed. What is the probability that at most one had occurred?

Solution:

$$S = \{HHH, HHT, HTH, THH, HTT, THT, TTH, TTT\}$$

$$\text{Favorable outcomes} = \{HTT, THT, TTH, TTT\}$$

$$\text{Total number of outcomes} = 8$$

$$\text{Number of favorable outcomes} = 4$$

$$\text{Required probability} = 4 / 8 = 0.50$$

Question 2: Find the probability of getting a red card when a card is drawn from a well-shuffled pack of cards.

Solution:

$$\text{Total number of outcomes} = 52$$

$$\text{Number of favorable outcomes} = \text{Number of red cards} = 26$$

$$\text{Required probability} = 26 / 52 = 0.50$$

Question 3: A bag contains 6 white and 4 black balls. Two balls are drawn at random from the bag. Find the probability that both the balls are of the same color.

Solution:

$$\text{Outcome will be favorable if the two balls drawn are of the same color.} \Rightarrow \text{Number of favorable outcomes} = {}^6C_2 + {}^4C_2 = 21$$

$$\text{Total number of outcomes} = {}^{10}C_2 = 45$$

$$\text{Therefore, required probability} = 21 / 45 = 7 / 15$$

Question 4: An unbiased die is tossed. Find the probability of getting an even number.

Solution:

$$S = \{1, 2, 3, 4, 5, 6\}$$

$$\text{Favorable outcomes} = \{2, 4, 6\}$$

$$\text{Required probability} = 3 / 6 = 0.50$$

Question 5: From a bag containing red and blue balls, 10 each, 2 balls are drawn at random. Find the probability that one of them is red and the other is blue.

Solution:

$$\text{Total number of outcomes} = {}^{20}C_2 = 190$$

$$\text{Number of favorable outcomes} = {}^{10}C_1 \times {}^{10}C_1 = 100$$

$$\text{Therefore, required probability} = 100 / 190 = 10 / 19$$

MCQs on Probability

Question 1: A card is drawn from the set of 52 cards. Find the probability of getting a queen card.

- A. 1/52
- B. 1
- C. 1/26
- D. 1/13

Answer: D

Solution:

$$\text{Number of favorable outcomes} = 4 \text{ (since there are 4 queens in the deck)}$$

$$\text{Total number of possible outcomes} = 52 \text{ (since there are 52 cards in total)}$$

Thus, the probability of drawing a queen card is:

$$P(\text{Queen}) = 4/52 = 1/13$$

Question 2: If a coin is thrown two times, what is the probability that at least one tail is obtained?

- C) 1/3
- D) 2/3
- E) None of these

Answer: A

Solution:

Sample space = [TT, TH, HT, HH]

Total number of ways = $2 \times 2 = 4$.

Favourite Cases = 3

P (A) = 3/4

Question 3: What is the probability of getting a numbered card when drawn from the pack of 52 cards?

- A) 1/13
- B) 1/9
- C) 9/13
- D) 11/13
- E) None of these

Answer: C

Solution:

Total Cards = 52.

Numbered Cards = 9 (2, 3, 4, 5, 6, 7, 8, 9, 10) in each suit

Numbered cards in four suit = $4 \times 9 = 36$

P (E) = 36/52 = 9/13

Question 4: There are 7 purple clips and 5 brown clips. Two clips are selected one by one without replacement. Find the

- A) 1/35
- B) 35/132
- C) 1/132
- D) 35/144
- E) None of these

Answer: B

Solution:

$$P(B) \times P(P) = (5/12) \times (7/11) = 35/132$$

Question 5: Find the probability of getting a sum of 8 when two dice are thrown.

- A) 1/8
- B) 1/5
- C) 1/4
- D) 5/36
- E) 1/3

Answer: D

Solution:

Total number of ways = $6 \times 6 = 36$ ways.

Favorable cases = (2, 6) (6, 2) (3, 5) (5, 3) (4, 4) — 5 ways.

$$P(A) = 5/36 = 5/36$$

Question 6: Find the probability of an honor card when a card is drawn at random from the pack of 52 cards.

- C) 5/12
- D) 7/52
- E) None of these

Answer: A

Solution:

Honor cards = 4 (A, J, Q, K) in each suit

Honor cards in 4 suit = $4 \times 4 = 16$

P (honor card) = $16/52 = 4/13$

Question 7: What is the probability of a face card when a card is drawn at random from the pack of 52 cards?

- A) 1/13
- B) 2/13
- C) 3/13
- D) 4/13
- E) 5/13

Answer: C

Solution:

Face cards = 3 (J, Q, K) in each suit

Face cards in 4 suits = $3 \times 4 = 12$ Cards.

P (face Card) = $12/52 = 3/13$

Question 8: If two dice are rolled together then find the probability of getting at least one '3'.

- A) 11/36

D) 13/25

E) 13/36

Answer: A

Solution:

Total number of ways = $6 \times 6 = 36$.

$$\begin{aligned} & \text{Probability of getting number '3' at least one time} \\ &= 1 - (\text{Probability of getting no number 4}) \\ &= 1 - (5/6) \times (5/6) \\ &= 1 - 25/36 \\ &= 11/36 \end{aligned}$$

Question 9: If a single six-sided die is rolled then find the probability of getting either 3 or 4.

A) 1/2

B) 1/3

C) 1/4

D) 2/3

E) 1/6

Answer: B

Solution:

Total outcomes = 6

The probability of getting a single number when rolled a die = 1/6

So, $P(3) = 1/6$ and $P(4) = 1/6$

Thus, the probability of getting either 3 or 4

$$= P(3) + P(4)$$

$$= 1/6 + 1/6$$

$$= 1/3$$

- A) 1/10
- B) 3/10
- C) 7/10
- D) 9/10
- E) None of these

Answer: C

Solution:

$$\begin{aligned} \text{Total gems} &= (1 + 3 + 2 + 4) = 10 \\ \text{probability of getting a violet gem} &= 4/10 \\ \text{The probability of getting a black gem} &= 3/10 \\ \text{Now, } P(\text{Violet or Black}) &= P(\text{violet}) + P(\text{Black}) \\ &= 4/10 + 3/10 \\ &= 7/10 \end{aligned}$$

Question 11: A jar contains 63 balls (1, 2, 3,....., 63). Two balls are picked at random from the jar one after one and without any replacement. What is the probability that the sum of both balls drawn is even?

- A) 5/21
- B) 3/23
- C) 5/63
- D) 19/63
- E) None of these

Answer: E

Solution:

Number of even numbers from 1 to 63 = 31

Number of odd numbers from 1 to 63 = 32

*Probability of getting two even numbers = $(32/63) * (31/62) = 16/63$*

*Probability of getting two odd numbers = $(31/63) * (30/62) = 5/21$*

*P(two even numbers **OR** two odd numbers) = $16/63 + 5/21 = 31/63$*

Question 12: There are 30 students in a class, 15 are boys and 15 are girls. In the final exam, 5 boys and 4 girls made an A grade. If a student is chosen at random from the class, what is the probability of choosing a girl or an 'A-grade' student?

- A) 1/4
- B) 3/10
- C) 1/3
- D) 2/3
- E) None of these

Answer: D

Solution:

Here, the total number of boys = 15 and the total number of girls = 15

Also, girls getting A grade = 4 and boys getting an A grade = 5

Probability of choosing a girl = $15/30$

Probability of choosing A grade student= $9/30$

Now, an A-grade student chosen can be a girl.

Required probability of choosing a girl or an A-grade student

$$= 15/30 + 9/30 - 4/30$$

$$= 1/2 + 3/10 - 2/15$$

$$= 2/3$$

Question 13: What is the probability when a card is drawn at random from a deck of 52 cards is either an ace or a club?

- A) 2/13
- B) 3/13
- C) 4/13
- D) 5/23
- E) None of these

Answer: C

Solution:

There are 4 aces in a pack, 13 club cards, and 1 ace of a club card.

Now, the probability of getting an ace = 4/52

The probability of getting a club = 13/52

The probability of getting an ace of the club = 1/52

Required probability of getting an ace or a club

$$= 4/52 + 13/52 - 1/52$$

$$= 16/52$$

$$= 4/13$$

Question 14: One card is drawn from a deck of 52 cards well shuffling. Calculate the probability that the card will not be a king.

We use cookies to ensure you have the best browsing experience on our website. By using our site, you acknowledge that you have read and understood our

[Cookie Policy](#) & [Privacy Policy](#)

- A) 12/13
- B) 3/13
- C) 7/13
- D) 5/23
- E) None of these

Answer: A

Solution:

Well-shuffling ensures equally likely outcomes.

Total king of a deck = 4

The number of favourable outcomes F = 52 - 4 = 48

The number of possible outcomes = 52

Therefore, the required probability

= 48/52 = 12/13

Question 15: If $P(A) = 7/13$, $P(B) = 9/13$ and $P(A \cap B) = 4/13$, find the value of $P(A|B)$.

- A) 1/9
- B) 2/9
- C) 3/9
- D) 4/9
- E) None of these

Answer: D

Solution:

Question 16: A one-rupee coin and a two-rupee coin are tossed once, and then calculate a sample space.

- A) [HH, HT, TH, TT]
- B) [HH, TT]
- C) [TH, HT]
- D) [HH, TH, TT]
- E) None of these

Answer: A

Solution:

The outcomes are either Head (H) or tail(T).

Now, heads on both coins = (H, H) = HH

Tails on both coins = (T, T) = TT

Probability of head on one rupee coin and Tail on the two rupee coins = (H, T) = HT

And Tail on one rupee coin and Head on the two rupee coin = (T, H) = TH

Thus, the sample space, $S = \{HH, HT, TH, TT\}$

Question 17: There are 20 tickets numbered 1 to 20. These tickets are mixed up and then a ticket is drawn at random.

Find the probability that the ticket drawn has a number that is a multiple of 4 or 5.

- A) 1/4
- B) 2/13
- C) 8/15
- D) 9/20
- E) None of these

Answer: E

Here, $S = \{1, 2, 3, 4, \dots, 19, 20\} = 20$

Multiples of 4: 4, 8, 12, 16, 20 (5 tickets)

Multiples of 5: 5, 10, 15, 20 (4 tickets)

Notice that ticket number 20 is a multiple of both 4 and 5, so we have counted it twice. Therefore, we need to subtract one from the total count.

Total number of tickets with numbers that are multiples of 4 or 5: $5 + 4 - 1 = 8$

The total number of tickets is 20, so the probability of drawing a ticket with a number that is a multiple of 4 or 5 is:

$$P = 8/20 = 2/5 = 0.4$$

Therefore, the probability that the ticket drawn has a number that is a multiple of 4 or 5 is 0.4 or 40%.

Direction (18 – 20):

In a school the total number of students is 300, 95 students like chicken only, 120 students like fish only, 80 students like mutton only and 5 students do not like anything above. If randomly one student is chosen, find the probability that.

- 18) The student likes mutton.
- 19) He likes either chicken or mutton
- 20) He likes neither fish nor mutton.

Solution(18 – 20):

The total number of favorable outcomes = 300 (Since there are 300 students altogether).

The number of times a chicken liker is chosen = 95 (Since 95 students like chicken).

The number of times a fish liker is chosen = 120.

The number of times a mutton liker is chosen = 80.

Question 18: Find the probability that the student likes mutton.

- A) 3/10
- B) 4/15
- C) 1/10
- D) 1/15
- E) None of these

Answer: B

Solution:

Therefore, the probability of getting a student who likes mutton

$$\begin{aligned} &= 80/300 \\ &= 4/15 \end{aligned}$$

Question 19: What is the probability that the student likes either chicken or mutton?

- A) 7/12
- B) 5/12
- C) 3/4
- D) 1/12
- E) None of these

Answer: A

Solution:

The probability of getting a student who likes either chicken or mutton

$$\begin{aligned} &= (95+80)/300 \\ &= 175/300 \end{aligned}$$

Question 20: Find the probability that the student likes neither fish nor mutton.

- A) 1/2
- B) 1/5
- C) 1/3
- D) 1/4
- E) 1/6

Answer: C

Solution:

$$\begin{aligned} \text{The probability of getting a student who likes neither fish nor mutton} \\ &= (300 - 120 - 80)/300 \\ &= 100/300 \\ &= 1/3 \end{aligned}$$

Direction (21-23):

A box contains 90 number plates numbered 1 to 90. If one number plate is drawn at random from the box then find out the probability that

- 21) The number is a two-digit number
- 22) The number is a perfect square
- 23) The number is a multiply of 5

Question 21: Find the probability that the number is a two-digit number.

- A) 1/9
- B) 1/10
- C) 9/10
- D) 7/10
- E) None of these

Answer: C

Solution :

Total possible outcomes = 90 (Since the number plates are numbered from 1 to 90).

Number of favorable outcomes

= 90 - 9 = 81 (here, except 1 to 9, other numbers are two-digit number.)

Thus required probability

= Number of Favourable Outcomes /Total Number of Possible Outcomes

= 81/90

= 9/10.

Question 22: What is the probability that the number is a perfect square?

- A) 1/9
- B) 1/10
- C) 9/10
- D) 1/7
- E) None of these

Answer: B

Solution:

Total possible outcomes = 90.

Number of favorable outcomes = 9 [here 1, 4, 9, 16, 25, 36, 49, 64, and 81 are the perfect squares]

Thus the required probability = 9/90 = 1/10

Question 23: Find the probability that the number is a multiple of 5.

We use cookies to ensure you have the best browsing experience on our website. By using our site, you acknowledge that you have read and understood our [Cookie Policy](#) & [Privacy Policy](#).

- A) 1/5
- B) 1/6
- C) 1/10
- D) 1/8
- E) 9/10

Answer: A

Solution:

Total possible outcomes = 90.

Number of favourable outcomes = 18 (here, $5 \times 1, 5 \times 2, 5 \times 3, \dots, 5 \times 18$ are multiple of 5).

Thus, the required probability = $18/90 = 1/5$

Practice Questions on Probability

1. A bag contains 4 red balls and 6 blue balls. If two balls are drawn at random, what is the probability that both balls are red?
2. In a class of 50 students, 30 play cricket, 20 play football, and 10 play both cricket and football. What is the probability that a randomly selected student plays either cricket or football?
3. A fair die is rolled twice. What is the probability of getting a sum of 7?
4. In a deck of 52 cards, what is the probability of drawing a face card (Jack, Queen, or King) or an Ace?
5. The probability of an event A is 0.6 and the probability of event B is 0.3. If the events are mutually exclusive, what is the probability of either A or B occurring?
6. A box contains 5 white marbles, 3 black marbles, and 2 red marbles. If two marbles are drawn without replacement, what is the probability that the first is white and the second is black?
7. In a group of 100 people, 60 like coffee, 40 like tea, and 20 like both. What is the probability that a randomly selected person likes coffee or tea?

We use cookies to ensure you have the best browsing experience on our website. By using our site, you acknowledge that you have read and understood our

[Cookie Policy](#) & [Privacy Policy](#)

8. A fair coin is tossed 3 times. What is the probability of getting at least two heads?

9. In a family with two children, what is the probability that both children are girls, given that at least one of the children is a girl?

10. A bag contains 3 red balls, 4 green balls, and 5 blue balls. Two balls are drawn at random. What is the probability that they are of different colors?

Answer Key

1. $2/15$

2. $4/5$

3. $1/6$

4. $4/13$

5. 0.9

6. $1/6$

7. 0.2

8. $1/2$

9. $1/3$

10. $47/66$

Subscribe for 1 Year and get **1 Extra year of access completely FREE!** Upgrade to [GeeksforGeeks Premium](#) today!

Choose [GeeksforGeeks Premium](#) and also get access to **50+ Courses with Certifications, Unlimited Article Summarization, 100% Ad free environment, A.I. Bot support** in all coding problems, and much more. [Go Premium!](#)

[Comment](#)[More info](#)

Next Article

Geometry and Co-ordinates

Similar Reads

Ratio and Proportion - Aptitude Questions and Answers

Ratio and proportion are two fundamental concepts for anyone preparing for competitive exams. In this article, we'll provide you with solved examples and practice questions to help you master the topic. Prerequisite: Ratio and Proportions -...

6 min read

Profit and Loss - Aptitude Questions and Answers

Profit and loss are crucial topics in Quantitative Aptitude sections of various competitive exams. To succeed in these exams, candidates must have a solid understanding of the cost price (CP) and selling price (SP) formulas, as well as the different...

7 min read

Races and Games - Aptitude Questions and Answers

We use cookies to ensure you have the best browsing experience on our website. By using our site, you acknowledge that you have read and understood our

[Cookie Policy](#) & [Privacy Policy](#)

Permutation and Combination - Aptitude Questions and Answers

Permutation and Combination are fundamental concepts in mathematics that deal with arranging and selecting objects from a set. These concepts are crucial in various fields, including probability theory, and statistics. There are different types of...

4 min read

Work and Wages - Aptitude Questions and Answers

Work and Wages is a very important part of quantitative aptitude for exams like CAT, Bank PO, and other exams. In this topic, We shall try to cover all the types of questions asked in this topic with a detailed explanation of ways of attempting...

11 min read

Pipes and Cistern - Aptitude Questions and Answers

Pipes and Cisterns are an important part of the quantitative aptitude syllabus for various competitive exams such as banking, SSC, RRB, and Insurance exams conducted in India. Prerequisite: Pipes and Cistern - Fundamentals Aptitude...

10 min read

Boats and Streams - Aptitude Questions and Answers

In this article, we will discuss the boat and stream concept, and provide sample questions to help you understand the topic better. Prerequisites: Boats and StreamsSpeed, Time, and DistanceAptitude Questions on Boats and StreamsQ 1. A 100 m...

8 min read

Height and Distances - Aptitude Questions and Answers

Solving height and distance questions requires a strong knowledge of trigonometric principles. These types of problems come up frequently on various competitive examinations, like the SSC, Bank PO, and other government job exams, and are...

9 min read

Clock - Aptitude Questions and Answers

We use cookies to ensure you have the best browsing experience on our website. By using our site, you acknowledge that you have read and understood our

[Cookie Policy](#) & [Privacy Policy](#)

5 min read

Alligation or Mixture - Aptitude Questions and Answers

Mixture and allegation are important concepts in quantitative aptitude used to determine the ratio and cost of sale for a mixture made up of two or more materials. Prerequisite: Mixture and Alligation Aptitude Questions on Mixture and...

5 min read

Article Tags : [Placements](#) [QA - Placements](#)



Corporate & Communications Address:-
A-143, 9th Floor, Sovereign Corporate
Tower, Sector- 136, Noida, Uttar Pradesh
(201305) | Registered Address:- K 061,
Tower K, Gulshan Vivante Apartment,
Sector 137, Noida, Gautam Buddh
Nagar, Uttar Pradesh, 201305



Company

[About Us](#)

[Legal](#)

Explore

[Job-A-Thon Hiring Challenge](#)

[Hack-A-Thon](#)

Languages

[Python](#)

[Java](#)

DSA

[Data Structures](#)

[Algorithms](#)

Data Science & ML

[Data Science With Python](#)

[Data Science For Beginner](#)

Web Technologies

[HTML](#)

[CSS](#)

We use cookies to ensure you have the best browsing experience on our website. By using our site, you acknowledge that you have read and understood our [Cookie Policy](#) & [Privacy Policy](#).

Advertise with us	Master System Design	SQL	DSA Interview Questions	Pandas	NextJS
GFG Corporate Solution	Master CP	R Language	Competitive Programming	NumPy	NodeJS
Placement Training Program	GeeksforGeeks Videos	Android Tutorial		NLP	Bootstrap
	Geeks Community			Deep Learning	Tailwind CSS

Python Tutorial	Computer Science	DevOps	System Design	School Subjects	Commerce
Python Programming	GATE CS Notes	Git	High Level Design	Mathematics	Accountancy
Examples	Operating Systems	AWS	Low Level Design	Physics	Business Studies
Django Tutorial	Computer Network	Docker	UML Diagrams	Chemistry	Economics
Python Projects	Database Management	Kubernetes	Interview Guide	Biology	Management
Python Tkinter	System	Azure	Design Patterns	Social Science	HR Management
Web Scraping	Software Engineering	GCP	OOAD	English Grammar	Finance
OpenCV Tutorial	Digital Logic Design	DevOps Roadmap	System Design Bootcamp		Income Tax
Python Interview Question	Engineering Maths		Interview Questions		

Databases	Preparation Corner	Competitive Exams	More Tutorials	Free Online Tools	Write & Earn
SQL	Company-Wise Recruitment	JEE Advanced	Software Development	Typing Test	Write an Article
MYSQL	Process	UGC NET	Software Testing	Image Editor	Improve an Article
PostgreSQL	Resume Templates	UPSC	Product Management	Code Formatters	Pick Topics to Write
PL/SQL	Aptitude Preparation	SSC CGL	Project Management	Code Converters	Share your Experiences
MongoDB	Puzzles	SBI PO	Linux	Currency Converter	Internships
	Company-Wise Preparation	SBI Clerk	Excel	Random Number Generator	
	Companies	IBPS PO	All Cheat Sheets	Random Password Generator	
	Colleges	IBPS Clerk	Recent Articles		

DSA/Placements	Development/Testing	Machine Learning/Data Science	Programming Languages	Clouds/Devops	GATE
DSA - Self Paced Course	JavaScript Full Course			DevOps Engineering	GATE CS & IT Test Series -
DSA in JavaScript - Self Paced Course	React JS Course	Complete Machine Learning & Data Science Program - [LIVE]	C Programming with Data Structures	AWS Solutions Architect Certification	2025 GATE DA Test Series 2025
DSA in Python - Self Paced C Programming Course	Django Web Development Course	Data Analytics Training using Excel, SQL, Python & PowerBI - [LIVE]	C++ Programming Course Java Programming Course	Salesforce Certified Administrator Course	GATE CS & IT Course - 2025 GATE DA Course 2025
Online - Learn C with Data Structures	Complete Bootstrap Course	Data Science Training	Python Full Course		
Complete Interview Preparation	Full Stack Development - [LIVE]	Program - [LIVE]			
Master Competitive Programming	[LIVE]	Mastering Generative AI and ChatGPT			
	Complete Software Testing				

We use cookies to ensure you have the best browsing experience on our website. By using our site, you acknowledge that you have read and understood our [Cookie Policy](#) & [Privacy Policy](#).

Mastering System Design:

LLD to HLD

Tech Interview 101 - From

DSA to System Design [LIVE]

DSA to Development

[HYBRID]

Placement Preparation Crash

Course [LIVE]

@GeeksforGeeks, Sanchhaya Education Private Limited, All rights reserved

We use cookies to ensure you have the best browsing experience on our website. By using our site, you acknowledge that you have read and understood our

[Cookie Policy](#) & [Privacy Policy](#)