

Lab – 3

Constructor, destructor, dynamic memory management, friend function

1. Create a class named '**Rectangle**' with two data members- *length* and *breadth* and a function to calculate the area which is 'length*breadth'. The class has *three constructors* which are :
 - (a) having no parameter - values of both length and breadth are assigned zero.
 - (b) having two numbers as parameters - the two numbers are assigned as length and breadth respectively.
 - (c) having one number as parameter - both length and breadth are assigned that number.Now, create objects of the 'Rectangle' class having none, one and two parameters and print their areas.
2. Redefine the above program by creating an array of objects of the class Rectangle and calculate area for each object calling different constructors. Also implement constructors with default arguments and destructor in this program.
3. Verify the following about *destructor* by writing the program:
 - (i) Name should begin with tilde sign(~) and must match class name.
 - (ii) There cannot be more than one destructor in a class.
 - (iii) Destructors do not allow any parameter.
 - (iv) They do not have any return type, just like constructors.

When you do not specify any destructor in a class, compiler generates a default destructor and inserts it into your code.

4. Write a program to implement (a) pointer to an object (b) this pointer. Practice both '.' (dot operator) and '->' (arrow operator).
5. Write a program to swap private values of two classes using a friend function.
6. Write a program to add data objects of two different classes using friend functions.
7. Write a program to demonstrate the working of friend class.
8. Implement dynamic memory allocation. Use *new* and *delete* keywords.