IMPLEMENTING WEB APPICATION:

TEAM ID	PNT2022TMID31098
PROJECT NAME	Smart Fashion Recommender
	Application

STEPS TO CREATE IBM DB2 AND CONNECTION WITH PYTHON

```
STEP 1: Import the ibm db Python library:
!pip install --force-reinstall ibm_db==3.1.0 ibm_db_sa==0.3.7 import ibm_db
STEP 2: Identify the database connection credentials:
dsn_hostname = "2d46b6b4-cbf6-40eb-bbce-
6251e6ba0300.bs2io90l08kqb1od8lcg.databases.appdomain.cloud"
dsn_uid = "vjd29721" dsn_pwd = "6TTgx8MRBzT45o3q"
dsn_driver = "{IBM DB2 ODBC DRIVER}" dsn_database = "BLUDB"
# e.g. "BLUDB" dsn_port = "32328" # e.g. "32733"
dsn_protocol = "TCPIP" # i.e. "TCPIP" dsn_security = "SSL"
#i.e. "SSL"
STEP 3: Create the DB2 database connection:
dsn = (
    "DRIVER={0};"
    "DATABASE={1};"
    "HOSTNAME={2};"
    "PORT={3};"
    "PROTOCOL={4};"
    "UID={5};"
    "PWD={6};"
```

```
server = ibm_db.server_info(conn)
print ("DBMS_NAME: ", server.DBMS_NAME)
print ("DBMS_VER: ", server.DBMS_VER)
```

```
print ("DB_NAME: ", server.DB_NAME)
```

client = ibm_db.client_info(conn)

print ("DRIVER_NAME: ", client.DRIVER_NAME) print

("DRIVER_VER: ", client.DRIVER_VER) print

("DATA_SOURCE_NAME: ", client.DATA_SOURCE_NAME) print

("DRIVER_ODBC_VER: ", client.DRIVER_ODBC_VER) print

("ODBC_VER: ", client.ODBC_VER)

print ("ODBC_SQL_CONFORMANCE: ", client.ODBC_SQL_CONFORMANCE)

print ("APPL_CODEPAGE: ", client.APPL_CODEPAGE) print

("CONN_CODEPAGE: ", client.CONN_CODEPAGE)

STEP 4: Close the Connection:

ibm_db.close(conn)