

DEPARTMENT OF BIOCHEMISTRY

Patient Name	:		Age / Gender	:	36 Y(s)/Female
Bill No./UHID No	:	OH018826 / H00000069950	Report Date	:	19-Feb-2020 9:07 pm
Received Date	:	19-Feb-2020 07:32 pm	Specimen	:	SERUM
Lab No./Result No	:	200201263 / RES183944	Sec/Cup/Rep	:	6
Referred By	:	Dr. HOSPITAL CASE			

T3-T4-TSH

<u>Investigation</u>	<u>Result</u>	<u>Reference Range</u>	<u>Method</u>
Tri-Iodothyronine (T3)	: 1.81	0.87 - 1.78 ng/ml	ECLIA
THYROXINE (T4), TOTAL	: 9.06	5.5 - 11.0 ug/dL	ECLIA
THYROID STIMULATING HORMONE (ULTRA)	: 1.75	0.28 - 3.89 uIU/mL	ECLIA

TSH - For pregnancy the reference range is as follows -

1st trimester : 0.6 - 3.4 uIU/mL

2nd trimester : 0.37 - 3.6 uIU/mL

3rd trimester : 0.38 - 4.04 uIU/mL

*** End Of Report ***

Note: This test is performed on automated BIO CHEMISTRY analyzer - Cobas6000

Verified By
ANAND

NOTE:

* Clinically correlate, kindly discuss if necessary.

* This report relates only to the item received.

Dr. APARNA S. HANDEKAR, MBBS MD
Consultant Physician