
1.Employee Salary



2. Student Result – Calculate Total, Average and Grade

StudentResult.java

```java
package com.java;

public class StudentResult {

        int calculateTotal(int m1, int m2, int m3, int m4, int m5) {
            return m1 + m2 + m3 + m4 + m5;
        }

        double calculateAverage(int total) {
            return total / 5.0;
        }

        String calculateGrade(double average) {
            if (average >= 90)
                return "A";
            else if (average >= 75)
                return "B";
            else if (average >= 50)
                return "C";
            else
                return "Fail";
        }

        void displayResult(int total, double average, String grade) {
            System.out.println("Total: " + total);
            System.out.println("Average: " + average);
            System.out.println("Grade: " + grade);
        }

```

StudentResult.java

```
    String calculateGrade(double average) {
        if (average >= 90)
            return "A";
        else if (average >= 75)
            return "B";
        else if (average >= 50)
            return "C";
        else
            return "Fail";
    }

    void displayResult(int total, double average, String grade) {
        System.out.println("Total: " + total);
        System.out.println("Average: " + average);
        System.out.println("Grade: " + grade);
    }

    public static void main(String[] args) {
        StudentResult s = new StudentResult();

        int total = s.calculateTotal(85, 78, 92, 88, 77);
        double average = s.calculateAverage(total);
        String grade = s.calculateGrade(average);


        s.displayResult(total, average, grade);
    }
}
```


Console | Install Java 27 Support | Eclipse IDE for Enterprise Java and Web Developers 2026-12 M1

<terminated> StudentResult [Java Application] C:\Program Files\Java\jdk-27\bin\javaw.exe (17 Oct 2026, 1:14:37 pm – 1:14:38 pm elapsed)

```
Total: 420
Average: 84.0
Grade: B
```

3. **Electricity Bill – Calculate Electricity Bill**




StudentResult.java
ShoppingCart.java
ElectricityBill.java
} else {
bill = (100 * 2) + (100 * 3) + (units - 200) * 5;
}
return bill;
}
double addFixedCharge(double bill) {
return bill + 50;
}
void displayBill(double energyCharge, double finalBill) {
System.out.println("Energy Charge: " + energyCharge);
System.out.println("Fixed Charge: 50.0");
System.out.println("Final Bill: " + finalBill);
}
public static void main(String[] args) {
ElectricityBill e = new ElectricityBill();
double energy = e.calculateBill(250);
double finalBill = e.addFixedCharge(energy);
e.displayBill(energy, finalBill);
}
}
Console
Install Java 27 Support
Eclipse IDE for Enterprise Java and Web Developers 2026-12 M1
<terminated> ElectricityBill [Java Application] C:\Program Files\Java\jdk-27\bin\javaw.exe (17 Oct 2026, 1:19:16 pm – 1:19:16 pm elapsed
Energy Charge: 750.0
Fixed Charge: 50.0
Final Bill: 800.0

4. Banking Operations – Deposit, Withdraw and Balance

StudentResult.java | ShoppingCart.java | ElectricityBill.java | BankingOperations.java

```java
package com.java;


public class BankingOperations {

        double deposit(double balance, double amount) {
            return balance + amount;
        }

        double withdraw(double balance, double amount) {
            if (amount <= balance) {
                return balance - amount;
            } else {
                System.out.println("Insufficient balance!");
                return balance;
            }
        }

        void checkBalance(double balance) {
            System.out.println("Current Balance: " + balance);
        }

        void displayTransactionSummary(double initial, double deposited,
                                       double withdrawn, double finalBalance) {
            System.out.println("Initial Balance: " + initial);
            System.out.println("Deposited: " + deposited);
            System.out.println("Withdrawn: " + withdrawn);
            System.out.println("Final Balance: " + finalBalance);
        }
```


StudentResult.java
ShoppingCart.java
ElectricityBill.java
BankingOperations.java
21
22 void displayTransactionSummary(double initial, double deposited,
23 double withdrawn, double finalBalance) {
24 System.out.println("Initial Balance: " + initial);
25 System.out.println("Deposited: " + deposited);
26 System.out.println("Withdrawn: " + withdrawn);
27 System.out.println("Final Balance: " + finalBalance);
28 }
29
30 public static void main(String[] args) {
31 BankingOperations b = new BankingOperations();
32
33 double initial = 5000;
34 double depositAmount = 2000;
35 double withdrawalAmount = 1500;
36
37 double balance = b.deposit(initial, depositAmount);
38 balance = b.withdraw(balance, withdrawalAmount);
39
40 b.checkBalance(balance);
41
42 b.displayTransactionSummary(
43 initial, depositAmount, withdrawalAmount, balance
44);
45 }
46 }
47
48
Console
Install Java 27 Support
Eclipse IDE for Enterprise Java and Web Developers 2026-12 M1
<terminated> BankingOperations [Java Application] C:\Program Files\Java\jdk-27\bin\javaw.exe (17 Oct 2026, 1:23:02 pm – 1:23:02 pm e
Current Balance: 5500.0
Initial Balance: 5000.0
Deposited: 2000.0
Withdrawn: 1500.0
Final Balance: 5500.0

5. Shopping Cart – Calculate Discount and Final Amount

StudentResult.java | ShoppingCart.java | ElectricityBill.java | BankingOperations.java

```java
package com.java;

public class ShoppingCart {

        double calculateTotal(double p1, double p2, double p3) {
            return p1 + p2 + p3;
        }

        double calculateDiscount(double total, String membership) {
            if (membership.equalsIgnoreCase("Gold"))
                return total * 0.20;
            else if (membership.equalsIgnoreCase("Silver"))
                return total * 0.10;
            else
                return total * 0.05;
        }

        double calculateFinalAmount(double total, double discount) {
            return total - discount;
        }

        void displayDetails(double total, double discount, double finalAmount) {
            System.out.println("Total Amount: " + total);
            System.out.println("Discount: " + discount);
            System.out.println("Final Amount: " + finalAmount);
        }

        public static void main(String[] args) {
```

StudentResult.java | ShoppingCart.java | ElectricityBill.java | BankingOperations.java

```
12              else if (membership.equalsIgnoreCase("Silver"))
13                  return total * 0.10;
14              else
15                  return total * 0.05;
16          }
17
18          double calculateFinalAmount(double total, double discount) {
19              return total - discount;
20          }
21
22          void displayDetails(double total, double discount, double finalAmount) {
23              System.out.println("Total Amount: " + total);
24              System.out.println("Discount: " + discount);
25              System.out.println("Final Amount: " + finalAmount);
26          }
27
28          public static void main(String[] args) {
29              ShoppingCart s = new ShoppingCart();
30
31              double total = s.calculateTotal(2000, 1500, 500);
32              double discount = s.calculateDiscount(total, "Gold");
33              double finalAmount = s.calculateFinalAmount(total, discount);
34
35              s.displayDetails(total, discount, finalAmount);
36          }
37      }
38
39
```

Console | Install Java 27 Support

<terminated> ShoppingCart [Java Application] C:\Program Files\Java\jdk-27\bin\javaw.exe (17 Oct 2026, 1:45:14 pm – 1:45:14 pm elap

```
Total Amount: 4000.0
Discount: 800.0
Final Amount: 3200.0
```